

# **PRD-CG**<sup>™</sup>-sc Adult Manual Wheelchair



Yes, you can:

Clear Form

Email Form to Customer Service

2241 N Madera Rd	Simi Vallev. CA 93065	Phone: (800) 331-8551	Fax: (888) 582-1509 www.freedomdesigns.com	email: customerservice@freedomdesigns.com
			()	

Description		Part No.	Retail	Description			Part No.	Retail
Email:		····		Fax:				
Marked For:								
Company:				Location:				
Date:	Buyer:			Quote	Order	PO#		

Notice: A seating system must be purchased separately. No seating system is provided with the *PRD-CG* frame. No seat or back upholstery is available as an option.

#### Transport Optional Base

	inansport c	puonai	Dase						
PRO	-SC Adult Rigid	(E1161)	PRO-30313	\$3465					
	Transport Optional								
Note:	Transportation Option selected s	eparately below.							
Note:	SE Frames Do Not Include Free	dom Future Fit Pi	rogram						
Tran	sport Package		PRO-99998	\$ 250					
Note:	Must be installed by Freedom De	esigns manufactu	iring.						
Note:	Freedom's combination of custor are WC19 crash test approved in 2012 Section 19, Anneses A, B, Annexes A, C & D.	n accordance with	n RESNA WC-4:						
Note:	Most Freedom seating, hardware been WC20 tested and approved								
	Transport Included Base								
PRO	SC Adult Rigid	(E1161)	PRO-30314	\$3715					
	Transport Included								

 Transport Included

 Note:
 Includes Freedom Future Fit Program

 Note:
 Freedom's combination of customized seating and wheelchair frames

are WC19 crash test approved in accordance with RESNA WC-4: 2012 Section 19, Anneses A, B, C & E as well as ISO 7176-19 (2008) Annexes A, C & D.

## **Seat Rail Options**

## Note: Not available with ALL Contracture & 3D Dynamic footrest systems.

LEAF - Lower Extremity Accommodation Frame									
LEAF Seat Frame- Pair	(K0108) PRO-30324 <b>\$ 714</b>								
LEAF Seat Frame- Left	(K0108) PRO-30324-L <b>\$ 357</b>								
LEAF Seat Frame- Right	<sup>(K0108)</sup> PRO-30324-R <b>\$ 357</b>								
Note: Front frame angle adjusts 22° from and windswept lower extremity pos individually repositioned for up to a	tioning. Seat frame(s) can be								

#### SRO - Seat Rail Only

SRO Seat Frame- Pair		PRO-30325	\$ 306
SRO Seat Frame- Left	(K0108)	PRO-30325-L	\$ 153
SRO Seat Frame- Right	(K0108)	PRO-30325-R	\$ 153
Note: SRO is manufactured without standar	d footrest ha	anger attachments.	

## **Tilt Activation Options**

Dual Lever Hand Activated Tilt	PRO-30272	n/c
Foot Activated Tilt	PRO-30273	n/c
Note: Not with vent & battery trays.		

# **Vent Tray Options**

	nt Ready Base required for Vent <sup>-</sup> It Tray not with Foot Activated Ti			
Vent	Ready Base	(K0108)	PRO-30331	\$ 459
Note:	Includes Push Button Adjustable Strolle and battery tray on frames 16" wide an		or LP10 style vent	
Vent	Tray - Fixed	(E1029)	11-7000	\$ 439
Note:	For LP10 style vent tray on 16" base w	idth and gre	ater.	
Note:	Vent Tray is full width of the base frame	e and 11" de	ep.	
Quic	k Release Vent Tray Hard-	(E1028)	563	\$ 272
ware	9			
Bacl	k Post Mounted Vent	(E1029)	11-1100	\$ 550
Brac	cket			
Notor	For LTV/ yents ONLY Doos NOT inclus	to dovotoil k	rookot Woight limit	

Note: For LTV vents ONLY. Does NOT include dovetail bracket. Weight limit 15 lbs.

Frame Color Options										
Sugar Cookie	n/c	Blue Blast	n/c							
Neon Yellow	n/c	Electric Blue	n/c							
Yellow	n/c	Galaxy Blue	n/c							
Bright Pink	n/c	Passion Purple	n/c							
Pink Parfait	n/c	Octane Orange	n/c							
Sugar Plum	n/c	Red Sunset	n/c							
Candy Violet	n/c	Really Red	n/c							
Candy Raspberry	n/c	Fiery Red	n/c							
Extreme Green	n/c	Twilight	n/c							
Sparkle Green	n/c	Stormy Gray	n/c							
Mystic Teal	n/c	Black	n/c							
Pacific Blue	n/c									

PRO-18W

PRO-19W

PRO-30540

PRO-30524

PRO-30527

(E2203) PRO-30528

(E2203) PRO-30529

(E2204) PRO-30535

(E2204) PRO-30536

(E2204) PRO-30537

(E2204) PRO-30538

(E2204) PRO-30539

(K0108) PRO-SC-30525

(K0108) PRO-SC-30531

(E2201) PRO-20W

n/c

n/c

n/c

n/c

\$ 500

\$ 500

\$ 900

\$ 900

\$ 900

\$ 900

\$ 900

std

std

\$ 400

2241 N Mad	dera Rd Simi \	Valley, 0	CAS	930	35	Pho	one: (8	800) 3	331-855	1 Fa	ax: (888) 582-1509	WW	/w.freedomdesigr	ns.com
Date:	P(	Э#								Ма	rked For:			]
Descript	tion					Pa	art No		Retail		Description		Part No.	Retail
	Fram	e Din	ner	ารi	ons	S					Frame Dimen	sions (c	ontinued)	
Specify Frame Width & Frame Depth Settings Note: <i>PRD-CG</i> has 4" of depth adjustment for growth. Depth is measured from front of back post to front edge of the seat frame. For back post location add seating/hardware thickness (typically 2") to client's actual seat depth.								meas r back		Specify Frame Width 18" Base Frame Width - adjusts 16" to 18" wide in 1" inc Specify Sea	<ul> <li>Seat frame rements.</li> </ul>	PRO-30260		
2" = ba Note: The 77	ble: seat depth of 13 ack post location s RD-CG has 6" of c s. The default CG se	et at 14' center of	" fgrav	vity (	CG) a	adjus	tment				16" 17" 18"		PRO-16W PRO-17W PRO-18W	n/c n/c n/c
frames. The default CG setting is 1 position forward of either the client's actual seat depth or the manufacturer's seat depth setting. Specify Client's Actual Seat Depth:"								* * **	16" To 24" Seat Frame Specify Seat 16" 17" 18" 19" 20" 21" - Must select 2" extensio 22" - Must select 2" extensio 23" - Must select 4" extensio 24" - Must select 4" extensio	(E2203 1 (E2203 1 (E2203 1 (E2204 1 (E2204	PRO-30520 PRO-30522 PRO-30523 PRO-30524 PRO-30527 PRO-30528 PRO-30529 PRO-30529 PRO-30535 PRO-30536 PRO-30537	n/c n/c n/c \$ 500 \$ 500 \$ 900 \$ 900 \$ 900		
<b>PRO-CG</b> Base Frame Width	12" 13" 14" 15"					21" 2	<b>-2 -1</b>			*	24" - Must select 4" extensio 2" Extension - Pair 4" Extension - Pair Note: Must choose 2" extension for 21" a Note: Must choose 4" extension for 23" a Specify Back Post Location (if ot	(K0108 (K0108 and 22" frame le and 24" frame le	PRO-SC-30525 PRO-SC-30531 Ingths.	\$ 900 std std
16" Base Frame Width 18" Base Frame Width	Manuf -3 -2	facturing -1 0 -3 -2	CG lo 1 -1	ocati 2 0	on Se 3 1	3	3 3 3	3			20" Base Frame Width - adjusts 18" to 20" wide in 1" inc Specify Seat	- Seat frame rements.	PRO-30261	

3

18"

19"

20"

18"

19"

20"

21"

22"

\*

\*\*

\*\*

\*\*

18" To 26" Seat Frame Length

23" - Must select 2" extension

24" - Must select 2" extension

25" - Must select 4" extension

26" - Must select 4" extension

Note: Must choose 2" extension for 23" and 24" frame lengths.

Note: Must choose 4" extension for 25" and 26" frame lengths.

Specify Back Post Location (if other than specified above)\_

Note: Extensions may limit tilt range and may affect stability when in tilted positions. Adjusting seat rail location will compensate for tilt range limitations and possible instability.

2" Extension - Pair

4" Extension - Pair

Specify Seat Depth Setting

-3 -2 0 2 3 3 -1 1 Frame Width Note: Seat rail extensions required for manufacturing seat depth settings with

CG setting in gray area.

16" Base Frame Width - Seat PRO-30240 frame adjusts 14" to 16" wide in 1" incre-

ments.

20" Base

mento.			
Specify Seat Wi	dth Setti	ng	
14"		PRO-14W	n/c
15"		PRO-15W	n/c
16"		PRO-16W	n/c
14" To 22" Seat Frame Ler	ngth	PRO-30512	
Specify Seat De	pth Setti	ng	
14"		PRO-30506	n/c
15"		PRO-30521	n/c
16"		PRO-30522	n/c
17"		PRO-30523	n/c
18"		PRO-30524	n/c
19" - Must select 2" extension		PRO-30527	n/c
20" - Must select 2" extension	(E2203)	PRO-30528	\$ 500
21" - Must select 4" extension	(E2203)	PRO-30529	\$ 500
22" - Must select 4" extension	(E2204)	PRO-30535	\$ 900
2" Extension - Pair	(K0108)	PRO-SC-30525	std
4" Extension - Pair	(K0108)	PRO-SC-30531	std
Note: Must choose 2" extension for 19" and 2	20" frame len	gths.	
Nate: Must shapes 4" sytemation for 24" and 2	0" farmer - 1	author a	

\*\* Note: Must choose 4" extension for 21" and 22" frame lengths.

Specify Back Post Location (if other than specified above)\_\_\_

**PRO-CG** Rider Weight Capacity is 250 lbs. All Prices subject to change without notice.

Page 2 of 8

\*\*

,,

4.5"- 8.5"

& 11.5"

N/A

12.5"-15.5"

N/A

N/A

N/A

N/A

N/A

241 N Madera Rd Simi Valley, CA 93065	Phone: (800	0) 331-8551	Fax: (888) 582	2-1509		WWW.	freedomd	esigns.com		
Date: PO#			Marked For:_							
Description	Part No.	Retail	Description				Part No.	Retail		
Back Post Options	S		Stroller H	landle E	Extensi	on Opti	ons - c	ontinued		
Specify Push Handle, Back Post a		ions n/c	Note: All stroller ha Note: All stroller/pr around pad.		••••••	•	-			
Post Tubes Ergo Bend Push Handle Back Post P Tubes Note: All push/stroller handle extensions not recommended	Post Tubes Ergo Bend Push Handle Back Post PRO-30519 Tubes					Push Button, Angle-Adjustable Push PRO-SC-30581 Handle Extension - Mounts direct to straight back post tubes Note: Available on wheelchair frames 15W & smaller only. For frames wider				
Note:         Angle adjustable from 72° to 108° in 6° increments.           Note:         Supplied with a complete set of 4 elastomers in differ	than 15W must choose Heavy Duty below. PRO-30542 \$1985 Push Button, Angle-Adjustable Push PRO-SC-30586 Handle Extension - Heavy Duty - Mounts					586 <b>std</b>				
allow spring adjustment in the field. Note: Locks into a non-dynamic position when necessary. Note: Does not allow the back post tubes to fold forward. Super Reclining Reduced Shear (K0108) P	RO-30562	\$1138	Removable - Pair					\$ 102		
Back Super Reclining Reduced Shear Back with Push Button, Angle- Adjustable Stroller Handle	RO-30564	\$1335	PRO	) Footre	est / Ext	ension	Lenat	hs		
Extension					1					
<b>Note:</b> Pivot point is 2.5" above the seat rail.			Extension/Hanger	75° Pop	75° Lch	90° Pop	90 °Lch	ELR (90°)		
<ul> <li>Note: Recline range is 65° from 97° to 162°.</li> <li>Note: Includes height adjustable back post tubes for 21" - 2"</li> </ul>	7" hoighto		Hanger Only	6"-8"	5.5"-8.5"	4"-8"	4"-8"	6"-10"		
<b>Note:</b> Available with standard 90° push handles only.	neights.		High Mount	N/A	N/A	1.5"-3"	N/A	N/A		
<b>Note:</b> Only compatible with Push Button, Angle-Adjustable F	olding Stroller		4.5" H D Ext.	9"-12"	9.5"-12.5"	9"-12"	9"-12"	13"-15"		
Handle Extension.	9		6.5" H D Ext.	9"-15"	9.5"-15.5"	9"-15"	9"-15"	N/A		
Note: Does not allow the back post tubes to fold forward.			4" Adjustable	10"-13"	9.5"-12.5"	11"-13"	10"-13"	N/A		
Note: Solid Back Insert installation requires 4-points of attac Seat-to-Back hinges are not compatible with any Super-			6" Adjustable	12"-15"	10.5"-14.5"	13"-15"	12"-15"	N/A		
Reduced Shear Back.	er Reciming		8" Adjustable	14"-17"	12.5"-16.5"	N/A	N/A	N/A		
			10" Adjustable	16"-19"	14.5"-18.5"	N/A	N/A	N/A		
Back Post Height Settin			PRO M	IAPS Fo	otrest /	Extensi	on Len	gths		
Note: Back Posts are measured from top of seat rail to top of		n/c	Extension/Hanger	75° Pop	75° Lch	90° Pop	90 °Lch	ELR (90°)		

Hanger Only

High Mount

4.5" H D Ext.

6.5" H D Ext.

4" Adjustable

6" Adjustable

8" Adjustable

10" Adjustable

5.5"-7.5"

N/A

8.5"-11.5"

8.5"-13.5"

8.5"-11.5"

10.5"-13.5"

12.5"-15.5"

14.5"-17.5"

Note: Back Posts are measured from top of seat rall t	o top of handle bend.	
Short Push Handle - 20" high	PRO-30515	n/c
Medium Push Handle - 23" high	PRO-30514	n/c
Tall Push Handle - 26" high	PRO-30516	n/c

## **Stroller Handle Extension Options**

Note: All stroller handle ext. add approximately 6.5" to push handle height. Note: All stroller/push handle extensions except Individual include a black neoprene wrap around pad. N/-

		$\int$	P	)
-30560	-30571/6	-30590	-30581/6	-30517
Adju	n Handle Extension stable - Mounts dire push handle		PRO-30561	n/c
Strol Adju back	Iler Handle Extens stable, Removable post push handle Not available with Super	e - Mounts direct to	PRO-SC-3059	90 <b>std</b>
Push Hano	Button, Angle-Ac dle Extension - Mor push handle	ljustable Stroller		71 <b>std</b>
Note: Note:	Available on wheelchair than 15W must choose Not removable.		only. For frames wide	ər
Hand direct	Button, Angle-Ad dle Extension - Hea t to back post tubes Not removable.	•	• PRO-SC-305	76 <b>std</b>

Note: Heavy duty extensions do not telescope adjust. Footrests adjust vertically in length on heavy duty extension tubes.

Note: Without extensions bottom hanger hole not accessible for hardware.

5"-8"

N/A

9"-12"

9"-14"

9"-12"

10"-14"

12"-16"

14"-18"

Note: Length from top of footrest plate to top of seat rail.

5.5"-7.5"

N/A

8.5"-11.5"

8.5"-13.5"

9.5"-11.5"

11.5"-13.5"

N/A

N/A

4.5"-7.5"

N/A

8.5"-11.5"

8.5"-13.5"

8.5"-11.5"

8.5"-13.5"

N/A

N/A

# Legrests, Footrests and Extension Options

Legrests	5	
<b>Omit Legrest Hangers &amp; Footrests</b>	PRO-33000	
75° Pop-Up Swing Away Hang-	PRO-30280	n/c
ers		
90° Pop-Up Swing Away Hang-	PRO-30281	n/c
ers		
Note: Not available with 8" adjustable extension	S.	
90° Pop-Up Swing Away	E0990) PRO-30279	\$ 255
Elevating Legrests (ELRs)		
Note: Not available with all length adjustable ext	tensions.	
Note: Not available with 6.5" heavy duty extension	ons.	
75° Latch Style Swing Away	PRO-30282	n/c
Hangers		
90° Latch Style Swing Away	PRO-30283	n/c
Hangers		
Note: Not available with 8" adjustable extension	S.	

**PRO-CG** Rider Weight Capacity is 250 lbs. All Prices subject to change without notice.

Page 3 of 8

PRD-CG SC

Date:\_\_\_\_

Description

Part No. Retail

\_ Marked For:\_ I Description

Part No. Retail

# Legrests, Footrests and Extension Options

PO#

Footplates	6 & Fo	ootboards
------------	--------	-----------

Omit Footrest Plates		PRO-36404	
Composite Flip-Up		PRO-17070	n/c
Kids Aluminum Angle Adjust- able, Flip-Up	(K0040)	PRO-36020	\$ 160
Note: For frames 14" wide and narrower.			
Heel Loops	(E0951)	PRO-36022	\$41
Calf Strap - Webbing	(K0038)	PRO-36024	\$41
Adult Aluminum Angle Adj. Flip- up w/ Heel Loops	(K0040/ E0951)	PRO-36021	\$ 180
Note: For frames 15" wide and greater.			
Omit Heel Loops		PRO-36023	n/c
Aluminum Angle Adjustable Footboard Removable	(K0040)	PRO-36029	\$ 160

#### MAPS Footplate Mounting Hardware

	in a o i ootpiato mounting	i la	
MAP	S (Multi Axis Positioning	PRO-36040	\$ 306
Syste	em) - Pair		
MAP	S (Multi Axis Positioning	PRO-36040-L	\$ 153
Syste	em) - Left		
MAP	S (Multi Axis Positioning	PRO-36040-R	\$ 153
Syste	em) - Right		
Note:	MAPS connects footrest hangers to aluminum foo adjust for fixed foot and ankle positioning. MAPS and adjust for plantar and dorsiflexion and inversi positioning.	footrest plates rotate	
Note:	Must choose aluminum footplates.		
Note:	MAPS not available with composite footplates or	aluminum footboard.	
Note:	MAPS not available on 10" & 11" wide frames.		

Legrest Extensions

- J	-	
4" Length Adjustable Extensions	PRO-30285	n/c
6" Length Adjustable Extensions	PRO-30286	n/c
8" Length Adjustable Extensions	PRO-30287	n/c
10" Length Adjustable Extensions	PRO-30288	n/c
Note: 8" & 10" Not available with all 90° hangers.		
4.5" Heavy Duty ELR Extensions	PRO-SC-36401	std
6.5" Heavy Duty ELR Extensions	PRO-SC-36405	std
4.5" Heavy Duty Extensions	PRO-SC-36402	std
6.5" Heavy Duty Extensions	PRO-SC-36403	std
Note: Heavy duty extensions do not telescope adjust. cally in length on heavy duty extension tubes.	Footrests adjust verti-	
High Mount Brackets	PRO-SC-36407	std
Note: Includes flip-up mounting hardware for future gr	owth adjustment.	
Note: 75° hangers use a tube & clamp style hardware		
Specify Knee to Heel Measurement	" (see matrix)	

Specify Knee to Heel Measurement \_\_\_\_\_" (see matrix)

Notes:

Specialized Footrest Seat Rail to Footplate Measurements					
Part Number	Extension	Super Contracture	3D Dynamic Hi Pivot	3D Dynamic STD	
6402-01	Short	10.5" - 13.5"			
6402-02	Long	13.5" - 18.5"			
6405-01	0"-2" Extension		6.25" - 10.75"	12.75-15.25"	
6409-01	1"-3" Extension		7.25-11.75"	13.75-16.25"	
6406-01	2"-4" Extension		8.25-12.75"	14.75-17.25"	
6410-01	3"-5" Extension		9.25-13.75"	15.75-18.25"	
6407-01	4"-6" Extension		10.25-14.75"	16.75-19.25"	
6411-01	5"-7" Extension		11.25-15.75"	17.75-20.25"	
6508-01	6"-8" Extension		12.25-16.75"	18.75-21.25"	
Note: Ler	igth from top of foc	trest plate to top	of seat rail.	n.	

Note: 3D HiPivot includes 4.5" of length adjustment, 3D includes 2.5" of length adjustment.

# **Specialized Footrest Systems**

Note: ALL legrest measurements are from the seat rail to footplate. Note: Not available with LEAF or SRO seat rail options.

## Super Contracture Footrest Hanger (K0108)

Note: Super	Contracture for frames 14" wide and gre	ater.	,	
Con	tracture Short - 11" to 15"	PRO-30291-2	\$3570	
Note:	See Matrix for seat to rail footplate measu	rements.		
	Includes:			
	Adj Contracture Upper	PRO-6302-03	Incl.	
	Footrest Adapter HD	PRO-6220-01	Incl.	
	Adj Plantar/Dorsi Ext. Short	PRO-6401-02	Incl.	
	Footplate Op	tions		
	4" x 6" HD Alu Footplates	PRO-6503	n/c	
	5" x 7" HD Alu Footplates	PRO-6504	n/c	
Note:	for frames 16" wide and greater only.			
Con	tracture Long - 15" to 19"	PRO-30292-2	\$3570	
Note:	See Matrix for seat to rail footplate measu	rements.		
	Includes:	,		
	Adj Contracture Upper	PRO-6302-03	Incl.	
	Footrest Adapter HD	PRO-6220-01	Incl.	
	Adj Plantar/Dorsi Ext.	PRO-6402-02	Incl.	
	Long Footplate Op	tions		
	4" x 6" HD Alu Footplates	PRO-6503	n/c	
	5" x 7" HD Alu Footplates	PRO-6504	n/c	
Note:	Super Contracture is both swing-away and	d removable.		
Note:	Super Contracture has adjustable knee jot that adjust in 7.5° increments.	ints that have 48 positions		
Note:	•			
Note:	Super Contracture position may limit ankle range.	e joint/ footplate adjustment		

ate:	PO#			Marked For:				
Desc	ription	Part No.	Retail	Description			Part No.	Retai
Spec	cialized Footrest Syste	ms - Contin	ued	Freedom Des	signs A	rmre	st Height	ts
	3D Dynamic Footrest Han	ger (K0108)		Armrest and Pad	Foam	De	sk	Full
-	namic for frames 14" wide and greater.	000 20207 2	¢6045	Flip Back	6.5" - 11.5"	7.5" - "		" - 12.5"
3D L	Oynamic Footrest - Hi Pivot	PRO-30297-2	\$6215	Flip Back Locking	6.5" - 11.5"	7.5" - "		" - 12.5"
	<i>Includes:</i> HiPivot Dyn Adj Knee &	PRO-6304-02	Incl.	Telescoping Flip Back	6.5" - 11.5"	7.5" -		" - 12.5"
	Dyn Tel Upr	FRO-0304-02	inci.	Flip Back Locking Telescoping	6.5" - 11.5"	7.5" -		" - 12.5" " - 14"
	Footrest Adapter HD	PRO-6220-01	Incl.	Single Post Height Adj. Short Single Post Height Adj. Tall		8" - " 10" -		- 14 )" - 16"
	Extension Option	ns		Single Post Fxd Hgt Short		8" - 1	-	- 10.5"
Note:	See Matrix for seat to rail footplate measureme			Single Post Fxd Hgt Short		9" - 1		- 11.5"
	Dynamic Adj Plantar/Dorsi	PRO-6405-01	n/c	Dual Post Fixed Height		9.5		9.5"
	Ext, 0-2"		_	Dual Post Flip Back Height Adj.		9" -		" - 13"
	Dynamic Adj Plantar/Dorsi Ext, 1-3"	PRO-6409-01	n/c	Note: All heights from top of sea	t frame to top	of armre	est pad.	
	Dynamic Adj Plantar/Dorsi Ext. 2-4"	PRO-6406-01	n/c	Armrests and	d Armre	st Pa	ad Optior	าร
	Dynamic Adj Plantar/Dorsi	PRO-6410-01	n/c	Omit Armrests			PRO-38209	
	Ext, 3-5"			Back Pos		-		
	Dynamic Adj Plantar/Dorsi Ext, 4-6"	PRO-6407-01	n/c	Note: Flip-Back armrests length is m of the armrest with foam wrap pad ir		ine front	of the backpost tu	be to the e
	Dynamic Adj Plantar/Dorsi	PRO-6411-01	n/c	10.5" Long Flip-Back			PRO-38204	n
	Ext, 5-7"			Note: Not available with full ler	ngth arm pads			
	Dynamic Adj Plantar/Dorsi Ext, 6-8"	PRO-6408-01	n/c	13.5" Long Flip-Back			PRO-38202	r
	Footplate Option	าร		10.5" Long Flip-Back L	ocking.	(E0973)	PRO-38201	\$ 2
	4" x 6" HD Alu Footplates	PRO-6503	n/c	Note: Not available with full ler	ngth arm pads			
	5" x 7" HD Alu Footplates	PRO-6504	n/c	13.5" Long Flip-Back L	ocking.	(E0973)	PRO-38200	\$ 2
Note:	for frames 16" wide and greater only.							
	6" x 10" HD Alu Footplates	PRO-6505	n/c	10.5" to 13.5" Long Fli	p-Back,	(E0973)	PRO-38208	\$ 2
Note:	for frames 18" wide and greater only.			Telescoping Note: Full length pad on 13.5"	or longer armre	sts only		
			·	10.5" to 13.5" Long Fli	-		PRO-38210	\$ 2
3D L	Oynamic Footrest - STD	PRO-30298-2	\$5775	Locking, Telescoping				
	Includes:		اسما	Note: Full length pad on 13.5" armrests only.	or longer			
	Dynamic Adj Knee & Dyn Tel Upr Footrest Adapter HD	PRO-6304-01 PRO-6220-01	Inci. Inci.	17" to 20" Long Flip-Ba	ack Lock-	(E0973)	PRO-38215	\$ 2
	<u> </u>		inci.	ing, Telescoping		. ,		• -
Note:	Extension Option See Matrix for seat to rail footplate measureme			Foam Wraps - Sta	andard		PRO-30216	r
	Dynamic Adj Plantar/Dorsi	PRO-6405-01	n/c	Desk Length Pad	S		PRO-38213	r
	Ext, 0-2"			Full Length Pads			PRO-38214	r
	Dynamic Adj Plantar/Dorsi Ext, 1-3"	PRO-6409-01	n/c	Note: Full length pad on 13.5"	or longer armres	sts only.		
	Dynamic Adj Plantar/Dorsi	PRO-6406-01	n/c	Frame	Mounted	Armr	ests	
	Ext, 2-4"			Single Post Fixed Heig			PRO-38222	\$2
	Dynamic Adj Plantar/Dorsi	PRO-6410-01	n/c	movable - Short				
	Ext, 3-5"		-	Single Post Fixed Heig	ht, Re-	(K0015)	PRO-38224	\$2
	Dynamic Adj Plantar/Dorsi Ext, 4-6"	PRO-6407-01	n/c	movable - Tall Note: Single Post Fixed Heigh	t orma includa a	romovah	lo oido quard	
	Dynamic Adj Plantar/Dorsi	PRO-6411-01	n/c	Note: Adjustable in height with				
	Ext, 5-7"			Olmate Deschill 1.1.1.1		(50070)		<u>~</u> -
	Footplate Option			Single Post Height Adj Removable - Short	ustable,	(E0973)	PRO-38217	\$ 2
	4" x 6" HD Alu Footplates	PRO-6503	n/c	Single Post Height Adj	ustable.	(E0973)	PRO-38203	\$ 2
Notes	5" x 7" HD Alu Footplates	PRO-6504	n/c	Removable - Tall	· ······	,		÷ =
Note.	for frames 16" wide and greater only. 6" x 10" HD Alu Footplates	PRO-6505	n/c					
Note:	for frames 18" wide and greater only.	110-0000	170	Dual Post Fixed Height	t		PRO-38205	r
	3D Dynamic is both swing-away and removable			Removable	inht	(E0072)		<b>*</b> ~
	3D Dynamic has adjustable dynamic knee joints	s that can be set at 40°,		Dual Post Flip-Back He Adjustable, Removable	-	(⊏0973)	PRO-38206	\$ 2
	50°, 70°, or 90° with 36° of dynamic elevation tr	avel.		Note: All dual post armrests no		short fran	ne.	
NOTE:	3D Dynamic has ankle joints with 18° of dynam dorsiflexion ankle/foot positioning.	e nexion for plantar/		Note: All dual post armrests no				
Note:	Angle adjustable footplate included.			Desk Length Pad	s		PRO-38213	I
Note:	Frame and/or front caster choice may limit 3D I			Full Length Pads			PRO-38214	r
	range and/or cause footplate/front caster interfe	10100.						

**PRO-CG** Rider Weight Capacity is 250 lbs. All Prices subject to change without notice.

Page 5 of 8

 PRD-CG SC

 Note: All Specifications and dimensions are approximate
 (€

Rev. 092018D

Form No. WOPROASC

Retail

Date:

Description

Part No.

Marked For: Retail Description

Part No.

Whe	el/Caster Seat Rail to Floor Heights
D	Castar Wheel

PO#

Rear	r Caster Wheel				
Wheel	4"	5"	6"	7"	
12"	15" 15.5" 16" 18.5" 19"	15" 15.5" 16" 18.5" 19"	18.5" 19"	18.5" 19"	
16"	15" 15.5" 16" 16.5" 17" 17.5"	15" 15.5" 16" 16.5" 17" 17.5"	16" 16.5" 17" 17.5" 20"	17" 17.5" 20" 20.5"	
18"	15.5" 16" 16.5" 17" 17.5"	15.5" 16" 16.5" 17" 17.5" 18" 18.5"	16" 16.5" 17" 17.5" 18" 18.5"	17" 17.5" 18" 18.5"	
20"	17" 17.5" 18" 18.5" 19"	17" 17.5" 18" 18.5" 19" 19.5"	17" 17.5" 18" 18.5" 19" 19.5" 20"	17" 17.5" 18" 18.5" 19" 20"	
22"	18" 18.5" 19"	18" 18.5" 19" 19.5"	18" 18.5" 19" 19.5" 20"	18" 18.5" 19" 20"	
24"	18.5" 19"	19" 19.5"	19" 19.5" 20"	19" 20" 20.5"	

Note: Use chart to determine seat rail to floor height. Seat rail to floor height determined by frame type, rear wheels, and front caster size. Note: Caster sizes vary slightly in height by type.

Note: Seat rail to floor heights are approximate, and are impacted by wheel type, caster size and braking choice. Heights can vary +/- 1/4". Note: Seat pan choice increases seat rail to floor height 3/8" to 3/4".

Front Wheels - C	Caster Options	
Omit Caster Wheels	PRO-34333	
3" Polyurethane	PRO-34888	n/c
3" Polyurethane Light-Up	PRO-34111	\$ 101
4" Polyurethane	PRO-40000	n/c
4" Polyurethane Light-Up	PRO-41000	\$ 101
4" x 1.4" Poly, Aluminum Mag	PRO-43000	\$ 175
5" x 1" Poly, Plastic Mag	PRO-34555	n/c
5" Polyurethane Light-Up	PRO-35050	\$ 101
5" x 1.5" Poly, Plastic Mag	PRO-SC-34222	std
5" x 1.4" Poly, Aluminum Mag	PRO-42000	\$ 175

# Front Wheels - Caster Options - Continued

6" x 1" Poly, Plastic Mag		PRO-34666	n/c
6" x 1.5" Poly, Plastic Mag		PRO-SC-34999	std
6" x 1.4" Poly, Aluminum Mag	PRO-44000	\$ 175	
6" x 2" Poly with Tread		PRO-34444	\$ 92
6" x 1" Pneumatic Plastic Mag (E2214/ E2215)		PRO-34667	\$ 77
7" x 1" Poly, Plastic Mag		PRO-SC-34777	std
7" x 2" Polyurethane		PRO-34200	\$ 118

#### **Rear Wheels - Tires - Accessories**

Note: All wheel selections include Freedom Designs' Patented Double Locking Safety Axles. **Omit Rear Wheels and Axles** PRO-31524

Mag Wh	eels					
12" Low Profile Poly Mag (E2218) PRO-31526						
Note: Not available with any foot/hand activated brake/wheel lock system.						
12" Semi Pneumatic Plastic PRO-31523						
Мад						
Note: Not available with airless inserts.						
12" Pneumatic Plastic Mag		PRO-31525	n/c			
12" Airless Inserts	(E2213)	PRO-31019	\$77			
16" Pneumatic Plastic Mag		PRO-SC-31530	std			
16" Airless Inserts	(E2213)	PRO-31020	\$77			
16" Aluminum Handrims		PRO-31014	\$ 169			
18" Pneumatic Plastic Mag		PRO-SC-31533	std			
18" Airless Inserts	(E2213)	PRO-31021	\$77			
18" Aluminum Handrims		PRO-31015	\$ 169			
20" Pneumatic Plastic Mag with Aluminum Handrim		PRO-31527	n/c			
20" Airless Inserts	(E2213)	PRO-31022	\$77			
20" Plastic Coated Handrims		PRO-31016	\$ 119			
Note: Plastic Coated Handrims NOT availabl	e with Drur	n Braking Systems.				
22" Pneumatic Plastic Mag with PRO-31528						

22″ F	neumatic Plastic Mag with		PRO-31528	n/c
Alum	ninum Handrim			
	22" Airless Inserts	(E2213)	PRO-31023	\$ 77
	22" Plastic Coated		PRO-31017	\$ 119
	Handrims			
Note:	Plastic Coated Handrims NOT available	e with Drur	n Braking Systems.	

	Pneumatic Plastic Mag with ninum Handrim		PRO-31529	n/c
	24" Airless Inserts	(E2213)	PRO-31024	\$ 77
	24" Plastic Coated Handrims		PRO-31018	\$ 119
Note:	Plastic Coated Handrims NOT availabl	e with Drur	n Braking Systems.	

Omit Handrims from 20", 22" or PRO-31006 24" Wheels

**PRO-CG** Rider Weight Capacity is 250 lbs. All Prices subject to change without notice.

Page 6 of 8

CE

te: PO# Description		Part No.		tail	Marked For: Description Part No. Re	etail
Description		Fait NO.	Ne	Lali		rtan
<b>Rear Wheels - Tires</b>	- Acce	ssories - a	Cont.		Rear Anti-Tipper Options	
•	Wheels				Curb Assist Anti-Tip Assembly (E0971) PRO-31600 \$	9
Note: All spoke wheels not available plas				-	Flip-Up, Adjustable Note: Pair includes one anti-tip tube with curb assist feature.	
16" Grey Pneumatic Tire & Sil Spoke Aluminum Wheel	iver	PRO-31534		n/c		18
<b>Note:</b> Rim, hub & spokes are anodized s	ilver.				Anti-Tip Assy - Foot Activated	
16" Airless Inserts	(E2213)	PRO-31020	\$	77		
16" Silver Aluminum		PRO-31030	\$	77		
Handrim					Seat Pan Options	
Note: 16" & 18" spoke wheels do not incl	lude handrims.				Note: ALL seat pans include 2" x 2" notches for growth adjustment.	
16" Black Pneumatic Tire & Black Spoke Aluminum Whee		PRO-31535		n/c		17
Note: Rim, hub & spokes are anodized b					Note: Not available with folding frame.	
16" Airless Inserts		PRO-31020	\$	77	Note: For folding frame must select Removable Pan Hardware Kit below.	
16" Black Aluminum Handrim		PRO-31031	\$	77	Note: ALL Bolteron seat pans are made to fit frame dimensions unless specified below.	
<b>Note:</b> 16" & 18" spoke wheels do not incl	lude handrims.				Seat Width" X Seat Depth"	,
18" Grey Pneumatic Tire & Sil	lver	PRO-31537	I	n/c	Fixed Solid Seat Pan - Alumi- (E2231) PRO-39030 \$	20
Spoke Aluminum Wheel					num	
Note: Rim, hub & spokes are anodized s		000 21021	¢	77	Note: Fixed Seat Pan raises the effective seat to floor height by 1/2". Note: Not available with folding frame.	
18" Airless Inserts	(L2213)	PRO-31021	\$	77	Note: For folding frame must select Removable Pan Hardware Kit below.	
18" Silver Aluminum Handrim		PRO-31034	\$	77	Available in the following sizes ONLY:	
<b>Note:</b> 16" & 18" spoke wheels do not incl	lude handrims.				14" wide x 16" deep 18" wide x 18" deep	
18" Black Pneumatic Tire & Black Spoke Aluminum Whee		PRO-31538	I	n/c	16" wide x 18" deep	
Note: Rim, hub & spokes are anodized b					Fixed, Width Adjustable Solid (E2231) PRO-39040 \$	29
18" Airless Inserts		PRO-31021	\$	77	Seat Pan - Aluminum	_`
18" Black Aluminum		PRO-31035	\$	77	Note: Fixed Seat Pan raises the effective seat to floor height by 1/2".	
Handrim					Note: Width Adjustable Solid Seat Pan adjusts 2" in width (in 1" increments) by assembly hardware to grow with PRO frame.	
Note: 16" & 18" spoke wheels do not incl	lude handrims.				<b>Note:</b> Not available with folding frame.	
20" Pneumatic Spoke Wheel		PRO-31540	6 7	204	Note: For folding frame must select Removable Pan Hardware Kit below.	
with Aluminum Handrim		110-31340	ΨΖ	204	Available in the following sizes ONLY:	
20" Airless Inserts	(E2213)	PRO-31022	\$	77	14"-16" wide x 16" deep	
					16"-18" wide x 18" deep	
22" Pneumatic Spoke Wheel		PRO-31541	\$ 2	204	Mounting Hardware Ontions	
with Aluminum Handrim	(500.40)				Mounting Hardware Options Note: Use to convert fixed seat pan to removable.	
22" Airless Inserts	(E2213)	PRO-31023	\$	77		19
24" Pneumatic Spoke Wheel		PRO-31542	\$ 2	204	Note: Removable Seat Pan Hardware raises the effective seat to floor height by 5/8".	
with Aluminum Handrim 24" Airless Inserts	(E2213)	PRO-31024	\$	77	Note: Includes 4-points of EZ-Lite mounting hardware, 2 each frame stopper clamps.	
	. ,		Ŧ	••		19
Omit Handrims from 20", 22"	or	PRO-31006			Note: Includes 4 each 1" drop hooks, 4 each 408	
24" Wheels					clamps, & 2 each Glide Lock clamps.	
					Note: Not available with ANY Aluminum Solid Seat Pan.	
14/1 1 -					2" Drop Pan Hardware Kit (K0108) PRO-DROP2 \$ Note: Includes 4 each 2" drop hooks, 4 each 408	19
Wheel Loc	CK Optio	ons			clamps, & 2 each Glide Lock clamps.	
<b>B</b> 1 4 1 1 <b>B</b> 1 1		DDO 24504			Note: Not available with ANX Aluminum Solid Seat Pan	

Note: N	lot available with	ANY Aluminum	Solid Seat Pan.
---------	--------------------	--------------	-----------------

Wheel Lock Options							
Push	n to Lock - Standard		PRO-31501	n/c			
Pull	to Lock		PRO-31506	n/c			
	Extension Handles	(E0961)	PRO-31801	\$61			
Foot	Activated Wheel Lock		PRO-31508	n/c			
Note:	Includes manual wheel locks to be use	d with publ	ic transportation				
Note:	Not available with 12" mag wheels with	low pro po	oly tires.				
Note:	Not available with ALL vent and battery	rays.					
Hand	d Activated Brake and	(E2228)	PRO-30275	\$ 900			
Wheel Lock System							
Note:	Note: Includes manual wheel locks to be used with public transportation						
Note:	Note: Not available with 12" mag wheels with low pro poly tires.						

Note: Used to control direction, speed, brake and lock wheels from strolling position.

**PRO-CG** Rider Weight Capacity is 250 lbs. All Prices subject to change without notice.

Page 7 of 8

CE

(K0108) SFDI-9HP

(K0108) PRO-23210

(K0108) PRO-10900

(K0108) PRO-10905

(K0108)

10911-2

Date: PO#			Marked For:				
Description		Part No.	Re	etail	Description	Part No.	Retail
Accessories					HCPCS CODES are provided based on verification through PDAC or our interpretation of the code definitions. The use of HCPCS codes does not ensure coverage or payment.		
Tilt Range Limit Kit	(K0108)	PRO-10920	\$	35	For coverage information, verify the appr		r payment.
Note: Pins install into outside of tilt ch	annel to limit tilt tra	avel.					
Medical Necessities Pouch	(K0108)	PRO-23207	\$	68			

\$ 92

\$ 82

\$ 56

\$ 194

\$ 128

#### Notes:

Anterior Support Su	urface	es – (Trays)	
3/8" Lexan Tray - Channel Bracket Hardware	(E0950)	08-2000	\$ 271
3/8" Lexan Tray - Adjustable Knob Hardware & Ribs	(E0950)	08-6000	\$ 219
1/4" Lexan Tray - EZ Lite Chan- nel Hardware & Ribs	(E0950)	08-13000	\$ 183
1/4" Lexan Tray - Hook & Loop Straps	(E0950)	08-16000	\$ 106

Note: Black nylon.

Frame Pads - Pair

Freedom Backpack

Footrest Hanger Pads - Pair

Flip-Down Rigidizing Bar

Note: Wrap-around pads made from black neoprene.

Note: Wrap-around pads made from black neoprene. Note: Typically used to pad exposed back post tubes.

Note:Mounts to back post tubes to add rigidity to frame.Note:Does NOT adjust in width to grow with frame.

 Note:
 Canopy assembly includes removable mounting hardware.

 Note:
 Canopy is available in black only with Freedom Designs logo.

 Note:
 Canopy includes rear flap with zippered storage pocket.

 Note:
 Black Nylon only with Freedom Designs logo.

 Note:
 Monogramming is not available on Freedom Backpack.

Freedom Canopy - Flip-Back

Note: Canopy includes clear-view window.

CE