





Yes, you can:

2241 N Madera Rd Simi Valley,	CA 93065 Phon	e: (800) 33	31-8551 Fax: (888) 582-1509	www.freedom	designs.com		
Date: Buyer:			Quote Order	PO#			
Company:			Location:				
Marked For:			Phone:				
Email:			Fax:				
Description		Retail	Description		Part No	Retail	
			•				
Transport Optional I				Frame C			
Transport Optional		\$2800	Sugar Cookie	n/c	Pacific Blue	n/c	
Note: Transportation Option selected separately bel			Neon Yellow	n/c	Blue Blast	n/c	
NXT-Mini Pediatric Rigid (E1233) Transport Optional	NXT-30340	\$2700	Yellow	n/c	Electric Blue	n/c n/c	
Note: Transportation Option selected separately bel			Bright Pink Pink Parfait	n/c	Galaxy Blue	n/c	
Note: Seat frame is offered as a Seat Rail Only for u system mounted footrest, or with a fixed 70°, t	80°, or 90° bend			n/c	Passion Purple	n/c	
legrest insert that is manufactured with holes increments for footrest hardware attachment a			Sugar Plum Candy Violet	n/c n/c	Octane Orange Red Sunset	n/c	
adjustment. Note: Not available with any Pop-Up or Latch swing	away or elevating			n/c		n/c	
footrest hangers.	h 0		Candy Raspberry Extreme Green		Really Red	n/c	
Note: Freedom Future Fit Program includes folding footplates for growing frame WIDTH only.	cross brace &			n/c n/c	Fiery Red Twilight	n/c	
Note: ANY DEPTH growth of NXT-MINI requires con SMALL frame NXT. Contact Customer Service	nversion to a		Sparkle Green Mystic Teal	n/c	Stormy Gray	n/c	
availability.			wysuc rear	n/c	Black	n/c	
Transportation Optior	1				DIACK	11/C	
 Note: Used when Transport Optional frame is select Transportation Package Note: Must be installed by Freedom Designs manufication Note: Not available with all vent and battery trays. Note: Freedom's combination of customized seating frames are WC19 crash test approved. Note: Most Freedom seating, hardware, and position have been WC20 tested and approved for transport. 	\$ 250	Spec 10" 11" 1: 12" 13" 1. Note: Frame widths meas					
Transport Included NXT-Mini Pediatric Folding (E1234) Transport Included NXT-Mini Pediatric Rigid (E1233) Transport Included Note: Seat frame is offered as a Seat Rail Only for usystem mounted footrest, or with a fixed 70°, legrest insert that is manufactured with holes increments for footrest hardware attachment a adjustment. Note: Not available with any Pop-Up or Latch swing footrest hangers.	Base NXT-30331 NXT-30341 use with a seating 80°, or 90° bend located in 1/2" and footrest plate away or elevating	\$2950 \$2850	system mounted fo insert that is manuf for footrest hardwar Note: Freedom Future Fit 30250 ONLY. No Fit NXT-Mini size NXT- width and 14" in se- frame NXT. Contac in pricing and order Bac	otrest, or with h actured with h re attachment t Program app reedom Future -30220. ANY at depth requi t Freedom Cu ring conversio	all Only for use with a seating a fixed 75° or 85° bend legre oles located in 1/2" incremer and footrest plate adjustmer lies to NXT-Mini size NXT- growth greater than 14" in se res a conversion to a small ustomer Service for assistant n components. Locations and Frame Length	est hts ht. at	
Note: Freedom Future Fit Program includes folding footplates for growing frame WIDTH only.	cross brace &		Note: Extensions may lim	nit tilt range ar	nd may affect stability when in	tilted posi-	
Note: ANY DEPTH growth of NXT-MINI requires con			and possible instab		will compensate for tilt range	limitations	
SMALL frame NXT. Contact Customer Service availability.	e for pricing and		Mini Frame		NXT-30510	n/c	
			8"		NXT-30500XTF		
Tilt Activations			9" 10"		NXT-30501XTF NXT-30502XTF		
Dual Lever Hand Activated Tilt	NXT-30272	n/c	11"		NXT-30503XTF		
Foot Activated Tilt	NXT-30273	n/c	12" * 12" • • • • • •		NXT-30504XTF NXT-30505XTF		
Note: Foot pedal installed on right rear side frame.			* 13" Must select 2" exi * 14" Must select 2" exi		NXT-30506XTF		
Combination Hand Activated Tilt, Brake and Wheel Lock System Note: Includes manual wheel locks to be used with p transportation.	NXT-30274	n/c	2" Extension Specify Back Post Note: Floor to seat frame	n - Pair Location (height range		\$ 26 "	
Vent & Battery Tra	vs		Note: Must choose an ex	tension for 13	and 14 frame lengths.		
Note: All vent & battery trays not available with NXT-MINI Note: All vent and battery trays not with transport option.	•		Note: NXT Mini has 4" of dep front of back post to end of t / hardware thickness (typical depth of 6" + back / hardware	he seat frame ly 2") to clier	e. For back post location ac it's actual seat depth. Exam	ld seating 1ple: seat	
NXT-MINI Rider Weight Capacity	/ is 75 lbs.		Page 1 of 4	IXT-MINI P	ediatric	(6	

2241 N Madera Rd Simi Valley, CA 93	065 Phone: (80	0) 331-85	51 Fax: (888) 582-1509	www.freedomdes	igns.com
Date: PO#			Marked For:		
Description	Part No.	Retail	Description	Part No.	Retail
Back Post Tu Specify Push Handle, Back Po Standard 90° Bend Push Handles and Back Post Tubes Ergo Bend Push Handles and Bac	NXT-30518	n/c	Legrests, Footrests Legres NXT-Mini offers a series of fixed legrest tube rail. Footplate mounting holes are placed at adjustment. Footplate range is measured fr of the footplate. Range of adjustment is 3"	sts e options which insert int : 1/2" increments for heig rom the top of the seat rai	o the seat ht il to the top
Post Tubes Note: All push/stroller handle extensions not Ergo Bend. Back Post He Note: Back Posts are measured from top of seat ra	eight		and optional 4" legrest extension. Seat Rail Only - Mini Note: For use with seat mounted footrest. 75° Fixed Legrest Insert - Pair Note: Bottom mounting hole usable extension tube only.	NXT-30370	n/c n/c
Short Push Handle - 20" high Medium Push Handle - 23" high Tall Push Handle - 26" high	NXT-30515 NXT-30514 NXT-30516	n/c n/c n/c	 Note: 75° & 85° fixed legrest use at tube. 85° Fixed Legrest Insert - Pair Note: Bottom mounting hole usable extension tube only. Note: 75° & 85° fixed legrest use at the statement of the	NXT-30371 e after installation of 4"	n/c
Stroller Handle Ex Note: All stroller handle ext. add approximately 6.5 Note: All stroller/push handle extensions except in neoprene wrap around pad.	" to push handle height.		Note: Video Interlegies use al Vide. Note: Seat rail must be moved 1.5" clearance when installing 4" of 75° Fixed Legrest Extension	' forward for base frame extensions. with NXT-30327	n/c
-30560 -30570 -3 Push Handle Extension - Width Adjustable	30580 -309 NXT-30560) 517 n/c	 Note: Features a fixed 15 degree la insert to allow for abducted lc Note: When used with 15° Fixed At 75° Fixed Legrest Extension, a 15° abducted position. Note: Includes a 75° fixed legrest e Note: Not available with Bolteron F Note: Not available with 4" length a 	ower extremity positioning. bduction Seat Rail and the the footplate is mounted in extensions only. lip-Up Footboard.	1
Push Button, Angle-Adjustable Folding Stroller Handle Extensior	NXT-30570	\$ 112	Footplates & F		
Note: Available 10W-15W wheelchair frames	only.		Omit Footrest Plates	NXT-36404	
Note: Not removable, but allows frame to fold Note: Mounts direct to back post push handle			Composite Flip-Up	NXT-17070 (K0040) NXT-36019	n/c \$ 160
Push Button, Angle-Adjustable, Folding Push Handle Extension Note: Available 10W-15W wheelchair frames Note: Not removable, but allows frame to fold Note: Mounts direct to straight back post tube	l.	\$ 112	MINI Aluminum Angle Adjustable, Flip-up Mid-line Mounted Footplates Note: When used with 15° Fixed At 75° Fixed Legrest Extension, a mid-line position.	NXT-36025	n/c
Individual Stroller Handle Extensi Removable - Pair		\$ 102	Abduction Mounted Footplat Note: When used with 15° Fixed At 75° Fixed Legrest Extension, a 15° abducted position. Note: Only available with the 15° Fi and the 75° Fixed Legrest Ex	bduction Seat Rail and the the footplate is mounted in ixed Abduction Seat Rail	n/c
			Heel Loops	(E0951) NXT-36022	\$41
			Calf Strap - Webbing	(K0038) NXT-36024	\$41
			Bolteron Angle Adjustable Flip-Up Footboard Note: Not available with 15° Fixed Abduct	(K0040) NXT-36030 tion Seat Rail.	\$ 160
8 8.5" 9" Requires	4" Legrest Extension 4" Legrest Extension 4" Legrest Extension	6"	Legrest Exte 4" Mini Legrest Extensions Note: Seat rail must be moved 1.5" forwar when installing 4" extensions. Note: Not available with 15° Fixed Abduct Specify Knee to Heel Measurer	NXT-30289 rd for base frame clearance tion Seat Rail.	n/c
			Continue To N	ext Page	
NXT-MINI Rider Weight Car	nacity is 75 lbs		Page 2 of 4 NXT-MINI Pe	diatric	CE

2241 N Madera Rd Simi Valley, CA 93065	Phone: (800) 331-8			51 Fax: (888) 582-1509	www.freedomdesigns.com			
Date: PO#				Marked For:				
Description	Part No.	Re	etail	Description		Part No.	Re	etail
Armrests and Armres	st Pads			Rear Wheels - Tires - A	ccess	ories (conti	nue	d)
8.5" Long Flip-Back	NXT-38218		n/c	Spoke W	heels			
10.5" Long Flip-Back 10.5" to 13.5" Long Flip-Back, (E0973) Telescoping		\$	n/c 240	16" Gray Pneumatic Tire & Silver Spoke Aluminum Wheel Note: Rim, hub & spokes are anodized si	ilver	NXT-31534		n/c
Note: All Flip-Back armrests are mounted to backp Note: 8.5" armrests not available with desk and full				16" Airless Inserts		NXT-31020	\$	77
pads. Note: Flip-Back armrests length are measured fron backpost tube to the end of the armrest with installed.	n the front of the foam wrap pad			16" Black Pneumatic Tire & Black Spoke Aluminum Wheel Note: Rim, hub & spokes are anodized b	lack	NXT-31535		n/c
Note: Armrests measure 6" to 11" from seat rail with pads installed. Note: Armrests measure 7" to 12" from seat rail with	•			16" Airless Inserts		NXT-31020	\$	77
pads installed. Foam Wraps - Standard	NXT-38216		n/c	18" Gray Pneumatic Tire & Silver Spoke Aluminum Wheel Note: Rim, hub & spokes are anodized si	ilvor	NXT-31537		n/c
Desk Length Pads Note: 8.5" armrests not available with desk and full pads.	NXT-38213 length armrest		n/c	18" Airless Inserts		NXT-31021	\$	77
Specify Seat Rail to Top of Armrest M	easurement_		"	18" Black Pneumatic Tire & Black Spoke Aluminum Wheel Note: Rim, hub & spokes are anodized b	lack	NXT-31538		n/c
Front Wheels - Cas	ters			18" Airless Inserts		NXT-31021	\$	77
3" Polyurethane 3" Polyurethane Light-Up	NXT-34888 NXT-34111	\$ \$	56 56	Wheel L	ocks			
Note: 3" casters recommended for low seat to floor	heights.			Push to Lock - Standard		NXT-31501		n/c
4" Polyurethane	NXT-40000	\$ \$	66	Pull to Lock Extension Handles	(E0961)	NXT-31506 NXT-31801	\$	n/c 6 61
4" Polyurethane Light-Up 4" x 1.4" Poly, Aluminum Mag	NXT-41000 NXT-43000	э \$	101 92	Foot Activated Wheel Lock	(E2228)	NXT-31508		n/c
5" x 1" Poly, Plastic Mag	NXT-34555		n/c	Note: Includes manual wheel locks to be transportation.		•		
5" Polyurethane Light-Up 5" x 1.5" Poly, Plastic Mag	NXT-35050 NXT-34222	\$ \$	101 87	Note: Not available with 12" poly plastic	mag wheel	S.		
5" x 1.4" Poly, Aluminum Mag	NXT-42000	\$	92	Hand Activated Brake and Wheel Lock System		NXT-30275		n/c
6" x 1" Poly, Plastic Mag 6" x 1.5" Poly, Plastic Mag	NXT-34666 NXT-34999	\$	n/c 87	Note: Includes manual wheel locks to be transportation.		•		
6" x 1.4" Poly, Aluminum Mag	NXT-44000	\$	92	Note: Not available with 12" mag wheels Note: Used to control direction, speed, b				
6" x 2" Poly with Tread 6" x 1" Pneumatic Plastic Mag ^{(E2214/} E2215)	NXT-34444 NXT-34667	\$ \$	92 77	strolling position. Combination Hand Activated	(E2228)	NXT-30277		n/c
7" x 1" Poly, Plastic Mag	NXT-34777	\$	77	Tilt, Brake and Wheel Lock System				
7" x 2" Polyurethane Note: All 7" casters not available with all 12" rear w	NXT-34200 heels.	\$	118	Note: Includes manual wheel locks to be transportation.				
				Note: Not available with 12" poly plastic Note: Used to control direction, speed, b frame from strolling position.	•		t	
Rear Wheels - Tires - Ac	cessories			Rear Anti-Tipp	er Op	tions		
Note: All wheel selections include Freedom Design Double Locking Safety Axles.	ns' Patented			Swing-Away Anti-Tip Assembl Foot Activated			\$	153
Mag Wheels 12" Low Profile Poly Mag (E2218)	NXT-31526	\$	36	Fixed Anti-Tip Assembly		NXT-31606	\$	97
Note: Not available with any foot/hand activated br system. Note: Not available with airless inserts.		Ψ	50					
12" Semi Pneumatic Plastic Mag (K0069) Note: Not available with airless inserts.	NXT-31523	\$	168					
12" Pneumatic Plastic Mag Note: All 12" wheels not available with all handrims			n/c					
Note: All 12" wheels not available with all 7" caster 12" Airless Inserts (E2213)	NXT-31019	\$	77					
16" Pneumatic Plastic Mag	NXT-31530	\$	41					
Note: 16" mag wheels not available with plastic coa 16" Airless Inserts (E2213)	NXT-31020	\$	77					
18" Pneumatic Plastic Mag Note: 18" mag wheels not available with plastic coa	NXT-31533 ated handrims.	\$	41					
	NXT-31021	\$	77					
NVT MINI Dides Maiste Occurs					odictri-			(€
NXT-MINI Rider Weight Capacit	y is / 5 ibs.			Page 3 of 4 NXT-MINI Pe	Julatric			6

2241 N Madera Rd	Simi Valley, CA	93065	Phone: (800	D) 33	31-85	51 Fax: (8	888) 582	2-1509			www.fre	edomde	signs.co
Date:	PO#					Marked	For:						
Description			Part No.	Re	tail	Description	on				Pa	art No.	Retai
	Seat Pan C	Options	5				Ante	rior S	upport	Surfa	aces -	– (Trays	5)
Fixed Solid Sea - Bolteron	at Pan	(E2231)	NXT-39010	\$	150	3/8" I Brac	Lexan T ket Har	Fray - C dware	hannel	(E09	50) 08-	-2000	\$ 27
Note: Not available Fixed Solid Sea	•	(E2231)	NXT-39030	\$	170	3/8"	_exan 1		djustable Ribs	e (E09	50) 08-	-6000	\$ 2 1
- Aluminum Note: Fixed Seat Pa Note: Not available	an raises the effective with folding frame.	e seat to floo	or height by 1/2".					Fray - E rdware		(E09	50) 08 -	-13000	\$ 18
Removable Sol	lid Seat Pan	(E2231)	NXT-39012	\$	170	1/4"		Fray - H		(E09	50) 08-	16000	\$ 10
 Bolteron Removable Sol Aluminum 	lid Seat Pan	(E2231)	NXT-39032	\$	255		onape	•					
Note: Removable S Note: Aluminum Re mounting harr Note: Removable so mounting harr Note: All seat pans	eat Pan raises the eff movable Solid Seat F dware to grow with N2 olid seat pan includes dware. include 2" x 2" notche made to fit frame dim	Pan adjusts 2 XT frame. 4-points of es for growth	2" in width by EZ-Lite n adjustment.	5/8"		of the code	definition	s. The use	pased on ver of HCPCS c fy the appro	odes does	not ensure	e coverage	or paymen
Seat Width	" X	Seat De	epth			Note:	Jse chart	to determ	Rail to Fle	to floor he	eight. Sea		
	Accesso	ories				l ł	eight.		e type, rear ightly in hei			size and t	iit pivot
Medical Neces Note: Black nylon.			NXT-23207	\$	68	Note: S	Seat rail to ype, caste	o floor heig er size and	ghts are app braking ch	proximate, ioice. Heic	and are in hts can v	ary +/- 3/8	
Footrest Hange Note: Wrap-around	er Pads - Pair pads made from blac		SFDI-9HP	\$	92				reases seat				
Frame Pads - F			10911-2	\$	82								
	pads made from blac to pad exposed bac	•				Wheel	Caster	Pivot	Height	Wheel	Caster	Pivot	Height
Freedom Back	pack		NXT-10900	\$	56	12" 12"	3" 4"	Mini Mini	15-15.5" 16"	16" 16"	6" 7"	Mini Mini	18" 19"
Note: Black Nylon c	nly with Freedom De					12		Mini	18"	18"	3"	Mini	15-15.5"
0	ng is not available on		ackpack. NXT-SYS-10900		nla	12"	6"	Mini	18.5"	18"	4"	Mini	17.5-19"
Freedom Seati	pack with Comp ng System		10300		n/c	16"	3"	Mini	15.5-16"	18"	5"	Mini	18-19"
	only with Freedom De ng is not available on		ackpack.			16"	4"	Mini	16.5-17"	18"	6"	Mini	18"
Note: Complete Fre seat, solid ba	edom Designs seatin ck and mounting hard ne to be eligible for ba	g system in Iware must	cluding solid be ordered on			16"	5"	Mini	17"	18"	7"	Mini	N/A
Provide Freedom	/PinDot seating o	uote/PO a	#										
Freedom Cano	py - Flip-Back		NXT-10905	\$	128								
Note: Canopy is ava Note: Canopy include	mbly includes remova ailable in black only w des rear flap with zipp des clear-view window	vith Freedom pered storag	n Designs logo.										
Complete Free Note: Canopy asset Note: Canopy is ava Note: Canopy includ Note: Canopy includ Note: Complete Fre seat, solid ba Freedom fran	py - Flip-Back w dom Seating Sy mbly includes remova ailable in black only w des rear flap with zipp des clear-view window edom Designs seatin ck and mounting harc he to be eligible for ca h/PinDot seating c	vstem able mountir with Freedom bered storag w. g system in dware must anopy offer.	n Designs logo. Je pocket. cluding solid be ordered on		n/c								
B NXT-MIN	II Rider Weight	Capacity	is 75 lbs.			Page 4 of 4		١	IXT-MINI	Pediat	ric		C