

Adult Manual Wheelchair



Yes, you can:

Clear Form

Email Form to Customer Service

Description		Part No.	Retail	Description				Part No.	Retail	Ī
Email:				Fax:						
				Phone:						_
Company:				Location:						_
Date:	Buyer:		· · · · · · · · · · · · · · · · · · ·	Quote	Order	PO#				_
2241 N Madera Rd	Simi valley, CA 93065	Prione: (800) 331-8551	Fax: (888)	582-1509 www.freed	omaesigns.co	om emaii: cu	stomerservic	ce@rreedomde	esigns.com	_

Transport Optional Base NXT-SC Adult Folding (E1161) NXT-30332 \$3465 **Transport Optional NXT-SC Adult Rigid** (E1161) NXT-30342 \$3465 Transport Optional Note: Transportation Option selected separately below. Note: Includes Freedom Future Fit Program **Transport Package** NXT-99998 \$ 250 Note: Must be installed by Freedom Designs manufacturing. Note: Freedom's combination of customized seating and wheelchair frames are WC19 crash test approved in accordance with RESNA WC-4: 2012 Section 19, Anneses A, B, C & E as well as ISO 7176-19 (2008)

Transport Included Base					
NX	Γ SC Adult Folding	(E1161)	NXT-30333	\$3715	
	Transport Included				
NX	ΓSC Adult Rigid	(E1161)	NXT-30343	\$3715	
	Transport Included				
Note	: Includes Freedom Future Fit Pro	gram			
Note	Note: Freedom's combination of customized seating and wheelchair frames				

Most Freedom seating, hardware, and positioning accessories have

been WC20 tested and approved for transit.

Seat Rail Options

are WC19 crash test approved in accordance with RESNA WC-4: 2012 Section 19, Anneses A, B, C & E as well as ISO 7176-19 (2008)

Note: Not available with ALL Contracture & 3D Dynamic footrest systems.

LEAF - Lower Extremity Accommodation Frame					
LEAF Seat Frame- Pair	(K0108)	NXT-30324	\$	714	
LEAF Seat Frame- Left	(K0108)	NXT-30324-L	\$	357	
LEAF Seat Frame- Right	(K0108)	NXT-30324-R	\$	357	

Note: Front frame angle adjusts 22° from midline for abduction, adduction, and windswept lower extremity positioning. Seat frame(s) can be individually repositioned for up to a 2" leg length discrepancy.

SRO - Seat Rail Only

SRO Seat Frame- Pair	(K0108)	NXT-30325	\$ 306
SRO Seat Frame- Left	(K0108)	NXT-30325-L	\$ 153
SRO Seat Frame- Right	(K0108)	NXT-30325-R	\$ 153

Note: SRO is manufactured without standard footrest hanger attachments.

Tilt Activation Options

Dual Lever Hand Activated Tilt	NXT-30272	n/c
Foot Activated Tilt	NXT-30273	n/c

Note: Not with vent & battery trays.

Annexes A, C & D.

Annexes A C & D

Vent Tray Options

Note: All vent and battery trays best with standard 90° bend push handles and push button angle adjustable stroller handle extensions.

Vent Tray - Fixed	(E1029) 11-7000	\$ 439
Note: Not with Foot Activated Tilt.		
Battery Tray - Fixed	(K0108) 11-8000	\$ 429
Quick Release Tray Hardware	(E1028) 563	\$ 272
Note: For LP10 style vent and battery tray o	n frames 16" wide and wider.	
Note: Vent tray is 4" narrower than frame wi	dth and 16" deep.	
Note: Battery tray is 4" narrower than frame	width and 10" deep.	
Back Post Mounted Vent Bracket	(E1029) 11-1100	\$ 550

Note: For LTV vents ONLY. Does NOT include dovetail bracket. Weight limit 15 lbs.

Frame Color Options

		- p	
Sugar Cookie	n/c	Blue Blast	n/c
Neon Yellow	n/c	Electric Blue	n/c
Yellow	n/c	Galaxy Blue	n/c
Bright Pink	n/c	Passion Purple	n/c
Pink Parfait	n/c	Octane Orange	n/c
Sugar Plum	n/c	Red Sunset	n/c
Candy Violet	n/c	Really Red	n/c
Candy Raspberry	n/c	Fiery Red	n/c
Extreme Green	n/c	Twilight	n/c
Sparkle Green	n/c	Stormy Gray	n/c
Mystic Teal	n/c	Black	n/c
Pacific Blue	n/c		

Frame Dimensions

	Specify Frame Width Setting						
14"	15"	16"	Adjusts 14" to 16"	NXT-30240	n/c		
15"	16"	17"	Adjusts 15" to 17"	NXT-30290	n/c		
16"	17"	18"	Adjusts 16" to 18"	NXT-30260	n/c		
17"	18"		Adjusts 17" to 18"	NXT-30261	n/c		
18"	Not width adjustable	;		NXT-30262	n/c		
19"				NXT-30263	n/c		
20"			(E2201)	NXT-30264	\$ 400		

Note: Frame widths measures across and from outside of seat frame tubes.

Note: Vent and battery trays only with 14" wide and greater frame.

NXT Rider Weight Capacity is 225 lbs.
All prices subject to change without notice.
Page 1 of 8
Note: All Specifications and dimensions are approximate.

Rev. 092018B Form No. WONXTASC

 Date:
 PO#
 Marked For:

 Description
 Part No.
 Retail
 Description
 Part No.
 Retail

n/c

Frame Type Options

Specify Frame Type and Frame Length

Note: Extensions may limit tilt range and may affect stability when in tilted positions. Adjusting seat rail location will compensate for tilt range limitations and possible instability.

Medium Frame and Short Tilt

NXT-30512

n/c

В	ra	ıc	ket	

Specify	Back	Post	Depth	Setting
---------	------	------	-------	---------

opecity back i os	Cocpui	ocuing	
14"		NXT-30506	n/c
15"		NXT-30521	n/c
16"		NXT-30522	n/c
17"		NXT-30523	n/c
18"		NXT-30524	n/c
19" Must select 2" extension		NXT-30527	n/c
20" Must select 2" extension	(E2203)	NXT-30528	\$ 500
21" Must select 3" extension	(E2203)	NXT-30529	\$ 500
2" Extension - Pair	(K0108)	NXT-SC-30525	std
3" Extension - Pair	(K0108)	NXT-SC-30530	std

Note: Seat rail to floor height range is 12.5" to 16.5".

Note: Must choose extension for 19" to 21" frame lengths.

Note: 22" & 24" wheels not available with short tilt bracket.

Medium Frame and Tall Tilt NXT-30540 Bracket

Specify Back Post Depth Setting

	14"		NXT-30506TP	n/c
	15"		NXT-30521TP	n/c
	16"		NXT-30522TP	n/c
	17"		NXT-30523TP	n/c
	18"		NXT-30524TP	n/c
*	19" Must select 2" extension		NXT-30527TP	n/c
*	20" Must select 2" extension	(E2203)	NXT-30528TP	\$ 500
*	21" Must select 3" extension	(E2203)	NXT-30529TP	\$ 500
*	22" Must select 4" extension	(E2204)	NXT-30535TP	\$ 900
	2" Extension - Pair	(K0108)	NXT-SC-30525	std
	3" Extension - Pair	(K0108)	NXT-SC-30530	std
	4" Extension - Pair	(K0108)	NXT-SC-30531	std

Specify Back Post Location (if other than specified above)______

Note: Tall tilt bracket increases seat rail to floor 1.5".

Note: Seat rail to floor height range is 14" to 18".

Notes:

Frame Type Options - Continued

	Long Frame and Tall Tilt Bracke	t	NXT-30520	n/c
	Specify Back Pos	t Depth	Setting	
	16"		NXT-30522TP	n/c
	17"		NXT-30523TP	n/c
	18"		NXT-30524TP	n/c
	19"		NXT-30527TP	n/c
	20"	(E2203)	NXT-30528TP	\$ 500
	21"	(E2203)	NXT-30529TP	\$ 500
	22"	(E2204)	NXT-30535TP	\$ 900
*	23" Must select 2" extension	(E2204)	NXT-30537TP	\$ 900
*	24" Must select 2" extension	(E2204)	NXT-30538TP	\$ 900
*	25" Must select 3" extension	(E2204)	NXT-30542TP	\$ 900
*	26" Must select 4" extension	(E2204)	NXT-30543TP	\$ 900
	2" Extension - Pair	(K0108)	NXT-SC-30525	std
	3" Extension - Pair	(K0108)	NXT-SC-30530	std
	4" Extension - Pair	(K0108)	NXT-SC-30531	std

Specify Back Post Location (if other than specified above)_____"

Note: Tall tilt bracket increases seat rail to floor 1.5".

Note: Seat rail to floor height range is 14" to 18".

Note: Must choose extension for 23" to 26" frame lengths.

5° Anterior Tilt Seat Frame NXT-30276

Note: Limits posterior tilt to 40°. Includes split collars for adjustment.

Note: Medium with Tall Tilt and Long frames only.

Note: NXT has 4" of depth adjustment for growth. Depth is measured from front of backpost to the front end of the seat frame. For back post location add seating & hardware thickness (typically 2") to client's actual seat depth. Example: 12" client seat depth + 2" back & hardware thickness = 14" back post location.

Back Post Options

Specify Push Handle, Back Post and Extensions

Standard 90° Bend Push Handle Back NXT-30518 n/c
Post Tubes
Ergo Bend Push Handle Back Post NXT-30519 n/c
Tubes

Note: All push/stroller handle extensions not recommended with Ergo Bend.

Seating Dynamics Rocker Back (K0108) NXT-30532

Note: Angle adjustable from 72° to 108° in 6° increments.

Note: Supplied with a complete set of 4 elastomers in different durometers to

allow spring adjustment in the field.

Note: Locks into a non-dynamic position when necessary.

Note: Does not allow the back post tubes to fold forward.

Back Post Height Setting

Note: Back Posts are measured from top of seat rail to top of handle bend.

Short Push Handle - 20" high	NXT-30515	n/c
Medium Push Handle - 23" high	NXT-30514	n/c
Tall Push Handle - 26" high	NXT-30516	n/c

NXT Rider Weight Capacity is 225 lbs.
All prices subject to change without notice.

NXT-SC Adult

Note: All Specifications and dimensions are approximate.

n/c

\$1985

Page 2 of 8

^{*} Note: Must choose extension for 19" to 22" frame lengths.

Date: PO# Marked For: Description Part No. Retail Description Part No. Retail

Stroller Handle Extension Options

Note: All stroller handle ext. add approximately 6.5" to push handle height.

Note: All stroller/push handle extensions except Individual include a black neoprene wrap around pad.









NXT-30560

NXT-SC-30590



n/c

std

Page 3 of 8

Push Handle Extension - Width Adjustable - Mounts direct to back

post push handle

Stroller Handle Extension - Width Adjustable, Removable - Mounts direct to

back post push handle Note: Not available with Super Reclining Back

Push Button, Angle-Adjustable Stroller

NXT-SC-30570 std Handle Extension - Mounts direct to back post push handle

Available 10W-15W wheelchair frames only. For frames wider than Note: 15W must choose Heavy Duty below.

Not removable, but allows frame to fold Note:

Push Button, Angle-Adjustable Folding NXT-30575 \$ 179 Stroller Handle Extension - Heavy Duty -

Mounts direct to back post tubes Note: Available 10W-20w wheelchair frames. Note: Not removable, but allows frame to fold.

Push Button, Angle-Adjustable, Folding NXT-SC-30580 std Push Handle Extension - Mounts direct to straight back post tubes

Note: Available 10W-15W wheelchair frames only. For frames wider than

15W must choose Heavy Duty below

Note: Not removable, but allows frame to fold

Push Button, Angle-Adjustable Folding NXT-30585 \$ 179 Push Handle Extension - Heavy Duty -

Mounts direct to straight back post tubes Note: Available 10W-20w wheelchair frames

Note: Not removable, but allows frame to fold

Individual Stroller Handle Extensions NXT-30517 \$ 102 Removable - Pair

NXT Footrest / Extension Lengths						
Extension/Hanger	75° Pop	75° Lch	90° Pop	90 °Lch	ELR (90°)	
Hanger Only	6"-8"	5.5"-8.5"	4"-8"	4"-8"	6"-10"	
High Mount	N/A	N/A	1.5"-3"	N/A	N/A	
4.5" H D Ext.	9"-12"	9.5"-12.5"	9"-12"	9"-12"	13"-15"	
6.5" H D Ext.	9"-15"	9.5"-15.5"	9"-15"	9"-15"	N/A	
4" Adjustable	10"-13"	9.5"-12.5"	11"-13"	10"-13"	N/A	
6" Adjustable	12"-15"	10.5"-14.5"	13"-15"	12"-15"	N/A	
8" Adjustable	14"-17"	12.5"-16.5"	N/A	N/A	N/A	
NYT MARS Footrest / Extension Langths						

,							
NXT MAPS Footrest / Extension Lengths							
Extension/Hanger	75° Pop	75° Lch	90° Pop	90 °Lch	ELR (90°)		
Hanger Only	5.5"-7.5"	5"-8"	5.5"-7.5"	4.5"-7.5"	4.5"- 8.5" & 11.5"		
High Mount	N/A	N/A	N/A	N/A	N/A		
4.5" H D Ext.	8.5"-11.5"	9"-12"	8.5"-11.5"	8.5"-11.5"	12.5"-15.5"		
6.5" H D Ext.	8.5"-13.5"	9"-14"	8.5"-13.5"	8.5"-13.5"	N/A		
4" Adjustable	8.5"-11.5"	9"-12"	9.5"-11.5"	8.5"-11.5"	N/A		
6" Adjustable	10.5"-13.5"	10"-14"	11.5"-13.5"	8.5"-13.5"	N/A		
8" Adjustable	12.5"-15.5"	12"-16"	N/A	N/A	N/A		

Note: Length from top of footrest plate to top of seat rail.

Note: Without extensions bottom hanger hole not accessible for hardware. Note: Heavy duty extensions do not telescope adjust. Footrests adjust vertically in length on heavy duty extension tubes

Legrests, Footrests and Extension Options

Legrests		
Omit Legrest Hangers & Footrests	NXT-33000	
75° Pop-Up Swing Away Hang-	NXT-30280	n/c
ers		
90° Pop-Up Swing Away Hang-	NXT-30281	n/c
ers		
Note: Not available with 8" adjustable extensions.		
90° Pop-Up Swing Away (E099	90) NXT-30279	\$ 255
Elevating Legrests (ELRs)		
Note: Not available with all length adjustable extensi	ions.	
Note: Not available with 6.5" heavy duty extensions.		
75° Latch Style Swing Away	NXT-30282	n/c
Hangers		
90° Latch Style Swing Away	NXT-30283	n/c
Hangers		
Note: Not available with 8" adjustable extensions.		

Footplates & Footboards

Omit Footrest Plates		NXT-36404	
Composite Flip-Up		NXT-17070	n/c
Kids Aluminum Angle Adjust- able, Flip-Up	(K0040)	NXT-36020	\$ 160
Note: For frames 14" wide and narrower.			
Heel Loops	(E0951)	NXT-36022	\$ 41
Calf Strap - Webbing	(K0038)	NXT-36024	\$ 41
Adult Aluminum Angle Adj. Flip up w/ Heel Loops	- (K0040/ E0951)	NXT-36021	\$ 180
Note: For frames 15" wide and greater.			
Omit Heel Loops		NXT-36023	n/c
Aluminum Angle Adjustable Footboard Removable	(K0040)	NXT-36029	\$ 160

MAPS Footplate Mounting Hardware

MAPS (Multi Axis Positioning System) - Pair	NX1-36040	\$ 306
MAPS (Multi Axis Positioning	NXT-36040-L	\$ 153
System) - Left		
MAPS (Multi Axis Positioning	NXT-36040-R	\$ 153
System) - Right		

MAPS connects footrest hangers to aluminum footrest plates to Note: adjust for fixed foot and ankle positioning. MAPS footrest plates rotate and adjust for plantar and dorsiflexion and inversion and eversion positioning.

Note: Must choose aluminum footplates.

Note: MAPS not available with composite footplates or aluminum footboard.

Note: MAPS not available on 10" & 11" wide frames.

Continue To Next Page

NXT Rider Weight Capacity is 225 lbs. All prices subject to change without notice.

NXT-SC Adult

Note: All Specifications and dimensions are approximate

Date: PO# Marked For: Description Description Part No. Retail Part No. Retail

n/c

n/c

std

Legrests, Footrests and Extension Options Logrant Extensions

Legrest Extensions					
4" Length Adjustable Exten-	NXT-30285				
sions					
6" Length Adjustable Exten-	NXT-30286				

NXT-SC-36403

sions 8" Length Adjustable Exten-NXT-30287 n/c sions

Note: 8" & 10" Not available with all 90° hangers.

6.5" Heavy Duty Extensions

4.5" Heavy Duty ELR Exten-NXT-SC-36401 std sions 4.5" Heavy Duty Extensions NXT-SC-36402 std

Note: Heavy duty extensions do not telescope adjust. Footrests adjust vertically in length on heavy duty extension tubes.

High Mount Brackets NXT-SC-36407 std

Note: Includes flip-up mounting hardware for future growth adjustment.

Note: 75° hangers use a tube & clamp style hardware.

Specify Knee to Heel Measurement " (see matrix)

Notes:

Specialized Footrest Seat Rail to Footplate Measurements

Part Number	Extension	Super Contracture	3D Dynamic Hi Pivot	3D Dynamic STD
6402-01	Short	10.5" - 13.5"		
6402-02	Long	13.5" - 18.5"		
6405-01	0"-2" Extension		6.25" - 10.75"	12.75-15.25"
6409-01	1"-3" Extension		7.25-11.75"	13.75-16.25"
6406-01	2"-4" Extension		8.25-12.75"	14.75-17.25"
6410-01	3"-5" Extension		9.25-13.75"	15.75-18.25"
6407-01	4"-6" Extension		10.25-14.75"	16.75-19.25"
6411-01	5"-7" Extension		11.25-15.75"	17.75-20.25"
6508-01	6"-8" Extension		12.25-16.75"	18.75-21.25"

Note: Length from top of footrest plate to top of seat rail.

Note: 3D HiPivot includes 4.5" of length adjustment, 3D includes 2.5" of length adjustment.

Specialized Footrest Systems

Note: ALL legrest measurements are from the seat rail to footplate.

Note: Not available with LEAF or SRO seat rail options

Super Contracture Footrest Hanger (K0108)

Note: Super Contracture for frames 14" wide and greater.

NXT-30291-2 Contracture Short - 11" to 15" \$3570 Note: See Matrix for seat to rail footplate measurements.

Includes:

Adj Contracture Upper NXT-6302-03 Incl. **Footrest Adapter HD** NXT-6220-01 Incl. Adj Plantar/Dorsi Ext. Short NXT-6401-02 Incl.

Footplate Options

4" x 6" HD Alu Footplates NXT-6503 n/c 5" x 7" HD Alu Footplates NXT-6504 n/c

Note: for frames 16" wide and greater only.

Contracture Long - 15" to 19" NXT-30292-2 \$3570

Note: See Matrix for seat to rail footplate measurements.

Includes:

Adj Contracture Upper NXT-6302-03 Incl. **Footrest Adapter HD** NXT-6220-01 Incl. Adj Plantar/Dorsi Ext. NXT-6402-02 Incl. Long

Footplate Options

4" x 6" HD Alu Footplates NXT-6503 n/c 5" x 7" HD Alu Footplates NXT-6504 n/c

Note: Super Contracture is both swing-away and removable.

Super Contracture has adjustable knee joints that have 48 positions that adjust in 7.5° increments.

Frame and/or front caster choice may limit Super Contracture adjustment range and/or cause footplate/front caster interference.

Super Contracture position may limit ankle joint/ footplate adjustment Note:

3D Dynamic Footrest Hanger (K0108)

Note: 3D Dynamic for frames 14" wide and greater.

NXT-30297-2 \$6215 3D Dynamic Footrest - Hi Pivot

Includes:

HiPivot Dyn Adj Knee & NXT-6304-02 Incl.

NXT-6405-01

NXT-6408-01

n/c

n/c

Dyn Tel Upr

NXT-6220-01 Footrest Adapter HD Incl.

Extension Options

Note: See Matrix for seat to rail footplate measurements Dynamic Adj Plantar/Dorsi

Dynamic Adj Plantar/Dorsi

Ext, 0-2" Dynamic Adj Plantar/Dorsi NXT-6409-01 n/c Ext, 1-3" Dynamic Adj Plantar/Dorsi NXT-6406-01 n/c Ext. 2-4" Dynamic Adj Plantar/Dorsi NXT-6410-01 n/c Ext, 3-5" Dynamic Adj Plantar/Dorsi NXT-6407-01 n/c Ext. 4-6" Dynamic Adj Plantar/Dorsi NXT-6411-01 n/c

Footplate Options

4" x 6" HD Alu Footplates NXT-6503 n/c 5" x 7" HD Alu Footplates NXT-6504 n/c Note: for frames 16" wide and greater only. 6" x 10" HD Alu Footplates NXT-6505 n/c

Note: for frames 18" wide and greater only.

Ext, 5-7"

Ext, 6-8"

NXT-SC Adult NXT Rider Weight Capacity is 225 lbs. Page 4 of 8 Note: All Specifications and dimensions are approximate All prices subject to change without notice.

Date: PO# Marked For: Retail Description Part No. Description Part No. Retail

S

ped	cialized Footrest Syste	ms - Contin	ued
3D E	Dynamic Footrest - STD	NXT-30298-2	\$5775
	Includes:		
	Dynamic Adj Knee & Dyn Tel Upr	NXT-6304-01	Incl.
	Footrest Adapter HD	NXT-6220-01	Incl.
	Extension Option	ns	
Note:	See Matrix for seat to rail footplate measurement	ents.	
	Dynamic Adj Plantar/Dorsi Ext, 0-2"	NXT-6405-01	n/c
	Dynamic Adj Plantar/Dorsi Ext, 1-3"	NXT-6409-01	n/c
	Dynamic Adj Plantar/Dorsi Ext, 2-4"	NXT-6406-01	n/c
	Dynamic Adj Plantar/Dorsi Ext, 3-5"	NXT-6410-01	n/c
	Dynamic Adj Plantar/Dorsi Ext, 4-6"	NXT-6407-01	n/c
	Dynamic Adj Plantar/Dorsi Ext, 5-7"	NXT-6411-01	n/c
	Dynamic Adj Plantar/Dorsi Ext, 6-8"	NXT-6408-01	n/c
	Footplate Option	ns	
	4" x 6" HD Alu Footplates	NXT-6503	n/c
	5" x 7" HD Alu Footplates	NXT-6504	n/c
Note:	for frames 16" wide and greater only.		
	6" x 10" HD Alu Footplates	NXT-6505	n/c
Note:	for frames 18" wide and greater only.		
Note:	3D Dynamic is both swing-away and removable	e.	
Note:	3D Dynamic has adjustable dynamic knee join $50^\circ,70^\circ,$ or 90° with 36° of dynamic elevation t	travel.	
Note: Note:	3D Dynamic has ankle joints with 18° of dynam dorsiflexion ankle/foot positioning. Angle adjustable footplate included.	nic flexion for plantar/	
	g.c dajactable lectplate inoladed.		

Note: Frame and/or front caster choice may limit 3D Dynamic adjustment range and/or cause footplate/front caster interference.

Freedom Designs Armrest Heights					
Armrest and Pad	Foam	Desk	Full		
Flip Back	6.5" - 11.5"	7.5" - 12.5"	7.5" - 12.5"		
Flip Back Locking	6.5" - 11.5"	7.5" - 12.5"	7.5" - 12.5"		
Telescoping Flip Back	6.5" - 11.5"	7.5" - 12.5"	7.5" - 12.5"		
Flip Back Locking Telescoping	6.5" - 11.5"	7.5" - 12.5"	7.5" - 12.5"		
Single Post Height Adj. Short		8" - 14"	8" - 14"		
Single Post Height Adj. Tall		10" - 16"	10" - 16"		
Single Post Fxd Hgt Short		8" - 10.5"	8" - 10.5"		
Single Post Fxd Hgt Short		9" - 11.5"	9" - 11.5"		
Dual Post Fixed Height		9.5"	9.5"		
Dual Post Flip Back Height Adj.		9" - 13"	9" - 13"		
Note: All heights from top of seat frame to top of armrest pad.					

Armrests and Armrest Pad Options

Omit Armrests NXT-38209 **Back Post Mounted Armrests**

	Back Post Mount			
	ck armrests length is measured from t with foam wrap pad installed.	the front of	of the backpost t	ube to the end
	Long Flip-Back		NXT-38204	n/c
	Not available with full length arm pads			
	Long Flip-Back		NXT-38202	n/c
	-			
10.5"	Long Flip-Back Locking	(E0973)	NXT-38201	\$ 245
Note:	Not available with full length arm pads			
13.5"	Long Flip-Back Locking	(E0973)	NXT-38200	\$ 245
	to 13.5" Long Flip-Back,	(E0973)	NXT-38208	\$ 240
	coping			
	Full length pad on 13.5" or longer armn	-		
	to 13.5" Long Flip-Back	(E0973)	NXT-38210	\$ 265
	ng, Telescoping			
	Full length pad on 13.5" or longer armrests only.			
	20" Long Flip-Back Lock-	(E0973)	NXT-38215	\$ 265
	elescoping			,
•	Foam Wraps - Standard		NXT-30216	n/c
	Desk Length Pads		NXT-38213	n/c
	Full Length Pads		NXT-38214	n/c
Note:	Full length pad on 13.5" or longer arm	ests only.		
	Frame Mounted	l Armr	ests	
Single Post Fixed Height, Re- (K0015) NXT-38222				\$ 225
	ble - Short			
•	e Post Fixed Height, Re-	(K0015)	NXT-38224	\$ 225
	ble - Tall			
	Single Post Fixed Height arms include		-	
Note:	Adjustable in height with tools only. See	e matrix for	height ranges.	
Single	e Post Height Adjustable,	(E0973)	NXT-38217	\$ 265
•	vable - Short	, ,	1011 00211	Ų 2 00
Single	Post Height Adjustable,	(E0973)	NXT-38203	\$ 265
•	vable - Tall			,
			NIVT 2020E	n/c
	Post Fixed Height		NXT-38205	11/6
	Post Fixed Height vable		NA1-30205	11/0
Remo Dual	vable Post Flip-Back Height	(E0973)	NXT-38206	\$ 275
Remo Dual I Adjus	ovable Post Flip-Back Height stable, Removable	, ,	NXT-38206	
Remo Dual I Adjus _{Note:}	ovable Post Flip-Back Height stable, Removable All dual post armrests not available with	n short fram	NXT-38206 ne.	
Remo Dual Adjus Note: Note:	ovable Post Flip-Back Height stable, Removable All dual post armrests not available with All dual post armrests not available with	n short fram	NXT-38206 ne. wheels.	\$ 275
Remo Dual I Adjus Note: Note:	ovable Post Flip-Back Height stable, Removable All dual post armrests not available with All dual post armrests not available with Desk Length Pads	n short fram	NXT-38206 ne. wheels. NXT-38213	\$ 275 n/c
Remo Dual I Adjus Note: Note:	ovable Post Flip-Back Height stable, Removable All dual post armrests not available with All dual post armrests not available with	n short fram	NXT-38206 ne. wheels.	\$ 275

Continue To Next Page

Specify Seat Rail to Top of Armrest Measurement_

NXT Rider Weight Capacity is 225 lbs. Page 5 of 8 All prices subject to change without notice.

NXT-SC Adult

Note: All Specifications and dimensions are approximate.

2241 N Madera Rd Simi Valley, CA 93065 Phone: (800) 331-8551 Fax: (888) 582-1509 www.freedomdesigns.com

Date:	ate: PO#		Marked For:			
Description		Part No.	Retail	Description	Part No.	Retail

Choose NXT Seat Rail to Floor Height Below:

Note: Use chart to determine seat to floor height. Seat to floor height determined by frame type, rear wheels, front caster size and tilt pivot height. Note: Caster sizes vary slightly in height by type

Note: Seat to floor heights are approximate, and are impacted by wheel type,

caster size and braking choice. Heights can vary +/- 3/8".

Note: Seat pan choice increases seat rail to floor height 3/8" to 3/4".

NXT Wheel / Caster Seat to Floor Heights Wheel Caster Pivot Height Wheel Caster Pivot Height Tall 12" Short 20' N/A 3" 12.5-13" 3" 12" 3" Tall 14-14.5" 20" 4" Short 14-15" 4" 15.5-12" Short 13.5" 20' 4" Tall 16.5" 4" 12' Tall 15" 14.5-12' 5" Short 15.5 20" 5" Short 15.5" 12' 5" Tall 17 20' 5" Tall 16-17 6" 12" Short 16" 20" 6" 15.5-16 Short 12" 6" 17.5" Tall 6" 20 Tall 17-17.5 16" 3" 12.5-13 Short 20" 7" Short 16.5" 16" 3" Tall 14-14.5" 7" 20" Tall 18" 16" 4" Short 13.5-14" 3" 22 N/A Short 16' 4" Tall 15-15.5" 22" 3" Tall N/A 16" 5" Short 14.5" 4" 22" Short N/A 5" 16" Tall 16" 4" 22" Tall 16.5" 6" 16' 16 Short 22" 5" Short N/A 16' 6" Tall 17.5 22" 5" Tall 16.5-17 16' Short 16.5" 22 6" Short N/A 16" 7" 18" Tall 22" 6" Tall 17-17.5 18" 3" Short 12.5-13 7 N/A 22 Short 18" 3" Tall 14-14.5 22 7 Tall 18" 13.5-4" 3" 18" Short 24" Short N/A 14.5" 3" 24 N/A Tall 18" 4" Tall 15-16.5" 24" 4" Short 14.5-18" 5" Short 4" 15.5 24" Tall N/A 5" 18' 5" Tall 16-17" 24" Short N/A 18" 6" Short 15.5" 24" 5" Tall N/A 18' 6" Tall 17" 24" 6" N/A Short 7" N/A 24" 6" Tall 18' Short 17.5" 18" 7" N/A 24" N/A Tall Short 3" Short N/A 24" Tall 18"

Front Wheels - Caste	er Options	
Omit Caster Wheels	NXT-34333	
3" Polyurethane	NXT-34888	n/c
3" Polyurethane Light-Up	NXT-34111	\$ 101
4" Polyurethane	NXT-40000	n/c
4" Polyurethane Light-Up	NXT-41000	\$ 101
4" x 1.4" Poly, Aluminum Mag	NXT-43000	\$ 175
5" x 1" Poly, Plastic Mag	NXT-34555	n/c
5" Polyurethane Light-Up	NXT-35050	\$ 101
5" x 1.5" Poly, Plastic Mag	NXT-SC-34222	std

NXT-42000

5" x 1.4" Poly, Aluminum Mag

Front Wheels - C	aster	Options		
6" x 1" Poly, Plastic Mag		NXT-34666		n/c
6" x 1.5" Poly, Plastic Mag		NXT-SC-34999	;	std
6" x 1.4" Poly, Aluminum Mag		NXT-44000	\$ 1	175
6" x 2" Poly with Tread		NXT-34444	\$	92
6" x 1" Pneumatic Plastic Mag	(E2214/ E2215)	NXT-34667	\$	77
7" x 1" Poly, Plastic Mag		NXT-SC-34777	,	std
7" x 2" Polyurethane		NXT-34200	\$ 1	118
AL 4 AU = 0 1 1 1 1 1 1 1 4 0 0		_		

Note: All 7" casters not available with all 12" rear wheels.

Rear Wheels - Tires - Accessories

Note: All wheel selections include Freedom Designs' Patented Double Locking Safety

Omit	Rear Wheels and Axles		NXT-31524		
	Mag Who	eels			
12" L	ow Profile Poly Mag	(E2218)	NXT-31526	\$	36
Note:	Not available with any foot/hand activa	ted brake/w	heel lock system.		
	All 12" wheels not available with all 7" (
	Semi Pneumatic Plastic Mag		NXT-31523	\$	168
	Not available with airless inserts. All 12" wheels not available with all 7" of				
	Pneumatic Plastic Mag	Lasiers.	NXT-31525		n/c
12 1	12" Airless Inserts	(E2213)		\$	
Note:	All 12" wheels not available with all 7" of	,	1421-31019	Ψ	''
NOTE.	All 12 Wilcels Not available with all 7	basicis.			
16" F	Pneumatic Plastic Mag		NXT-SC-31530		std
	16" Airless Inserts	(E2213)	NXT-31020	\$	77
	16" Aluminum Handrims		NXT-31014		169
	7		1001011	۳	
18" F	Pneumatic Plastic Mag		NXT-SC-31533		std
	18" Airless Inserts	(E2213)	NXT-31021	\$	77
	18" Aluminum Handrims		NXT-31015	\$	169
				•	
20" F	Pneumatic Plastic Mag with		NXT-31527		n/c
Alum	ninum Handrim				
	20" Airless Inserts	(E2213)	NXT-31022	\$	77
	20" Plastic Coated		NXT-31016	\$	119
	Handrims				
Note:	Plastic Coated Handrims NOT available	e with Drun	n Braking Systems.		
22" F	Pneumatic Plastic Mag with		NXT-31528		n/c
	ninum Handrim		117(1 01020		11/0
		(E2213)	NXT-31023	\$	77
	22" Plastic Coated		NXT-31017	\$	119
	Handrims			·	
	Not available with dual post armrests.				
Note:	Plastic Coated Handrims NOT available	e with Drun	n Braking Systems.		
24" 5	Pneumatic Plastic Mag with		NXT-31529		n/c
	ninum Handrim		NX1-31329		11/0
Aidii		(E2213)	NXT-31024	\$	77
	24" Plastic Coated		NXT-31018		119
	Handrims		10/11/01/01/0	Ψ	
Note:	Not available with dual post armrests.				
Note:	Plastic Coated Handrims NOT available	e with Drun	n Braking Systems.		
	Harriston of the second CO.		NIVE 04000		
Omit	Handrims from 20", 22" or		NXT-31006		

NXT Rider Weight Capacity is 225 lbs. NXT-SC Adult All prices subject to change without notice. Page 6 of 8 Note: All Specifications and dimensions are approximate

Rev. 092018B Form No. WONXTASC

\$ 175

Date: PO# Marked For: Description Part No. Retail Description Part No. Retail

Rear Wheels - Tires - Acce		ont.	Wheel Lock Options	
Spoke Wheels			Push to Lock - Standard NXT-31501	n/c
Note: All spoke wheels not available plastic coated I		_	Pull to Lock NXT-31506	n/c
16" Grey Pneumatic Tire & Silver Spo	ke NXT-31534	n/c	Extension Handles (E0961) NXT-31801 \$	61
Aluminum Wheel Note: Rim, hub & spokes are anodized silver.			Foot Activated Wheel Lock (E2228) NXT-SC-31508 \$	900
•	13) NXT-31020	\$ 77	Note: Includes manual wheel locks to be used with public transportation	
16" Silver Aluminum	NXT-31020	\$ 77	Note: Not available with 12" poly plastic mag wheels.	
Handrim	11/1-31030	φ 11	Note: Not available with ALL vent and battery trays.	
Note: 16" & 18" spoke wheels do not include handrii	ns.		Hand Activated Brake and (E2228) NXT-SC-30275 \$ Wheel Lock System	900
16" Black Pneumatic Tire &	NXT-31535	n/c	Note: Includes manual wheel locks to be used with public transportation	
Black Spoke Aluminum Wheel			Note: Not available with 12" mag wheels with low pro poly tires.	
Note: Rim, hub & spokes are anodized black.			Note: Used to control direction, speed, brake and lock wheels from strolling	
16" Airless Inserts (E22	13) NXT-31020	\$ 77	position.	
16" Black Aluminum	NXT-31031	\$ 77		
Handrim Note: 16" & 18" spoke wheels do not include handrii	ns		Rear Anti-Tipper Options	
			•• •	
18" Grey Pneumatic Tire & Silver Spo	ke NXT-31537	n/c	Curb Assist Anti-Tip Assembly (E0971) NXT-31600 \$ Flip-Up, Adjustable	97
Aluminum Wheel			Note: Pair includes one anti-tip tube with curb assist feature.	
Note: Rim, hub & spokes are anodized silver.	10) NIVT 04004		Standard Anti-Tip Assembly (E0971) NXT-31603	97
	¹³⁾ NXT-31021	\$ 77	Flip-Up, Adjustable	
18" Silver Aluminum Handrim	NXT-31034	\$ 77		
Note: 16" & 18" spoke wheels do not include handring			Seat Pan Options	
18" Black Pneumatic Tire &	NXT-31538	n/c	•	
Black Spoke Aluminum Wheel Note: Rim, hub & spokes are anodized black.			Note: ALL seat pans include 2" x 2" notches for growth adjustment.	470
18" Airless Inserts (E22	13) NXT-31021	\$ 77		170
18" Black Aluminum	NXT-31035	\$ 77	Note: Not available with folding frame. Note: For folding frame must select Removable Pan Hardware Kit below.	
Handrim	147(1 0 1000	Ψ	Note: ALL Bolteron seat pans are made to fit frame dimensions unless	
Note: 16" & 18" spoke wheels do not include handring	ns.		specified below.	
20" Pneumatic Spoke Wheel	NXT-31540	\$ 204	Seat Width" X Seat Depth	,,
with Aluminum Handrim	147(1 010-10	Ψ 204		
20" Airless Inserts (E22	13) NXT-31022	\$ 77		200
		•	num	
22" Pneumatic Spoke Wheel	NXT-31541	\$ 204	Note: Fixed Seat Pan raises the effective seat to floor height by 1/2". Note: Not available with folding frame.	
with Aluminum Handrim			Note: For folding frame must select Removable Pan Hardware Kit below.	
22" Airless Inserts (E22	¹³⁾ NXT-31023	\$ 77	Available in the following sizes ONLY:	
Note: Not available with dual post armrests.			14" wide x 16" deep 18" wide x 18" deep	
0411 5 41 6 4 1411 4	NIVT 04540		16" wide x 18" deep	
24" Pneumatic Spoke Wheel	NXT-31542	\$ 204	·	
with Aluminum Handrim 24" Airless Inserts (E22	¹³⁾ NXT-31024	\$ 77	Fixed, Width Adjustable Solid (E2231) NXT-39040 \$	290
Note: Not available with dual post armrests.	· · · · · · · · · · · · · · · · · · ·	φ 11	Seat Pan - Aluminum	
11016. 1101 available with dual post affilests.			Note: Fixed Seat Pan raises the effective seat to floor height by 1/2".	
Omit Handrims from 20", 22" or	NXT-31006		Note: Width Adjustable Solid Seat Pan adjusts 2" in width (in 1" increments) by assembly hardware to grow with NXT frame.	
24" Wheels			Note: Not available with folding frame.	
			Note: For folding frame must select Removable Pan Hardware Kit below.	

ons adjustment. 31) NXT-39010 Hardware Kit below dimensions unless t Depth 31) NXT-39030 or height by 1/2". Hardware Kit below izes ONLY: 18" wide x 18" deep 31) NXT-39040 or height by 1/2". width (in 1" increments) Note: For folding frame must select Removable Pan Hardware Kit below. Available in the following sizes ONLY: 14"-16" wide x 16" deep 16"-18" wide x 18" deep **Mounting Hardware Options**

Note: Use to convert fixed seat pan to removable.

(K0108) NXT-EZLITE \$ 198 Removable Pan Hardware Kit

Note: Removable Seat Pan Hardware raises the effective seat to floor height by 5/8".

Includes 4-points of EZ-Lite mounting hardware, 2 each frame stopper clamps.

NXT Rider Weight Capacity is 225 lbs. **NXT-SC** Adult All prices subject to change without notice. Page 7 of 8 Note: All Specifications and dimensions are approximate

Rev. 092018B Form No. WONXTASC 2241 N Madera Rd Simi Valley, CA 93065 Phone: (800) 331-8551 Fax: (888) 582-1509 www.freedomdesigns.com

Date: PO# Marked For: Description Part No. Retail Description Part No. Retail

2000pui	1 				1010		
	Accessories						
Medical N	lecessities Pouch	(K0108)	NXT-23207	\$	68		
Note: Black	nylon.						
Footrest H	Hanger Pads - Pair	(K0108)	SFDI-9HP	\$	92		
Note: Wrap-	-around pads made from black ne	eoprene.					
Frame Pa	ds - Pair	(K0108)	10911-2	\$	82		
Note: Wrap-	-around pads made from black ne	eoprene.					
Note: Typica	ally used to pad exposed back po	ost tubes.					
Flip-Dowr	n Rigidizing Bar	(K0108)	NXT-23210	\$	194		
Note: Moun	ts to back post tubes to add rigid	lity to frame.					
Note: Does	NOT adjust in width to grow with	frame.					
Freedom	Backpack	(K0108)	NXT-10900	\$	56		
Note: Black	Note: Black Nylon only with Freedom Designs logo.						
Note: Mono	Note: Monogramming is not available on Freedom Backpack.						
Freedom	Canopy - Flip-Back	(K0108)	NXT-10905	\$	128		
Note: Canor	Note: Canopy assembly includes removable mounting hardware.						
Note: Canop	py is available in black only with	Freedom De	esigns logo.				
Note: Canop	Canopy includes rear flap with zippered storage pocket.						
Note: Canor	py includes clear-view window.						

HCPCS CODES are provided based on verification through PDAC or our interpretation of the code definitions. The use of HCPCS codes does not ensure coverage or payment. For coverage information, verify the appropriate payer's coverage policy.

Notes:

Anterior Support Surfaces – (Trays)

3/8" Lexan Tray - Channel (E0950) 08-2000 \$ 271 **Bracket Hardware** (E0950) 08-6000 3/8" Lexan Tray - Adjustable \$ 219 Knob Hardware & Ribs 1/4" Lexan Tray - EZ Lite Chan-(E0950) 08-13000 \$ 183 nel Hardware & Ribs 1/4" Lexan Tray - Hook & Loop (E0950) 08-16000 \$ 106 **Straps**

> NXT Rider Weight Capacity is 225 lbs. All prices subject to change without notice.

NXT-SC Adult

Note: All Specifications and dimensions are approximate.