



## Pediatric Manual Wheelchair



Yes, you can:

Our kids are our passion:™

2241 N Madera Rd Simi Valley, CA 93065 Phone: (800) 331-8551 Fax: (888) 582-1509 www.freedomdesigns.com

Date: Buyer: Company: Marked For: Email:_		Quote Order Location: Phone: Fax:			
Description Part No.	Retail	Description		Part No.	Retail
Transport Optional Base  NXT Pediatric Folding (E1234) NXT-30300 Transport Optional Note: Transportation Option selected separately below. Note: Includes Freedom Future Fit Program.  NXT Pediatric Rigid (E1233) NXT-30310	Vent & Battery Trays  Note: All vent and battery trays not with transport.  Note: All vent and battery trays not with short frames.  Note: All vent trays on NXT only with Dual Lever Hand Activated Tilt.  Note: All vent and battery trays best with standard 90° bend push handles and push button angle adjustable stroller handle extensions.				
NXT Pediatric Rigid (E1233) NXT-30310 Transport Optional Note: Transportation Option selected separately below. Note: Includes Freedom Future Fit Program.  Transportation Option  Note: Used when Transport Optional frame is selected above. Transportation Package NXT-99998 Note: Must be installed by Freedom Designs manufacturing. Note: Not available with all vent and battery trays.	\$2700 \$ 250	Vent Tray - Fixed Battery Tray - Fixed Quick Release Tray I Note: For LP10 style vent al greater. Note: Vent tray is 4" narrow Note: Battery tray is 4" narro	nd battery tray er than frame v	width and 16" deep.	\$ 439 \$ 429 \$ 272
<b>Note:</b> Freedom's combination of customized seating and wheelchair frames are WC19 crash test approved.			rame Co	olors	
Note: Most Freedom seating, hardware, and positioning accessories have been WC20 tested and approved for transit	<b>i</b>	Sugar Cookie	n/c	Pacific Blue	n/c
Transport Included Base		Neon Yellow	n/c	Blue Blast	n/c
NXT Pediatric Folding (E1234) NXT-30301 Transport Included	\$2950	Yellow	n/c	Electric Blue	n/c
Note: Includes Freedom Future Fit Program.		Bright Pink	n/c	Galaxy Blue	n/c
Note: Not available with all vent and battery trays.  NXT Pediatric Rigid (E1233) NXT-30311	\$2850	Pink Parfait	n/c	Passion Purple	n/c
Transport Included	<b>⊅</b> 2000	Sugar Plum	n/c	Octane Orange	n/c
Note: Includes Freedom Future Fit Program.  Note: Not available with all vent and battery trays.		Candy Violet	n/c	Red Sunset	n/c
Seat Rail Options		Candy Raspberry	n/c	Really Red	n/c
Note: Not available with ALL Contracture, 2D & 3D Dynamic footrest		Extreme Green	n/c	Fiery Red	n/c
systems.		Sparkle Green	n/c	Twilight	n/c
NXT LEAF Seat Frame- Pair NXT LEAF Seat Frame- Left NXT LEAF Seat Frame- Right NXT LEAF Seat Frame- Right NOTE: LEAF (Lower Extremity Accommodation Frame) front frame angle adjusts 22° from midline for abduction, adduction, and windswept lower extremity positioning. LEAF seat frame(s) car be individually repositioned for up to a 2" leg length discrepancy.	357	Mystic Teal	n/c	Stormy Gray Black	n/c n/c
Note: Freedom customized seats can be ordered to fit pre-configured LEAF frame models  Note: No seating system is provided with NVT frames. A seating	u	Frame Dimensions			
<b>Note:</b> No seating system is provided with NXT frames. A seating system must be purchased separately.		Specify Frame Width Setting			
NXT SRO Seat Frame- Pair NXT SRO Seat Frame- Left NXT SRO Seat Frame- Left NXT SRO Seat Frame- Right Note: SRO is manufactured without standard footrest hanger attachments. Note: SRO is used when customer attaches leg/footrest(s) directly to the underside of the solid seat.	₹ \$ 153	10" 11" 12" 11" 12" 13" 12" 13" 14" 13" 14" 15" 14" 15" 16" 15" 16" 17"	Adjusts 10" Adjusts 11" Adjusts 12" Adjusts 13" Adjusts 14" Adjusts 15" Adjusts 16"	to 13" NXT-30210 to 14" NXT-30220 to 15" NXT-30230 to 16" NXT-30240 to 17" NXT-30290	n/c n/c n/c n/c n/c n/c
Tilt Activations		17" 18"	Adjusts 17"	to 18" NXT-30261	n/c
Dual Lever Hand Activated Tilt NXT-30272  Note: Must be selected for ALL vent and battery trays.	n/c	18" 19" Not adjustable, not 20" Not adjustable, not w/		ne NXT-30263	n/c n/c \$ 400
Foot Activated Tilt NXT-30273  Note: Foot pedal installed on right rear side frame.  Note: Not with ALL vent and battery trays.	n/c	Note: Frame widths measur tubes.  Note: Seat frame widths of '	19" and 20" no	t available with short frame	
Combination Dual Hand Activated Tilt, Brake and Wheel Lock System  Note: Includes manual wheel locks to be used with public transportation.  Note: Not with 12" Low Profile Poly Mag Wheels	n/c	Note: Pediatric Long frame Note: Vent and battery trays	•	•	
NXT Rider Weight Capacity is 225 lbs.		Page 1 of 7	NXT Pedia	tric	(€

2241 N Madera Rd Simi Valley, CA 93065 Phone: (800) 331-8551 Fax: (888) 582-1509 www.freedomdesigns.com Date: PO# Marked For: Description Part No. Retail Description Part No. Retail **Back Post Locations** Notes: Specify Frame Type and Frame Length Note: Extensions may limit tilt range and may affect stability when in tilted positions. Adjusting seat rail location will compensate for tilt range limitations and possible instability. Short Frame & Short Tilt Bracket NXT-30511 n/c NXT-30504 n/c 12" NXT-30505 n/c 13" NXT-30506 n/c 14" NXT-30521 n/c 15" NXT-30522 n/c 16' NXT-30523 17" Must select 2" extension n/c NXT-30524 n/c 18" Must select 2" extension (K1008) NXT-30525 26 2" Extension - Pair Specify Back Post Location (if other than specified above) Note: Floor to seat frame height range is 12.5 to 16.5". Note: Seat frame widths of 19" and 20" not available with short Must choose 2" extension for 17" and 18" frame lengths. Note: 22" & 24" wheels not available with short frame and short tilt Note: bracket Note: All vent and battery travs not available with short frame Medium Frame & Short Tilt Bracket NXT-30512 n/c NXT-30506 n/c NXT-30521 n/c 15" NXT-30522 n/c 16" NXT-30523 17" n/c 18" NXT-30524 n/c **Back Post Tubes** NXT-30527 n/c 19" Must select 2" extension (E2203) NXT-30528 500 Specify Push Handle, Back Post and Extensions 20" Must select 2" extension (E2203) NXT-30529 500 Standard 90° Bend Push Handles NXT-30518 21" Must select 3" extension n/c (K1008) NXT-30525 26 and Back Post Tubes 2" Extension - Pair (K1008) NXT-30530 \$ 26 Ergo Bend Push Handles and Back Post Tubes 3" Extension - Pair NXT-30519 n/c Specify Back Post Location (if other than specified above) Note: All push/stroller handle extensions not recommended with Note: Floor to seat frame height range is 12.5" to 16.5". Ergo Bend. Note: Must choose 2" extension for 17" and 18" frame lengths. (K0108) NXT-30532 \$1734 Seating Dynamics Rocker Note: 22" & 24" wheels not available with medium frame and short Back tilt bracket. Note: Angle adjustable from 72° to 108° in 6° increments. Note: Supplied with a complete set of 4 elastomers in different Medium Frame &Tall Tilt Bracket durometers to allow spring adjustment in the field. NXT-30540 n/c Note: Locks into a non-dynamic position when necessary. NXT-30506TP n/c 14' Note: Does not allow the back post tubes to fold forward. NXT-30521TP 15" n/c NXT-30522TP n/c 16" Back Post Height 17" NXT-30523TP n/c Note: Back Posts are measured from top of seat rail to top of handle bend. NXT-30524TP n/c 18" NXT-30527TP n/c 19" Must select 2" extension NXT-30515 Short Push Handle - 20" high n/c (E2203) NXT-30528TP 500 20" Must select 2" extension NXT-30514 Medium Push Handle - 23" high n/c 21" Must select 3" extension (E2203) NXT-30529TP 500 Tall Push Handle - 26" high NXT-30516 n/c (E2204) NXT-30535TP 900 22" Must select 4" extension (K1008) NXT-30525 26 2" Extension - Pair (K1008) NXT-30530 \$ 26 3" Extension - Pair (K1008) NXT-30531 \$ 26 4" Extension - Pair Specify Back Post Location (if other than specified above) Note: Tall tilt bracket increases floor to seat rail height 1.5" Note: Floor to seat frame height range is 14" to 18". Note: Must choose extension for 19", 20", 21" and 22" frame lenaths. 5° Anterior Tilt Seat Frame NXT-30276 n/c Note: Limits posterior tilt to 40°, includes split collars for adjustment. Note: Medium with Tall Tilt and Long frames only. Note: NXT has 4" of depth adjustment for growth. Depth is measured from front of back post to end of the seat frame. For back post location add seating / hardware thickness (typically 2") to client's actual seat depth. Example: seat depth of 12" + back / hardware thickness of 2" = back post location set at 14" **NXT Pediatric** NXT Rider Weight Capacity is 225 lbs. Page 2 of 7  $\epsilon$ 

2241 N Madera Rd Phone: (800) 331-8551 Fax: (888) 582-1509 Simi Valley, CA 93065 www.freedomdesigns.com Date: PO# Marked For: Description Part No. Retail Description Part No. Retail Legrests, Footrests and Extensions(continued) Back Post Tubes (continued) Footplates & Footboards **Stroller Handle Extensions Omit Footrest Plates** NXT-36404 Note: All stroller handle ext. add approximately 6.5" to push handle height. Note: All stroller/push handle extensions except Individual include a black Composite Flip-Up NXT-17070 n/c neoprene wrap around pad. Kids Aluminum Angle (K0040) NXT-36020 \$ 160 Adjustable, Flip-up Note: For frames 14" wide and narrower. (E0951) NXT-36022 \$ 41 Heel Loops (K0038) NXT-36024 41 Calf Strap - Webbing -30517 -30560 Adult Aluminum Angle Adj. (K0040/ NXT-36021 \$ 180 Flip-up w/ Heel Loops Note: For frames 15" wide and greater. **Push Handle Extension - Width** NXT-30560 n/c E0951) Adjustable Note: Not removable, but allows frame to fold. NXT-36023 n/c Omit Heel Loops Note: Mounts direct to back post push handle (K0040) NXT-36029 Aluminum Angle Adjustable \$ 160 Push Button, Angle-Adjustable Folding Stroller Handle Extension NXT-30570 \$ 112 Footboard Removable Note: Available 10W-15W wheelchair frames only. For frames wider than 15W must choose Heavy Duty below. MAPS Footplate Mounting Hardware Note: Not removable, but allows frame to fold. Note: Mounts direct to back post push handle NXT-36040 MAPS (Multi Axis Positioning System) - Pair \$ 306 Push Button, Angle-Adjustable Folding Stroller Handle Extension - Heavy Duty NXT-30575 \$ 179 MAPS (Multi Axis Positioning System) - Left NXT-36040-L \$ 153 MAPS (Multi Axis Positioning System) - Right NXT-36040-R Note: Available 10W-22w wheelchair frames. Note: MAPS connects footrest hangers to aluminum footrest plates to adjust for fixed foot and ankle positioning. MAPS footrest Note: Not removable, but allows frame to fold. plates rotate and adjust for plantar and dorsiflexion and Note: Same as above but with metal hinge mechanism. inversion and eversion positioning. Note: Mounts direct to back post push handle Note: Must choose aluminum footplates. Note: Not available on 10" & 11" wide frames Push Button, Angle-Adjustable, NXT-30580 \$ 112 Note: MAPS not available with composite footplates or aluminum Folding Push Handle Extension footboard. Available 10W-15W wheelchair frames only. For frames wider than 15W must choose Heavy Duty below. Note: Not removable, but allows frame to fold. Legrest Extensions Note: Mounts direct to straight back post tubes 4" Short Length Adjustable NXT-30285 n/c Push Button, Angle-Adjustable Folding Push Handle Extension NXT-30585 \$ 179 **Extensions** 6" Medium Length Adjustable NXT-30286 n/c - Heavy Duty
Note: Available 10W-22w wheelchair frames. Extensions 8" Long Length Adjustable NXT-30287 n/c Note: Not removable, but allows frame to fold. Extensions Note: Same as above but with metal hinge mechanism. Note: Not available with all 90° hangers. Note: Mounts direct to straight back post tubes 4.5" Heavy Duty ELR Extensions NXT-36401 \$ 56 Individual Stroller Handle Extensions NXT-30517 \$ 102 4.5" Heavy Duty Extensions NXT-36402 \$ 56 Removable - Pair Note: Heavy duty extensions do not telescope adjust. Footrests adjust vertically in length on heavy duty extension tubes. Legrests, Footrests and Extensions 6.5" Heavy Duty Extensions NXT-36403 \$ 66 Note: Heavy duty extensions do not telescope adjust. Footrests adjust vertically in length on heavy duty extension tubes. Legrests **Omit Legrest Hangers & Footrests** NXT-33000 **High Mount Brackets** \$ 102 Note: Includes flip-up mounting hardware for future growth 75° Pop-Up Swing Away NXT-30280 n/c adjustment Hangers Note: Not available with all 75° hangers. Note: Not available with high mount bracket. Specify Knee to Heel Measurement \_\_\_\_ 90° Pop-Up Swing Away NXT-30281 n/c Hangers Note: Not available with 8" adjustable extensions. 90° Pop-Up Swing Away (E0990) NXT-30279 \$ 255 Elevating Legrests (ELRs) Note: Not available with all length adjustable extensions. Note: Not available with 6.5" heavy duty extensions. 75° Latch Style Swing Away NXT-30282 n/c Hangers Note: Not available with high mount bracket. 90° Latch Style Swing Away NXT-30283 n/c Hangers Note: Not available with 8" adjustable extensions. **NXT Pediatric** NXT Rider Weight Capacity is 225 lbs. Page 3 of 7  $\epsilon$ 

Specialized Footrest Systems  Note: ALL legrest measurements are from the seat rail to footplate.  Note: Not available with LEAF or SRO seat rail options.  Super Contracture Footrest Hanger (K0108)  Short Pair - 11" to 15" NXT-30291-2 \$3570  Note: Super Contracture for frames 15" wide and greater.  Note: Super Contracture is both swing-away and removable.  Note: Super Contracture has short or long length-adjustable and positions that adjust in 7.5" increments.  Note: Super Contracture has short or long length-adjustable and positions that adjust in 7.5" increments for plantar / dorsiflex-  Note: Super Contracture has short or long length-adjustable ankle positions that adjust in 7.5" increments for plantar / dorsiflex-  Note: Super Contracture has short or long length-adjustable ankle points that have 48 positions that adjust in 7.5" increments for plantar / dorsiflex-  Note: Super Contracture includes a 5"x 7" aluminum footplate with nutible holes for location adjustment as well as secondary positioning accessory attachment.  Note: Super Contracture position may limit ankle joint/ footplate adjustment range and/or cause footplate/front caster interference.  Note: 2D Dynamic Footrest Hanger (K0108)  Short Pair - 14" to 16" NXT-30293-2 \$4080  Note: 2D Dynamic has adjustable knee joints that have 48 positions that adjust in 7.5" increments.  Note: 2D Dynamic has adjustable knee joints that have 48 positions that adjust in 7.5" increments.  Note: 2D Dynamic has short or long length-adjustable extension tubes with 1.5" of dynamic flexicoping travel.  Note: 2D Dynamic has ankle joints with 18" of dynamic flexion for plantar/dorsiffexion ankle/foot positioning accessory attachment.  Note: 3D Dynamic for for caster choice may limit 2D Dynamic adjustable rail with did all post and tubes with 1.5" of dynamic flexicoping travel.  Short Pair - 13" to 15" NXT-30296-2 \$4590  Note: 3D Dynamic for for caster choice may limit 2D Dynamic adjustable rail adjustable rail adjustable rail adjustable rail adjustable rail adjustable	Flip-Back (E0973) NXT-38215 oping  - Standard NXT-38216 Pads NXT-38213 NXT-38213 NXT-38214 Is not available with desk and full length armre and on 13.5" or longer armrests only.  rame Mounted Armrests and Height, (K0015) NXT-38222 ort and Height, (K0015) NXT-38224 Il and Height arms include a removable side and Height arms include a removable side and Height with tools only. See matrix for height ort opt opt opt opt Adjustable, (E0973) NXT-38217 ort opt O	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :
Legrests, Footrests and Extensions Specialized Footrest Systems Note: ALL legrest measurements are from the seat rail to footplate. Note: Not available with LEAF or SRO seat rail options.  Super Contracture Footrest Hanger (K0108) Short Pair - 11" to 15" NXT-30291-2 \$3570 Note: Super Contracture for farmes 15" wide and greater. Note: Super Contracture is both swing-away and removable. Note: Super Contracture has adjustable knee joints that have 48 positions that adjust in 7.5" increments. Note: Super Contracture has adjustable knee joints that have 48 positions that adjust in 7.5" increments for plantar / dorsiflex-ion positioning. Note: Super Contracture includes a 5"x 7" aluminum footplate with multiple holes for location adjustment as well as secondary positioning accessory attachment. Note: Frame and/or front caster choice may limit super Contracture adjustment range and/or cause footplate/front caster interference.  2D Dynamic Footrest Hanger (K0108) Short Pair - 14" to 16" Long Pair - 16" to 18" Note: 2D Dynamic Footrest Hanger (K0108) Short Pair - 14" to 16" Note: 2D Dynamic both swing-away and removable. Note: 2D Dynamic both swing-away and removable. Note: 2D Dynamic has adjustable knee joints that have 48 positions that adjust in 7.5" increments. Note: 2D Dynamic has adjustable with 18" of dynamic flexion for plantar/dorsifiekon ankle/foot positioning accessory attachment. Note: 2D Dynamic has ankle joints with 18" of dynamic flexion for plantar/dorsifiekon ankle/foot positioning accessory attachment. Note: 2D Dynamic has ankle joints with 18" of dynamic flexion for plantar/dorsifiekon ankle/foot positioning accessory attachment. Note: Trame and/or for caster choice may limit 2D Dynamic adjustable value and preater. Note: 3D Dynamic for transe 15" wide and greater. Note: 3D Dynamic is both swing-away and removable. Note: 3D Dynamic is both swing-away	s and Armrest Pads (continuong Flip-Back, (E0973) NXT-38208  I on 13.5" or longer armrests only.  I ong Flip-Back (E0973) NXT-38210  I on 13.5" or longer armrests only.  Flip-Back (E0973) NXT-38215  I oping  Standard NXT-38216  Pads NXT-38213  I NXT-38214  Is not available with desk and full length armrest and on 13.5" or longer armrests only.  Frame Mounted Armrests  I ort (K0015) NXT-38222  I ort (K0015) NXT-38224  I ort (K0015) NXT-38217  I ORT (K0015) NXT-38217	s :
Specialized Footrest Systems  Note: ALL legrest measurements are from the seat rail to footplate.  Note: Not available with LEAF or SRO seat rail options.  Super Contracture Footrest Hanger (K0108)  Short Pair - 11" to 15"  Long Pair - 13" to 18"  Note: Super Contracture for frames 15" wide and greater.  Note: Super Contracture is both swing-away and removable.  Note: Super Contracture is adjustable knee joints that have 48 positions that adjust in 7.5" increments.  Note: Super Contracture has short or long length-adjustable extension tubes with adjustable ankle joints that have 48 positions that should be adjustable ankle joints that have 48 positions that should be adjustable ankle joints that have 48 positions that should be adjusted and greater.  Note: Super Contracture includes a 5"x 7" aluminum footplate with note super contracture adjustment range and/or cause footplate/front caster interference.  Note: Super Contracture position may limit ankle joint/ footplate adjustment range and/or cause footplate/front caster interference.  Note: 2D Dynamic Footrest Hanger (K0108)  Short Pair - 14" to 16"  Note: 2D Dynamic for frames 15" wide and greater.  Note: 2D Dynamic has adjustable knee joints that have 48 positions that adjust in 7.5" increments.  Note: 2D Dynamic has short or long length-adjustable extension tubes with 15" of dynamic telescoping travel.  Note: 2D Dynamic has short or long length-adjustable extension tubes with 15" of dynamic leacoping travel.  Note: 3D Dynamic footrest Hanger (K0108)  Short Pair - 13" to 15"  Note: 3D Dynamic foot caster choice may limit 2D Dynamic adjustment and adjustment as well as secondary positioning accessory attachment.  Note: 3D Dynamic foot caster choice may limit 2D Dynamic adjustment and adjustment	ong Flip-Back, (E0973) NXT-38208  I on 13.5" or longer armrests only. Ong Flip-Back (E0973) NXT-38210 Oping I on 13.5" or longer armrests only. Flip-Back (E0973) NXT-38215 Oping  - Standard NXT-38216 Pads NXT-38218 I on available with desk and full length armrest only.  Frame Mounted Armrests Ed Height, (K0015) NXT-38222 Ort Ed Height, (K0015) NXT-38224 II I odd Height, (K0015) NXT-38224 II I odd Height arms include a removable side eight with tools only. See matrix for height Opt Opt Opt Opt Opt Opt Opt Opt Opt Op	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :
positioning accessory attachment.  Note: Frame and/or front caster choice may limit Super Contracture adjustment range and/or cause footplate/front caster interference.  Note: Super Contracture position may limit ankle joint/ footplate adjustment range.  2D Dynamic Footrest Hanger (K0108)  Short Pair - 14" to 16"  Long Pair - 16" to 18"  Note: 2D Dynamic for frames 15" wide and greater.  Note: 2D Dynamic is both swing-away and removable.  Note: 2D Dynamic has adjustable knee joints that have 48 positions that adjust in 7.5° increments.  Note: 2D Dynamic has short or long length-adjustable extension tubes with 1.5" of dynamic telescoping travel.  Note: 2D Dynamic has ankle joints with 18° of dynamic flexion for plantar/dorsiflexion ankle/foot positioning.  Note: 2D Dynamic includes a 5"x 7" aluminum footplate with multiple holes for location adjustment as well as secondary positioning accessory attachment.  Note: Frame and/or front caster choice may limit 2D Dynamic adjustment are ment range and/or cause footplate/front caster interference.  3D Dynamic Footrest Hanger (K0108)  Short Pair - 13" to 15"  NXT-30295-2  \$4590  Note: All dual post and Note: All dual post	ed Height, (K0015) NXT-38222 ort (K0015) NXT-38224 II (K0015) NXT-38224 II (K0015) NXT-38224 II (K0015) NXT-38217 ort (K0015) NXT-38217 ort (K0015) NXT-38203	\$ : \$ :
2D Dynamic Footrest Hanger (K0108)  Short Pair - 14" to 16"  Long Pair - 16" to 18"  Note: 2D Dynamic for frames 15" wide and greater.  Note: 2D Dynamic is both swing-away and removable.  Note: 2D Dynamic has adjustable knee joints that have 48 positions that adjust in 7.5° increments.  Note: 2D Dynamic has short or long length-adjustable extension tubes with 1.5" of dynamic telescoping travel.  Note: 2D Dynamic includes a 5"x" aluminum footplate with multiple holes for location adjustment as well as secondary positioning accessory attachment.  Note: Frame and/or cause footplate/front caster interference.  3D Dynamic Footrest Hanger (K0108)  Short Pair - 13" to 15"  NXT-30295-2  Short Pair - 15" to 17"  NXT-30296-2  Note: 3D Dynamic for frames 15" wide and greater.  Note: 3D Dynamic is both swing-away and removable.  Note: 3D Dynamic is both swing-away and removable.  Note: 3D Dynamic has adjustable dynamic knee joints that can be set at 40°, 50°, 70°, or 90° with 36° of dynamic elevation travel.	ght Adjustable, (E0973) NXT-38217 ort ght Adjustable, (E0973) NXT-38203	
Note: 2D Dynamic has adjustable knee joints that have 48 positions that adjust in 7.5° increments.  Note: 2D Dynamic has short or long length-adjustable extension tubes with 1.5" of dynamic telescoping travel.  Note: 2D Dynamic has ankle joints with 18° of dynamic flexion for plantar/dorsiflexion ankle/foot positioning.  Note: 2D Dynamic includes a 5"x 7" aluminum footplate with multiple holes for location adjustment as well as secondary positioning accessory attachment.  Note: Frame and/or front caster choice may limit 2D Dynamic adjustment range and/or cause footplate/front caster interference.  3D Dynamic Footrest Hanger (K0108)  Short Pair - 13" to 15"  NXT-30295-2  Note: 3D Dynamic for frames 15" wide and greater.  Note: 3D Dynamic for frames 15" wide and greater.  Note: 3D Dynamic is both swing-away and removable.  Note: 3D Dynamic has adjustable dynamic knee joints that can be set at 40°, 50°, 70°, or 90° with 36° of dynamic elevation travel.	ort ght Adjustable, (E0973) NXT-38203	
The standard of the standard o	Height Removable NXT-38205 rmrests not available with short frame. rmrests not available with 22" or 24" wheels. Back Height (E0973) NXT-38206	
	mrests not available with short frame. mrests not available with 22" or 24" wheels.  Pads  NXT-38213	
tubes with 1.5" of dynamic telescoping travel.  Note: 3D Dynamic has ankle joints with 18° of dynamic flexion for plantar/dorsiflexion ankle/foot positioning.  Note: 3D Dynamic includes a 5"x 7" aluminum footplate with multiple holes for location adjustment as well as secondary positioning accessory attachment.  Note: Frame and/or front caster choice may limit 3D Dynamic adjustment range and/or cause footplate/front caster interference.  Omit Caster When the caster with multiple as "Polyurethane as "Polyurethane as "Polyurethane" and "Poly	NXT-34333 NXT-34333 NXT-34888 NXT-34111 NXT-34111 NXT-40000	8 <b>\$</b>
Armrests and Armrest Pads  Omit Armrests  NXT-38209  Back Post Mounted Armrests  ote: Flip-Back armrests length is measured from the front of the backpost tube to the end of the armrest with foam wrap pad installed.  4" Polyurethane 5" x 1.4" Poly, Pla 5" Polyurethane 5" x 1.5" Poly, Pla 5" x 1.4" Poly, Pla 5" x 1.5" Poly Pla 5" x 1.5" Poly Pla 5" x 1.5" Poly Pla 5" x 1.5" Poly, Pla 5" x 1.5" Poly, Pla 5" x 1.5" Poly Pla 5" x 1.5"	Aluminum Mag  NXT-43000  Istic Mag  Light-Up  NXT-35050  Ilastic Mag  NXT-34222  Aluminum Mag  NXT-42000	5 5 0 <b>\$</b> 2 <b>\$</b> 0 <b>\$</b>
10.5" Long Flip-Back Locking (E0973) NXT-38201 \$ 245  Note: Full length pad on 13.5" or longer armrests only.  13.5" Long Flip Back Locking (E0973) NIXT 38200 \$ 245  7" x 1" Poly, Pla	Plastic Mag NXT-34999 Lluminum Mag NXT-44000 h Tread NXT-34444 tic Plastic Mag (E2214/ E2215)  stic Mag NXT-34777	9 \$ 0 \$ 4 \$ 7 \$ 7 \$

te: PO#		1 Fax: (888) 582-1509 www.freedomdes					
te: PO#  Description	Part No.	Pr	etail	Marked For:	Part No.		Reta
Rear Wheels - Tires - A			tan				
e: All wheel selections include Freedom Designs' F Locking Safety Axles.		•		Rear Wheels - Tires - Access Note: 16" & 18" spoke wheels do not include handrin	•	inue	ed)
Omit Rear Wheels and Axles	NXT-31524			18" Grey Pneumatic Tire & Silver Spoke Aluminum Wheel Note: Rim, hub & spokes are anodized silver.	NXT-31537		n
Mag Wheels				18" Airless Inserts (E2213)	NXT-31021	\$	7
12" Low Profile Poly Mag Note: Not available with any foot/hand activated system.	8) NXT-31526 brake/wheel lock	\$	36	18" Silver Aluminum Handrim	NXT-31034 NXT-31036	\$	_
Note: Not available with airless inserts.  Note: All 12" wheels not available with all 7" cast  12" Semi Pneumatic Plastic Mag (K0069)		\$	168	18" Black Plastic Coated Handrim Note: 16" & 18" spoke wheels do not include han		Ф	,
Note: Not available with airless inserts.  Note: All 12" wheels not available with all 7" cast		Ψ	100	18" Black Pneumatic Tire &	NXT-31538		n
12" Pneumatic Plastic Mag	NXT-31525	_	n/c	Black Spoke Aluminum Wheel Note: Rim, hub & spokes are anodized black.			
12" Airless Inserts Note: All 12" wheels not available with all hand Note: All 12" wheels not available with all 7" ca		\$	77	18" Black Aluminum	NXT-31021 NXT-31035	\$ \$	
16" Pneumatic Plastic Mag	NXT-31530	\$	41	Handrim   18" Black Plastic Coated	NXT-31036	\$	;
	3) NXT-31020	\$	77	Handrim Note: 16" & 18" spoke wheels do not include han	drims.		
16" Aluminum Handrims Note: 16" mag wheels not available with plasti	NXT-31014 c coated handrims.	\$	169	20" Pneumatic Spoke Wheel with Aluminum Handrim	NXT-31540	\$	. 2
18" Pneumatic Plastic Mag	NXT-31533 3) NXT-31021	\$ \$	41	20" Airless Inserts (E2213)	NXT-31022	\$	;
18" Airless Inserts 18" Aluminum Handrims Note: 18" mag wheels not available with plasti	NXT-31015	\$	77 169	Note: Not available with foot/hand activated whee Note: 20", 22" & 24" spoke wheels not available p handrims.			
20" Pneumatic Plastic Mag with Aluminum Handrim	NXT-31527		n/c	22" Pneumatic Spoke Wheel with Aluminum Handrim	NXT-31541	\$	2
20" Airless Inserts (E221)	3) NXT-31022 NXT-31016	\$ \$	77 119	Note: Not available with foot/hand activated whee		\$	;
20" Plastic Coated Handrims 22" Pneumatic Plastic Mag	NXT-31528	Ψ	n/c	Note: All 22" & 24" wheels not available with shor Note: All 22" & 24" wheels not available with dual Note: 20", 22" & 24" spoke wheels not available p	post armrests.		
with Aluminum Handrim 22" Airless Inserts (E221)	3) NXT-31023	\$	77	handrims.	iasiic coated		
22" Plastic Coated Handrims Note: All 22" & 24" wheels not available with s	NXT-31017 hort tilt bracket.	\$	119	24" Pneumatic Spoke Wheel with Aluminum Handrim	NXT-31542	\$	2
Note: All 22" & 24" wheels not available with d					NXT-31024 l locks.	\$	;
24" Pneumatic Plastic Mag with Aluminum Handrim	NXT-31529		n/c	Note: All 22" & 24" wheels not available with shor Note: All 22" & 24" wheels not available with dual	post armrests.		
24" Airless Inserts 24" Plastic Coated Handrims	3) NXT-31024 NXT-31018	\$ \$	77 119	Note: 20", 22" & 24" spoke wheels not available p handrims.	lastic coated		
Note: All 22" & 24" wheels not available with sho Note: All 22" & 24" wheels not available with dua		Ť		Omit Handrims from 20", 22" or 24" Wheels	NXT-31006		
Omit Handrims from 20", 22" or 24" Wheels	NXT-31006						
Spoke Wheel	<b>S</b> NXT-31534		n/c				
16" Grey Pneumatic Tire & Silver Spoke Aluminum Wheel Note: Rim, hub & spokes are anodized silver.			II/C				
16" Airless Inserts 16" Silver Aluminum	3) NXT-31020 NXT-31030	\$ \$	77 77				
Handrim 16" Black Plastic Coated Handrim	NXT-31032	\$	77				
Note: 16" & 18" spoke wheels do not include	nangrims.						
16" Black Pneumatic Tire & Black Spoke Aluminum Wheel Note: Rim, hub & spokes are anodized black.	NXT-31535		n/c				
	3) NXT-31020 nandrims.	\$	77	Continue To Next Page			
16" Black Aluminum Handrim	NXT-31031	\$	77	Continue to Next Fage			
16" Black Plastic Coated Handrim	NXT-31032	\$	77				

2241 N Madera Rd Simi Valley, CA 93065 Phone: (800) 331-8551 Fax: (888) 582-1509 www.freedomdesigns.com Date: PO# Marked For: Description Part No. Retail Description Part No. Retail Wheel Locks Accessories Push to Lock - Standard NXT-31501 **Medical Necessities Pouch** 68 n/c NXT-23207 \$ **Pull to Lock** NXT-31506 Note: Black nylon n/c (E0961) NXT-31801 61 **Extension Handles** Footrest Hanger Pads - Pair SFDI-9HP 92 Note: Wrap-around pads made from black neoprene (E2228) NXT-31508 **Foot Activated Wheel Lock** n/c Note: Includes manual wheel locks to be used with public Frame Pads - Pair 10911-2 82 transportation. Note: Wrap-around pads made from black neoprene. Note: Not available with 12" poly plastic mag wheels. Note: Typically used to pad exposed back post tubes. Note: Not available with ALL vent and battery trays. Flip-Down Rigidizing Bar NXT-23210 \$ 214 (E2228) NXT-30275 Hand Activated Brake and n/c Note: Mounts to back post tubes to add rigidity to frame. Wheel Lock System Note: Does NOT adjust in width to grow with frame. Note: Includes manual wheel locks to be used with public transportation. Freedom Backpack NXT-10900 \$ 56 **Note:** Not available with 12" mag wheels with low pro poly tires. Note: Black Nylon only with Freedom Designs logo. Note: Used to control direction, speed, brake and lock wheels from Note: Monogramming is not available on Freedom Backpack. strolling position.

Note: Not available with all vent and battery trays. Freedom Canopy - Flip-Back NXT-10905 \$ 128 Note: Canopy assembly includes removable mounting hardware. (E2228) NXT-30277 Note: Canopy is available in black only with Freedom Designs logo. **Combination Dual Hand** n/c Activated Tilt, Brake and Wheel Lock System Note: Canopy includes rear flap with zippered storage pocket. Note: Canopy includes clear-view window. Note: Includes manual wheel locks to be used with public transportation. Note: Not available with 12" poly plastic mag wheels. Anterior Support Surfaces – (Trays) Note: Used to control direction, speed, brake and lock wheels and tilt (E0950) 08-2000 3/8" Lexan Tray - Channel frame from strolling position.

Note: Not available with all vent and battery trays. \$ 271 **Bracket Hardware** 3/8" Lexan Tray - Adjustable (E0950) 08-6000 \$ 219 Knob Hardware & Ribs Rear Anti-Tippers (E0950) 08-13000 1/4" Lexan Tray - EZ Lite \$ 183 Curb Assist Anti-Tip Assembly (E0971) NXT-31600 97 Channel Hardware & Ribs Flip-Up, Adjustable Note: Pair includes one anti-tip tube with curb assist feature. 1/4" Lexan Tray - Hook & (E0950) 08-16000 \$ 106 **Loop Straps** (E0971) NXT-31603 Standard Anti-Tip Assembly 97 Flip-Up, Adjustable Seat Pan Options (E2231) NXT-39010 **Fixed Solid Seat Pan** \$ 150 - Bolteron Note: Not available with folding frame. **Fixed Solid Seat Pan** (E2231) NXT-39030 \$ 170 Aluminum Note: Fixed Seat Pan raises the effective seat to floor height by 1/2". Note: Not available with folding frame. Removable Solid Seat Pan (E2231) NXT-39012 \$ 170 Bolteron Removable Solid Seat Pan (E2231) NXT-39032 \$ 255 Aluminum Note: Removable Seat Pan raises the effective seat to floor height by 5/8". Note: Aluminum Removable Solid Seat Pan adjusts 2" in width by mounting hardware to grow with NXT frame.

Note: Removable solid seat pan includes 4-points of EZ-Lite mounting hardware. Note: All seat pans include 2" x 2" notches for growth adjustment. Note: All seat pans made to fit frame dimensions unless specified helow **Seat Width** " X Seat Depth Continue To Next Page NXT Rider Weight Capacity is 225 lbs. Page 6 of 7 **NXT Pediatric**  $\epsilon$ 

2241 N Madera Rd Fax: (888) 582-1509 Simi Valley, CA 93065 Phone: (800) 331-8551 www.freedomdesigns.com Date: PO# Marked For: Description Part No. Retail Description Part No. Retail **NXT Footrest / Extension Lengths** HCPCS CODES are provided based on verification through PDAC or our interpretation of the code definitions. The use of HCPCS codes does not ensure coverage or payment. Extension/Hanger ELR (90°) 75° Pop 75° Lch 90° Pop 90 °Lch For coverage information, verify the appropriate payer's coverage policy. 6"-8' 5 5"-8 5 4"-8' 4"-8" 6"-10 Hanger Only High Mount N/A N/A 1.5"-3" N/A N/A 4.5" H D Ext. 9"-12" 9.5"-12.5" 9"-12" 9"-12" 13"-15" Choose NXT Seat to Floor Height Note: Use chart to determine seat to floor height. Seat to floor height deter-6.5" H D Ext. 9"-15" 9.5"-15.5" 9"-15" 9"-15" N/A mined by frame type, rear wheels, front caster size and tilt pivot height. Note: Caster sizes vary slightly in height by type. 11"-13" 4" Adjustable 10"-13" 9.5"-12.5" 10"-13" N/A Note: Seat to floor heights are approximate, and are impacted by wheel type, 12"-15" 6" Adjustable 12"-15' 10.5"-14.5 13"-15 N/A caster size and braking choice. Heights can vary +/- 3/8". **Note:** Seat pan choice increases seat rail to floor height 3/8" to 3/4". 8" Adjustable 14"-17" 12 5"-16 5" N/A N/A N/A NXT MAPS Footrest / Extension Lengths **NXT Wheel / Caster Seat to Floor Heights** Extension/Hanger 75° Pop 75° Lch 90° Pop 90 °Lch ELR (90°) Caster Height Wheel Caster Height 4.5"- 8.5" 5.5"-7.5" 5"-8" 5.5"-7.5" 4.5"-7.5" Hanger Only & 11.5" 12" 12.5-13 3" N/A High Mount N/A N/A N/A N/A N/A 3" 4" 12" Tall 14-14.5" 20 Short 14-15' 4.5" H D Ext. 8.5"-11.5" 9"-12" 8.5"-11.5" 8.5"-11.5" 12.5"-15.5" 1" 12 Short 13.5" 15.5-20' 4" Tall 6.5" H D Ext 8.5"-13.5" 9"-14" 8.5"-13.5" 8.5"-13.5" N/A 16.5" 4" 12 Tall 15" 4" Adjustable 8.5"-11.5" 9"-12" 9.5"-11.5" 8.5"-11.5" N/A 14.5-5 5" 20" Short 12" Short 15.5' 15.5" 6" Adjustable 10.5"-13.5" 10"-14" 11.5"-13.5" 8.5"-13.5" N/A 5" 12 Tall 17 20" 5" 16-17 12.5"-15.5" 8" Adjustable 12"-16" N/A N/A N/A 6 12 Short 16' 20' 6" Short 15.5-16" Note: Length from top of footrest plate to top of seat rail. 6" 12 Tall 17.5 Note: Without extensions bottom hanger hole not accessible for hardware. 6" Tall 17-17.5" Note: Heavy duty extensions do not telescope adjust. Footrests adjust vertically 16 3" 12.5-13 Short 20' 7" Short 16.5" in length on heavy duty extension tubes. 16" 3" Tall 14-14.5 7" 20' Tall 18" 16" 4" Short 13.5-14" 3" 22 Short N/A 4" 16" Tall 15-15.5" 3" 22 Tall N/A Freedom Designs Armrest Heights 16" 5" 14.5" Short 4" N/A 22 Short Armrest and Pad Foam Desk 5" 16" Tall 16" 4" 22 16.5 Tall Flip Back 6.5" - 11.5" 7.5" - 12.5" 7.5" - 12.5" 16 6" 16 5" N/A 22 Short Flip Back Locking 6.5" - 11.5" 7.5" - 12.5" 7.5" - 12.5" 16" 6" 17.5 5" 22 Tall 16.5-17 Telescoping Flip Back 6.5" - 11.5" 7.5" - 12.5" 7.5" - 12.5" 16" 7" Short 16.5" 22 6" Short N/A 7.5" - 12.5" Flip Back Locking Telescoping 6.5" - 11.5" 7.5" - 12.5" 7 16 18" 6" 22 Tall 17-17.5" 8" - 14" 8" - 14" Single Post Height Adj. Short N/A 18 3" Short 12.5-13 N/A 22 7" Short Single Post Height Adj. Tall N/A 10" - 16" 10" - 16" 3" 14-14.5 18 Tall 22 7" Tall 18" **Dual Post Fixed Height** N/A 9.5' 9.5" 13.5-3" N/A 18" 4" Short Short Dual Post Flip Back Height Adj. N/A 9" - 13" 9" - 13" 14.5' 24" 3" Tall N/A Note: All heights from top of seat frame to top of armrest pad. 18" 4" Tall 15-16.5 24" 4" Short N/A 14.5-18" 5" Short 4" 24 Tall N/A 15.5 5" 18" 5" Tall 16-17" 24" Short N/A 6" 5" 18" Short 15.5" 24" Tall N/A 6" 6" 17' 24" N/A 18 Tall Short 7" N/A 24 6" Tall 17.5" 18 Short 7" 7 18 24 N/A Tall N/A Short 3" 7" N/A Tall 18" 20' Short NXT Rider Weight Capacity is 225 lbs. Page 7 of 7 **NXT Pediatric**  $\epsilon$