

FREEDOM Our kids are our passion."	Generation		SE Pedia Manual W		hair Yes, you	r can:
2241 N Madera Rd	Simi Valley, CA 93065 Ph	none: (800)	331-8551 Fax: (888) 582-1509	www.freedom	designs.com	
Date: Buyer:			Quote Order	PO#		
Company:			Location:			
Marked For:			Phone:			
Email:			Fax:			
		Retail	Description		Part No.	Retail
NXT Pediatric Fr				& Batte	ery Trays	
NXT-SE Pediatric Folding Transport Optional Note: Transportation Option selected sep Note: SE frames <u>Do Not</u> include Freedor NXT-SE Pediatric Rigid Transport Optional Note: Transportation Option selected sep Note: SE frames <u>Do Not</u> include Freedor	(E1234) NXT-30304 parately below. n Future Fit Program. (E1233) NXT-30314 parately below. n Future Fit Program.	\$2650 \$2525	Note: All vent and battery trays Note: All vent and battery trays Note: All vent trays on NXT only Note: All vent and battery trays and push button angle ad Vent Tray - Fixed Battery Tray - Fixed Quick Release Tray Note: For LP10 style vent greater. Note: Vent tray is 4" narrow	not with transp not with short y with Dual Lev best with stand justable strolle <b>Hardware</b> and battery tra	port. frames. ver Hand Activated Tilt. dard 90° bend push handles er handle extensions. (E1029) 11-7000 (K0108) 11-8000 (E1028) 563 ay on frames 16" wide and	\$ 439 \$ 429 \$ 272
Transportatio	•		Note: Battery tray is 4" nar			
Note: Used when Transport Optional frar Transportation Package - SE Note: Must be installed by Freedom Desi Note: Not available with all vent and batt Note: Freedom's combination of customi: frames are WC19 crash test appro Note: Most Freedom seating, hardware, have been WC20 tested and appro	NXT-99997 igns manufacturing. ery trays. zed seating and wheelchair ved.	\$ 300	F Sugar Cookie Neon Yellow	Frame C n/c n/c	<b>olors</b> Pacific Blue Blue Blast	n/c n/c
have been WC20 tested and appro	ved for transit.		Yellow	n/c	Electric Blue	n/c
Seat Rail C	)ntions		Bright Pink	n/c	Galaxy Blue	n/c
Note: Not available with ALL Contracture, 2D &	•		Pink Parfait	n/c	Passion Purple	n/c
systems.			Sugar Plum	n/c n/c	Octane Orange Red Sunset	n/c n/c
NXT LEAF Seat Frame- Pair NXT LEAF Seat Frame- Left	(K0108) NXT-30324 (K0108) NXT-30324-L	\$714 \$357	Candy Violet Candy Raspberry	n/c	Really Red	n/c
NXT LEAF Seat Frame- Right	(K0108) NXT-30324-R		Extreme Green	n/c	Fiery Red	n/c
Note: LEAF (Lower Extremity Accommod angle adjusts 22° from midline for a	abduction, adduction, and		Sparkle Green	n/c	Twilight	n/c
windswept lower extremity position be individually repositioned for up t	ing. LEAF seat frame(s) can to a 2" leg length		Mystic Teal	n/c	Stormy Gray	n/c
discrepancy. Note: Freedom customized seats can be LEAF frame models. Note: No seating system is provided with system must be purchased separa	NXT frames. A seating	l	5		Black	n/c
NXT SRO Seat Frame- Pair NXT SRO Seat Frame- Left NXT SRO Seat Frame- Right	(K0108) NXT-30325 (K0108) NXT-30325-L (K0108) NXT-30325-R	•		-	ensions /idth Setting	
<ul> <li>Note: SRO is manufactured without standard attachments.</li> <li>Note: SRO is used when customer attach the underside of the solid seat.</li> </ul>			10" 11" 12" 11" 12" 13" 12" 13" 14" 13" 14" 15"	Adjusts 11 Adjusts 12	" to 13" NXT-30210 2" to 14" NXT-30220	n/c n/c n/c n/c
Tilt Activa	ations		14" 15" 16" 15" 16" 17"	Adjusts 14	I" to 16" NXT-30240	n/c n/c
Dual Lever Hand Activated Tilt Note: Must be selected for ALL vent and		n/c	15" 16" 17" 16" 17" 18" 17" 18"		6" to 18" NXT-30260	n/c n/c
Foot Activated Tilt Note: Foot pedal installed on right rear si Note: Not with ALL vent and battery trays	NXT-30273 ide frame.	n/c	18" 19" Not adjustable, no 20" Not adjustable, not v	Not width a ot w/ short fra v/ short frame	adjustable NXT-30262 ame NXT-30263 (E2201) NXT-30264	n/c n/c \$ 400
Combination Dual Hand Activa Tilt, Brake and Wheel Lock Sy: Note: Includes manual wheel locks to be transportation. Note: Not available with 12" mag wheels	ated NXT-30277 stem used with public	n/c	tubes.	f 19" and 20" n	nd from outside of seat frame not available with short frame " and wider frames.	

2241 N Madera Rd	Simi Valley, CA 93065	Phone: (800)	331-855	1 Fax: (888) 582-1509	www.freedomdesig	gns.com
Date:	PO#			Marked For:		
Description		Part No.	Retail	Description	Part No.	Retail
B Specify F Note: Extensions may limit positions. Adjusting s limitations and possi Short Frame & S 12" 13" 14" 15" 16" 17" Must select 2 2" Extens Specify Back Poc Note: Floor to seat fr Note: Seat frame wid frame. Note: Must choose 2	" extension " extension sion - Pair (K1008) ost Location (if other than ame height range is 12.5 to 16 lths of 19" and 20" not availabl " extension for 17" and 18" frai	PNS me Length lity when in tilted ate for tilt range NXT-30511 NXT-30504 NXT-30505 NXT-30521 NXT-30522 NXT-30523 NXT-30523 NXT-30525 specified above)5". e with short me lengths.	Retail n/c n/c n/c n/c n/c n/c s 26	Back Post Loc	ations (continued) e and Frame Length , 20", 21" and 22" frame (E1298) NXT-30520P NXT-30522TP NXT-30523TP NXT-30523TP NXT-30524TP NXT-30527TP (E2203) NXT-30528TP (E2204) NXT-30528TP (E2204) NXT-30535TP (E2204) NXT-30538TP (E2204) NXT-30538TP (E2204) NXT-30543TP (K1008) NXT-30525 (K1008) NXT-30530	\$ 153 n/c n/c \$ 500 \$ 500 \$ 900 \$ 9000\$ 900 \$ 9000 \$ 9000\$ 9000\$ 9000\$ 9000\$ 9000\$ 9000\$ 9000\$ 9000\$ 9
Note: 22" & 24" whee bracket. Note: All vent and ba Medium Frame & 14" 15" 16" 17" 18" 19" Must select 2 20" Must select 2 20" Must select 2 21" Must select 3 2" Extens 3" Extens 3" Extens Specify Back Pc Note: Floor to seat fra Note: Must choose 2	<ul> <li>els not available with short frantitery trays not available with sl</li> <li>&amp; Short Tilt Bracket</li> <li>* extension (E2203)</li> <li>* extension (E2203)</li> <li>sion - Pair (K1008)</li> </ul>	ne and short tilt nort frame. NXT-30512 NXT-30506 NXT-30521 NXT-30522 NXT-30523 NXT-30524 NXT-30527 NXT-30528 NXT-30529 NXT-30525 NXT-30530 specified above)	n/c n/c n/c n/c n/c \$500 \$500 \$500 \$26 \$26	4" Extension - Pair Note: Tall tilt bracket increases floor t Note: Floor to seat frame height rang Note: Must choose extensions for 23 Specify Back Post Location 5° Anterior Tilt Seat Frame Note: Limits posterior tilt to 40°, inclu Note: Medium with Tall Tilt and Long Note: NXT has 4" of depth adjustment fr of back post to end of the seat frame. For ware thickness (typically 2") to client's s of 12" + back / hardware thickness of 2"	(K1008) NXT-30531 to seat rail height 1.5". ge is 14" to 18". ",24", 25" and 26" frame lengths. (if other than specified above)_ NXT-30276 tdes split collars for adjustment. frames only. or growth. Depth is measured for back post location add seati actual seat depth. Example: se ' = back post location set at 14' St Tubes ack Post and Extensions andles NXT-30518	\$ 26 " " n/c from front ing / hard- at depth ".
14" 15" 16" 17" 18" 19" Must select 2 20" Must select 2 21" Must select 3 22" Must select 4 2" Extens 3" Extens 4" Extens <b>Specify Back Po</b> Note: Tall tilt bracket	" extension         (E2203)           " extension         (E2203)           " extension         (E2203)           " extension         (E2204)           sion - Pair         (K1008)           sion - Pair         (K1008)	ght 1.5".	n/c n/c n/c n/c \$500 \$500 \$500 \$26 \$26 \$26	Post Tubes Note: All push/stroller handle extensic Ergo Bend. Seating Dynamics Rocker Back Note: Angle adjustable from 72° to 10 Note: Supplied with a complete set of durometers to allow spring adju Note: Locks into a non-dynamic posit Note: Does not allow the back post tu Back Post Note: Back Posts are measured from top of Short Push Handle - 20" high Medium Push Handle - 23" h Tall Push Handle - 26" high	ons not recommended with (K0108) NXT-30532 08° in 6° increments. f 4 elastomers in different istment in the field. ion when necessary. ibes to fold forward. <b>St Height</b> of seat rail to top of handle bend. h NXT-30515	\$1734
NXT Rid	der Weight Capacity is	225 lbs.		Page 2 of 7 NXT-SE	Pediatric	(€

2241 N Madera Rd Simi Valley, CA 93065	Phone: (800	) 331-855	1 Fax: (888) 582-1509	www.freedomdesi	igns.com
Date: PO#			Marked For:		
Description	Part No.	Retail	Description	Part No.	Retail
Stroller Handle Exter Note: All stroller handle ext. add approximately 6.5" to p Note: All stroller/push handle extensions except Individu neoprene wrap around pad.	oush handle height		Legrests, Footrests and Footplates & F Omit Footrest Plates Composite Flip-Up Kids Aluminum Angle	Footboards NXT-36404 NXT-17070 (K0040) NXT-36020	ntinued) n/c \$ 160
-30560 -30570/5 -30580 Push Handle Extension - Width	<b>)/5 -30</b> NXT-30560	517 n/c	Adjustable, Flip-up Note: For frames 14" wide and narrower. Heel Loops Calf Strap - Webbing	(E0951) NXT-36022 (K0038) NXT-36024	\$ 41 \$ 41
Adjustable Note: Not removable, but allows frame to fold. Note: Mounts direct to back post push handle. Push Button, Angle-Adjustable Folding Stroller Handle Extension Note: Available 10W-15W wheelchair frames only. than 15W must choose Heavy Duty below.	NXT-30570 For frames wider	\$ 112	Adult Aluminum Angle Adj. Flip-up w/ Heel Loops Note: For frames 15" wide and greater. Omit Heel Loops Aluminum Angle Adjustable Footboard Removable	(K0040/ E0951) NXT-36021 NXT-36023 (K0040) NXT-36029	\$ 180 n/c \$ 160
Note: Not removable, but allows frame to fold. Note: Mounts direct to back post push handle. Push Button, Angle-Adjustable Folding Stroller Handle Extension - Heavy Duty Note: Available 10W-22W wheelchair frames. Note: Not removable, but allows frame to fold. Note: Same as above but with metal hinge mechai Note: Mounts direct to back post push handle. Push Button, Angle-Adjustable, Folding Push Handle Extension Note: Available 10W-15W wheelchair frames only. than 15W must choose Heavy Duty below.	NXT-30580	\$ 179 \$ 112	MAPS Footplate Mo MAPS (Multi Axis Positioning System) - MAPS (Multi Axis Positioning System) - MAPS (Multi Axis Positioning System) - Note: MAPS connects footrest hangers t to adjust for fixed foot and ankle po plates rotate and adjust for plantar inversion and eversion positioning, Note: Must choose aluminum footplates. Note: Not available on 10" & 11" wide fra Note: MAPS not available with compositi	- Pair NXT-36040 - Left NXT-36040-L - Right NXT-36040-R to aluminum footrest plates ositioning. MAPS footrest r and dorsiflexion and manes.	\$ 306 \$ 153
Note: Not removable, but allows frame to fold. Note: Mounts direct to straight back post tubes. Push Button, Angle-Adjustable Folding Push Handle Extension - Heavy Duty Note: Available 10W-22W wheelchair frames. Note: Not removable, but allows frame to fold. Note: Same as above but with metal hinge mechan Note: Mounts direct to straight back post tubes. Individual Stroller Handle Extensions		\$ 179	footboard. Legrest Ext 4" Short Length Adjustable Extensions 6" Medium Length Adjustable Extensions 8" Long Length Adjustable Extensions Note: Not available with all 90° hangers.	NXT-30285 NXT-30286 NXT-30287	n/o n/o
Legrests, Footrests and I Legrests Hangers & Footrests		\$ 102 S	4.5" Heavy Duty ELR Extension 4.5" Heavy Duty Extensions Note: Heavy duty extensions do not teles adjust vertically in length on heavy 6.5" Heavy Duty Extensions Note: Heavy duty extensions do not teles	NXT-36402 scope adjust. Footrests duty extension tubes. NXT-36403 scope adjust. Footrests	\$ 50 \$ 50 \$ 60
75° Pop-Up Swing Away Hangers Note: Not available with high mount bracket. 90° Pop-Up Swing Away Hangers Note: Not available with 8" adjustable extensions.	NXT-30280 NXT-30281	n/c n/c	adjust vertically in length on heavy High Mount Brackets Note: Includes flip-up mounting hardward adjustment. Note: Not available with all 75° hangers. Specify Knee to Heel Measure	NXT-36407 e for future growth	<b>\$ 102</b> ix page)
90° Pop-Up Swing Away (E0990) Elevating Legrests (ELRs) Note: Not available with all length adjustable exten Note: Not available with 6.5" heavy duty extension	S.	\$ 255			
75° Latch Style Swing Away Hangers Note: Not available with high mount bracket. 90° Latch Style Swing Away Hangers Note: Not available with 8" adjustable extensions.	NXT-30282	n/c n/c	Continue To N	ext Page	
NXT Rider Weight Capacity is	s 225 lbs.		Page 3 of 7 NXT-SE Pe	diatric	(6

2241 N Madera F			001-000	1 Fax: (888) 582-1509 www.freedomdesig	13.0011
Date:	PO#			Marked For:	
Description		Part No.	Retail	Description Part No.	Retail
-	sts, Footrests and I		5	Armrests and Armrest Pads (continued	
•	ecialized Footrest S	•		10.5" to 13.5" Long Flip-Back, (E0973) NXT-38208 Telescoping	\$ 240
	measurements are from the se e with LEAF or SRO seat rail o		e.	Note: Full length pad on 13.5" or longer armrests only.	
				10.5" to 13.5" Long Flip-Back (E0973) NXT-38210 Locking, Telescoping	\$ 265
•	Contracture Footrest H	• • •		<b>Note:</b> Full length pad on 13.5" or longer armrests only.	
Short Pair - Long Pair - 1		NXT-30291-2 NXT-30292-2		17" to 20"_Long Flip-Back (E0973) NXT-38215	\$ 265
	ntracture for frames 15" wide and g		<b>43370</b>	Locking, Telescoping	
	ntracture is both swing-away and re			Foam Wraps - Standard NXT-38216	n/c
positions	ntracture has adjustable knee joints that adjust in 7.5° increments.			Desk Length Pads NXT-38213	n/c
Note: Super Co extension	ntracture has short or long length-a tubes with adjustable ankle joints t	djustable hat have 48		Full Length Pads NXT-38214 Note: 8.5" armrests not available with desk and full length armrest	n/c
positions ion position	that adjust in 7.5° increments for pla	antar / dorsiflex-		pads. Note: Full length pad on 13.5" or longer armrests only.	
Note: Super Co	ntracture includes a 5"x 7" aluminu	m footplate with		Note: Fuil length pad on 13.5 or longer armrests only.	
	oles for location adjustment as well g accessory attachment.	as secondary		Frame Mounted Armrests	
	d/or front caster choice may limit Sittement range and/or cause footplate			Single Dept Fixed Height (K0015) NVT 20000	¢ 005
interferen	ce.			Single Post Fixed Height, (K0015) NXT-38222 Removable - Short	\$ 225
adjustmer	ntracture position may limit ankle jo nt range.	int/ tootplate		Single Post Fixed Height, (K0015) NXT-38224	\$ 225
	- Dum anula E a atua at Ilana			Removable - Tall Note: Single Post Fixed Height arms include a removable side	
	Dynamic Footrest Hang		<b>A</b> 4000	guard.	
Short Pair - Long Pair - 1		NXT-30293-2 NXT-30294-2	+	Note: Adjustable in height with tools only. See matrix for height ranges.	
	nic for frames 15" wide and greater		ψ-1000	Single Post Height Adjustable, (E0973) NXT-38217	\$ 265
	nic is both swing-away and remova			Removable - Short	φ 200
	nic has adjustable knee joints that h t in 7.5° increments.	have 48 positions		Single Post Height Adjustable, (E0973) NXT-38203	\$ 265
	nic has short or long length-adjusta 1.5" of dynamic telescoping travel			Removable - Tall	
Note: 2D Dynan	nic has ankle joints with 18° of dyna	amic flexion for		Dual Post Fixed Height Removable NXT-38205	n/c
Note: 2D Dynan	orsiflexion ankle/foot positioning. nic includes a 5"x 7" aluminum foot	plate with multiple		Note: All dual post armrests not available with short frame.	
	ocation adjustment as well as seco	ndary positioning		Note: All dual post armrests not available with 22" or 24" wheels. Dual Post Flip-Back Height (E0973) NXT-38206	\$ 275
Note: Frame an	d/or front caster choice may limit 21 ge and/or cause footplate/front caster	D Dynamic adjust-		Adjustable, Removable	φ Z13
mentrang	je anu/or cause rootplate/from cast	er interference.		Note: All dual post armrests not available with short frame.	
3D I	Dynamic Footrest Hang	<b>jer</b> (K0108)		<b>Note:</b> All dual post armrests not available with 22" or 24" wheels.	
Short Pair -		NXT-30295-2	\$4590	Desk Length Pads NXT-38213	n/c
Long Pair - 1 Note: 3D Dynam	15" to 17" nic for frames 15" wide and greater.	NXT-30296-2	\$4590	Full Length Pads NXT-38214	n/c
	nic is both swing-away and remova			Specify Seat Rail to Top of Armrest Measurement	
	nic has adjustable dynamic knee jo 40°, 50°, 70°, or 90° with 36° of dyn			opeeny deat han to rop of Anniest measurement_	
travel.	· · · ·			Front Wheels - Casters	
tubes with	nic has short or long length-adjusta 1.5" of dynamic telescoping travel				
Note: 3D Dynan	nic has ankle joints with 18° of dyna prsiflexion ankle/foot positioning.	amic flexion for		Omit Caster Wheels NXT-34333	
Note: 3D Dynan	nic includes a 5"x 7" aluminum foot			3" Polyurethane NXT-34888	\$ 56
accessory	ocation adjustment as well as seco attachment.			<b>3" Polyurethane Light-Up</b> NXT-34111	\$ 56
	d/or front caster choice may limit 3I nt range and/or cause footplate/from			Note: 3" casters recommended for low seat to floor heights.	
interferen	ce.			4" Polyurethane NXT-40000	\$ 66
				4" Polyurethane Light-Up NXT-41000	\$ 101
	mrests and Armres			4" x 1.4" Poly, Aluminum Mag NXT-43000	\$ 92
Omit Armres	sts	NXT-38209		5" x 1" Poly, Plastic Mag NXT-34555	n/c
	Back Post Mounted Arr	nrests		5" Polyurethane Light-Up NXT-35050	\$ 101
	ests length is measured from the fro			5" x 1.5" Poly, Plastic Mag NXT-34222	\$ 87
	of the armrest with foam wrap pad			<b>5" x 1.4" Poly, Aluminum Mag</b> NXT-42000	\$ 92
10 57 1	Tin Book	NYT 20204		6" x 1" Poly, Plastic Mag NXT-34666	n/c
10.5" Long F Note: Full length	-пр-васк n pad on 13.5" or longer armrests o	NXT-38204 nly.	n/c	6" x 1.5" Poly, Plastic Mag NXT-34999	\$ 87
13.5" Long F	-lip-Back	NXT-38202	n/c	6" x 1.4" Poly, Aluminum Mag NXT-44000 6" x 2" Poly with Tread NXT-34444	\$ 92 \$ 92
Note: Full length	n pad on 13.5" or longer armrests o	nly.		6" x 1" Pneumatic Plastic Mag (E2214/ E2215) NXT-34667	\$ 77
10.5"   ong F	Flip-Back Locking (E0973)	NXT-38201	\$ 245		e
Note: Full length	n pad on 13.5" or longer armrests o	nly.	•	<b>7" x 1" Poly, Plastic Mag</b> NXT-34777 <b>7" x 2" Polyurethane</b> NXT-34200	\$77 \$118
	Flip-Back Locking (E0973)		\$ 245	<b>Note:</b> All 7" casters not available with all 12" rear wheels.	ψιΙΟ
Note: ⊢ull length	n pad on 13.5" or longer armrests o	nıy.			
NXT	FRider Weight Capacity is	s 225 lbs.		Page 4 of 7 NXT-SE Pediatric	(6
lev B	,,,,,,				SEP 01201

ate: PO#					Marked For:			
Description		Part No.	Re	etail	Description	Part No.	R	Reta
Rear Wheels - Tires	s - Acc	cessories			Rear Wheels - Tires - Access	Ories (cont	inue	ed)
ote: All wheel selections include Freedom De Locking Safety Axles.	signs' Pate	ented Double			Note: 16" & 18" spoke wheels do not include handrin	ns.		
Omit Rear Wheels and Axles	_	NXT-31524			18" Grey Pneumatic Tire & Silver Spoke Aluminum Wheel Note: Rim, hub & spokes are anodized silver.	NXT-31537		n
Mag Wh						NXT-31021	\$	
12" Low Profile Poly Mag Note: Not available with any foot/hand act system.		NXT-31526 ke/wheel lock	\$	36	18" Silver Aluminum Handrim	NXT-31034	\$	
Note: Not available with airless inserts. Note: All 12" wheels not available with all	7" casters				18" Black Plastic Coated Handrim Note: 16" & 18" spoke wheels do not include har	NXT-31036	\$	
12" Semi Pneumatic Plastic Mag	(K0069)	NXT-31523	\$	168	Note. To a to spoke wheels do not include har	iumins.		
Note: Not available with airless inserts. Note: All 12" wheels not available with all	7" casters			-	18" Black Pneumatic Tire & Black Spoke Aluminum Wheel	NXT-31538		I
12" Pneumatic Plastic Mag 12" Airless Inserts	(E2213)	NXT-31525 NXT-31019	\$	n/c 77	Note: Rim, hub & spokes are anodized black.	NXT-31021	\$	
Note: All 12" wheels not available with Note: All 12" wheels not available with	all handrin	ns.	Ŧ		18" Airless Inserts (E2213) 18" Black Aluminum Handrim	NXT-31035	φ \$	
					18" Black Plastic Coated	NXT-31036	\$	
16" Pneumatic Plastic Mag	(F2213)	NXT-31530 NXT-31020	\$ \$	41 77	Handrim Note: 16" & 18" spoke wheels do not include har	drime	•	
16" Airless Inserts 16" Aluminum Handrims	(LZZ 13)	NXT-31020	э \$	169	Note: 16 & 18 spoke wheels do not include han	iarims.		
Note: 16" mag wheels not available wit	th plastic c		Ψ	100	20" Pneumatic Spoke Wheel with Aluminum Handrim	NXT-31540	\$	2
18" Pneumatic Plastic Mag	(=00.40)	NXT-31533	\$	41		NXT-31022	\$	
18" Airless Inserts	(E2213)	NXT-31021 NXT-31015	\$ \$	77 169	Note: Not available with foot/hand activated whee			
18" Aluminum Handrims Note: 18" mag wheels not available wit	th plastic c		φ	109	Note: 20", 22" & 24" spoke wheels not available p	lastic coated ha	ndrin	ns.
20" Pneumatic Plastic Mag		NXT-31527		n/c	22" Pneumatic Spoke Wheel with Aluminum Handrim	NXT-31541	\$	2
with Aluminum Handrim	(E0040)	NYT 24022	<b>^</b>	-	22" Airless Inserts (E2213)	NXT-31023	\$	
20" Airless Inserts 20" Plastic Coated Handrims	. ,	NXT-31022 NXT-31016	\$ \$	77 119	<b>Note:</b> Not available with foot/hand activated whee <b>Note:</b> All 22" & 24" wheels not available with shore the state of the	t tilt bracket.		
22" Pneumatic Plastic Mag with Aluminum Handrim		NXT-31528		n/c	Note: All 22" & 24" wheels not available with dual Note: 20", 22" & 24" spoke wheels not available p	•	ndrin	ns.
22" Airless Inserts	(E2213)	NXT-31023	\$	77	24" Pneumatic Spoke Wheel with Aluminum Handrim	NXT-31542	\$	2
22" Plastic Coated Handrims Note: All 22" & 24" wheels not available		NXT-31017	\$	119	(50040)	NXT-31024	\$	
Note: All 22" & 24" wheels not available					24" Airless Inserts (E2213) Note: Not available with foot/hand activated whee		φ	
24" Pneumatic Plastic Mag with Aluminum Handrim		NXT-31529		n/c	Note: All 22" & 24" wheels not available with shor Note: All 22" & 24" wheels not available with dual			
	(F2213)	NXT-31024	\$	77	Note: 20", 22" & 24" spoke wheels not available p	lastic coated ha	ndrin	ns.
24" Airless Inserts 24" Plastic Coated Handring				119	Omit Handrims from 20", 22" or 24"	NXT-31006		
24" Plastic Coated Handrins Note: All 22" & 24" wheels not availabl Note: All 22" & 24" wheels not availabl			Ŧ		Wheels			
Omit Handrims from 20", 22" o Wheels	or 24"	NXT-31006						
Spoke WI	heels							
16" Grey Pneumatic Tire & Silver Spoke Aluminum Wheel Note: Rim, hub & spokes are anodized sil	lver	NXT-31534		n/c				
16" Airless Inserts	(E2213)	NXT-31020	\$	77				
16" Silver Aluminum Handrim		NXT-31030	\$	77				
16" Black Plastic Coated		NXT-31032	\$	77				
Handrim Note: 16" & 18" spoke wheels do not i	nclude har	ndrims.						
16" Black Pneumatic Tire & Black Spoke Aluminum Wheel Note: Rim, hub & spokes are anodized bla	ack	NXT-31535		n/c				
16" Airless Inserts Note: 16" & 18" spoke wheels do not i	(E2213)		\$	77				
16" Black Aluminum	noidue fidi	NXT-31031	\$	77	Continue To Next Page			
Handrim		NXT-31032	¢	77				
16" Black Plastic Coated Handrim		11/1-31032	\$	77				
NXT Rider Weight Cap		225 lbs			Page 5 of 7 NXT-SE Pediatric			(

2241 N Madera Rd Simi Valley, C/	93065	Phone: (800)	33	1-85	1 Fax: (888) 582-1509	WW	w.freedomdesi	gns	.com
Date: PO#					Marked For:				
Description		Part No.	R	etail	Description		Part No.	F	Retail
Wheel I	ocks				Access	ories			
Push to Lock - Standard Pull to Lock	(E0961)	NXT-31501 NXT-31506 NXT-31801	\$	n/c n/c 61	Note: Black nylon.		NXT-23207	\$	68
Extension Handles Foot Activated Wheel Lock	. ,	NXT-31508	φ	n/c		ck neoprene	SFDI-9HP	\$	92
Note: Includes manual wheel locks to b transportation. Note: Not available with 12" mag wheel	s with low pr	ro poly tires.			Frame Pads - Pair Note: Wrap-around pads made from bla Note: Typically used to pad exposed bac			\$	82
Note: Not available with ALL vent and b	attery trays.				Flip-Down Rigidizing Bar		NXT-23210	\$	214
Hand Activated Brake and Wheel Lock System Note: Includes manual wheel locks to b		NXT-30275		n/c	<b>Note:</b> Mounts to back post tubes to add <b>Note:</b> Does NOT adjust in width to grow				
transportation. Note: Not available with 12" mag wheel Note: Used to control direction, speed, strolling position. Note: Not available with all vent and ba	brake and lo				Freedom Backpack Note: Black Nylon only with Freedom De Note: Monogramming is not available or Freedom Canopy - Flip-Back		NXT-10900 Backpack. NXT-10905	\$	56 128
Combination Dual Hand Activated Tilt, Brake and Wheel Lock System	(E2228)	NXT-30277		n/c	Note: Canopy assembly includes remov	with Freedo pered stora	ng hardware. m Designs logo.	Ψ	120
Note: Includes manual wheel locks to b transportation. Note: Not available with 12" mag wheel					Anterior Support S	Surface	96 — (Trave)		
Note: Used to control direction, speed, frame from strolling position. Note: Not available with all vent and bar	brake and lo				3/8" Lexan Tray - Channel Bracket Hardware		08-2000	\$	271
Rear Anti-	Tinner	'e			3/8" Lexan Tray - Adjustable Knob Hardware & Ribs	(E0950)	08-6000	\$	219
Curb Assist Anti-Tip Assembl Flip-Up, Adjustable	••		\$	97	1/4" Lexan Tray - EZ Lite Channel Hardware & Ribs	(E0950)	08-13000	\$	183
Note: Pair includes one anti-tip tu Standard Anti-Tip Assembly		o assist feature. NXT-31603	\$	97	1/4" Lexan Tray - Hook & Loop Straps	(E0950)	08-16000	\$	106
Flip-Up, Adjustable									
Seat Pan	-								
Fixed Solid Seat Pan - Bolteron Note: Not available with folding frame.		NXT-39010		150					
Fixed Solid Seat Pan - Aluminum Note: Fixed Seat Pan raises the effective		NXT-39030 or height by 1/2".	\$	170					
Note: Not available with folding frame.									
Removable Solid Seat Pan - Bolteron		NXT-39012		170					
Removable Solid Seat Pan - Aluminum Note: Removable Seat Pan raises the e	,	NXT-39032	\$ 5/8"						
Note: Removable Seat Part laises the e Note: Aluminum Removable Solid Seat mounting hardware to grow with I Note: Removable solid seat part include	Pan adjusts NXT frame.	2" in width by	5/6	•					
mounting hardware. Note: All seat pans include 2" x 2" notch Note: All seat pans made to fit frame din below.	•								
Seat Width" X	Seat D	epth							
					Continue To N	ext Page			
		005 "							66
NXT Rider Weight Ca	pacity is	225 lbs.			Page 6 of 7 NXT-SE Pe	diatric	WONX	тест	<b>(</b> €

2241 N Madera Rd Simi Valley, CA 93065 Phone: (800) 331-							Fax: (88	8) 582-1	1509		,	www.fre	edomde	signs.com		
Date: PO#						N	larked	For:								
Description Part No. Retail							Descr	iption				Р	art No.	Retail		
	· · · · · · · · · · · · · · · · · · ·	est / Exte			1							0		erpretation of payment.		
Extension/Hanger	75° Pop	75° Lch	90° Pop	90 °Lch	ELR (90°)	the code definitions. The use of HCPCS codes does not ensure coverage or payn For coverage information, verify the appropriate payer's coverage policy.										
Hanger Only	6"-8"	5.5"-8.5"	4"-8"	4"-8"	6"-10"											
High Mount	N/A	N/A	1.5"-3"	N/A	N/A											
4.5" H D Ext.	9"-12"	9.5"-12.5"	9"-12"	9"-12"	13"-15"		Choo	se NXT	Seat t	o Floor	Height_			"		
6.5" H D Ext.	9"-15"	9.5"-15.5"	9"-15"	9"-15"	N/A		Note: Use chart to determine seat to floor height. Seat to floor height deter mined by frame type, rear wheels, front caster size and tilt pivot									
4" Adjustable	10"-13"	9.5"-12.5"	11"-13"	10"-13"	N/A		I	neight.						pirot		
6" Adjustable	12"-15"	10.5"-14.5"	13"-15"	12"-15"	N/A	Note: Caster sizes vary slightly in height by type. Note: Seat to floor heights are approximate, and are impacted								by wheel type,		
8" Adjustable	14"-17"	12.5"-16.5"	N/A	N/A	N/A					king choice				··· ·)  · ·)		
NXT	MAPS Fo	ootrest /	Extensio	n Lengt	hs	l I	NIVT	· \A/la a			<b>D</b> = = + + +			a la fa		
Extension/Hanger	75° Pop	75° Lch	90° Pop	90 °Lch	ELR (90°)		NXI			aster \$	1	r		gnts		
Hanger Only	5.5"-7.5"	5"-8"	5.5"-7.5"	4.5"-7.5"	4.5"- 8.5" & 11.5"		Wheel 12"	Caster 3"	Pivot Short	Height 12.5-13"	Wheel 20"	Caster 3"	Pivot Tall	Height N/A		
High Mount	N/A	N/A	N/A	N/A	N/A	1	12"	3"	Tall	14-14.5"	20"	4"	Short	14-15"		
4.5" H D Ext.	8.5"-11.5"	9"-12"	8.5"-11.5"	8.5"-11.5"	12.5"-15.5"	1	12	3 4"	Short	13.5"	-			14-15		
6.5" H D Ext.	8.5"-13.5"	9"-14"	8.5"-13.5"	8.5"-13.5"	N/A	1	12	4 4"	Tall	15.5	20"	4"	Tall	16.5"		
4" Adjustable	8.5"-11.5"	9"-12"	9.5"-11.5"	8.5"-11.5"	N/A	1	12	4 5"		15	20"	5"	Short	14.5-		
6" Adjustable	10.5"-13.5"	10"-14"	11.5"-13.5"	8.5"-13.5"	N/A	1	12	5 5"	Short Tall	15.5	·			15.5"		
8" Adjustable	12.5"-15.5"	12"-16"	N/A	N/A	N/A	1		5 6"			20"	5"	Tall	16-17"		
Note: Length						1	12" 12"	6"	Short Tall	16" 17.5"	20"	6"	Short	15.5-16"		
Note: Without					nardware. djust vertically			0 3"		-	20"	6"	Tall	17-17.5"		
		uty extension		1 00010515 8	ujust vertically	╏┟	16"	3"	Short	12.5-13"	20"	7"	Short	16.5"		
						1	16"		Tall	14-14.5"	20"	7"	Tall	18"		
						Į ∣	16"	4"	Short	13.5-14"	22"	3"	Short	N/A		
Free	edom De	esigns /	Armres	t Heigh	nts	╽╽	16"	4"	Tall	15-15.5"	22"	3"	Tall	N/A		
Armrest ar	nd Pad	Foam	Desk		Full	1	16"	5"	Short	14.5"	. 22"	4"	Short	N/A		
Flip Back		6.5" - 11.5	j" 7.5" - 12	.5" 7.	.5" - 12.5"	1	16"	5"	Tall	16"	. 22"	4"	Tall	16.5"		
Flip Back Locking		6.5" - 11.5	5" 7.5" - 12	.5" 7	.5" - 12.5"	1	16"	6"	Short	16	22"	5"	Short	N/A		
Telescoping Flip Ba	ack	6.5" - 11.5	;" 7.5" - 12	.5" 7	.5" - 12.5"	1	16"	6"	Tall	17.5	22"	5"	Tall	16.5-17"		
Flip Back Locking	Telescoping	6.5" - 11.5	5" 7.5" - 12	.5" 7	.5" - 12.5"	1	16"	7"	Short	16.5"	22"	6"	Short	N/A		
Single Post Height	Adj. Short	N/A	8" - 14	"	8" - 14"	1	16"	7"	Tall	18"	22"	6"	Tall	17-17.5"		
Single Post Height	Adj. Tall	N/A	10" - 16	5"	10" - 16"	1	18"	3"	Short	12.5-13"	22"	7"	Short	N/A		
Dual Post Fixed He	eight	N/A	9.5"		9.5"	1	18"	3"	Tall	14-14.5"	22"	7"	Tall	18"		
Dual Post Flip Bac	k Height Adj.	N/A	9" - 13		9" - 13"	1	18"	4"	Short	13.5- 14.5"	24"	3"	Short	N/A		
Note: All heig	hts from top o	of seat frame	to top of arm	rest pad.		li	18"	4"	Tall	15-16.5"	24"	3"	Tall	N/A		
							18"	5"	Short	14.5-	24"	4"	Short	N/A		
							10		GHUIL	15.5"	24"	4"	Tall	N/A		
							18"	5"	Tall	16-17"	24"	5"	Short	N/A		
							18"	6"	Short	15.5"	24"	5"	Tall	N/A		
							18"	6"	Tall	17"	24"	6"	Short	N/A		
							18"	7"	Short	N/A	24"	6"	Tall	17.5"		
							18"	7"	Tall	N/A	24"	7"	Short	N/A		
							20"	3"	Short	N/A	24"	7"	Tall	18"		
Rev B	NXT Rider Weight Capacity is 225 lbs.									NXT-SE	Pediatri	ic	10W	<b>C €</b>		