

PRD-CG™-ടെ Adult Manual Wheelchair



Yes, you can:

Clear Form

Email Form to Customer Service

2241 N Madera Rd Simi Valley, CA 93065 Phone: (800) 331-8551 Fax: (888) 582-1509 www.freedomdesigns.com email: customerservice@freedomdesigns.com

| Date: | Buyer: | | Quote | Order | PO# | | |
|-------------|----------|---------|-------------|-------|-----|----------|--------|
| | | <u></u> | Location: | | | | |
| Marked For: | | | | | | | |
| Email: | | | Fax: | | | | |
| Description | Part No. | Retail | Description | | | Part No. | Retail |

Notice: A seating system must be purchased separately. No seating system is provided with the *PRD-CG* frame. No seat or back upholstery is available as an option.

Transport Optional Base

| | inansport C | puonai | Dase | |
|-------|---|-------------------|------------------|--------|
| PRO | -CG SE Adult Rigid | (E1161) | PRO-30312 | \$2740 |
| | Transport Optional | | | |
| Note: | Transportation Option selected s | eparately below. | | |
| Note: | SE Frames Do Not Include Free | dom Future Fit P | rogram | |
| | | | | |
| Tran | sport Package - SE | | PRO-99997 | \$ 300 |
| Note: | Must be installed by Freedom De | esigns manufactu | ıring. | |
| Note: | Freedom's combination of custor are WC19 crash test approved in 2012 Section 19, Anneses A, B, Annexes A, C & D. | n accordance witl | h RESNA WC-4: | |
| Note: | Most Freedom seating, hardware been WC20 tested and approved | | accessories have | |

Seat Rail Options

| | - | | | | | | |
|--|---------------|-----------------|----|-----|--|--|--|
| Note: Not available with ALL Contracture & 3D | Dynamic fo | otrest systems. | | | | | |
| LEAF - Lower Extremity Accommodation Frame | | | | | | | |
| LEAF Seat Frame- Pair | (K0108) | PRO-30324 | \$ | 714 | | | |
| LEAF Seat Frame- Left | (K0108) | PRO-30324-L | \$ | 357 | | | |
| LEAF Seat Frame- Right | (K0108) | PRO-30324-R | \$ | 357 | | | |
| Note: Front frame angle adjusts 22° from m and windswept lower extremity position individually repositioned for up to a 2° | oning. Seat f | rame(s) can be | | | | | |
| SRO - Seat Rail Only SRO Seat Frame- Pair (K0108) PRO-30325 \$ 306 | | | | | | | |
| | | | | | | | |

| SRO Seat Frame- Pair | (K0108) | PRO-30325 | \$ 306 |
|-----------------------|---------|-------------|-----------|
| SRO Seat Frame- Left | (K0108) | PRO-30325-L | \$ 153 |
| SRO Seat Frame- Right | (K0108) | PRO-30325-R | \$ 153 |
| | | | |

Note: SRO is manufactured without standard footrest hanger attachments.

Tilt Activation Options

| Dual Lever Hand Activated Tilt | PRO-30272 | n/c |
|--------------------------------------|-----------|-----|
| Foot Activated Tilt | PRO-30273 | n/c |
| Note: Not with vent & battery trays. | | |

Vent Tray Options

| | t Ready Base required for Vent T | | | |
|-----------|--|-------------|--------------------|-----------|
| Note: ven | t Tray not with Foot Activated Til | τ. | | |
| Vent | Ready Base | (K0108) | PRO-30331 | \$ 459 |
| Note: | Includes Push Button Adjustable Strolle and battery tray on frames 16" wide and | | or LP10 style vent | |
| Vent | : Tray - Fixed | (E1029) | 11-7000 | \$ 439 |
| Note: | For LP10 style vent tray on 16" base with | dth and gre | ater. | |
| Note: | Vent Tray is full width of the base frame | and 11" de | ep. | |
| Quio | k Release Vent Tray Hard- | (E1028) | 563 | \$ 272 |
| ware | • | | | |
| Bacl | k Post Mounted Vent | (E1029) | 11-1100 | \$ 550 |
| Brac | :ket | | | |
| | | | | |

Note: For LTV vents ONLY. Does NOT include dovetail bracket. Weight limit 15 lbs.

| Frame Color Options | | | | | | |
|---------------------|-----|----------------|-----|--|--|--|
| Sugar Cookie | n/c | Blue Blast | n/c | | | |
| Neon Yellow | n/c | Electric Blue | n/c | | | |
| Yellow | n/c | Galaxy Blue | n/c | | | |
| Bright Pink | n/c | Passion Purple | n/c | | | |
| Pink Parfait | n/c | Octane Orange | n/c | | | |
| Sugar Plum | n/c | Red Sunset | n/c | | | |
| Candy Violet | n/c | Really Red | n/c | | | |
| Candy Raspberry | n/c | Fiery Red | n/c | | | |
| Extreme Green | n/c | Twilight | n/c | | | |
| Sparkle Green | n/c | Stormy Gray | n/c | | | |
| Mystic Teal | n/c | Black | n/c | | | |
| Pacific Blue | n/c | | | | | |

Page 1 of 8

| 2241 N Mad | lera Rd Simi Valley, CA 93065 | Phone: (800 |)) 331-855 ⁻ | I Fax: (888) 582-1509 | wwv | v.freedomdesi | gns.com |
|-------------------------|--|-------------------------------------|-------------------------|---|--------------------|---------------|---------|
| Date: | PO# | | | Marked For: | | | |
| Descript | ion | Part No. | Retail | Description | | Part No. | Retail |
| | Frame Dimensions | S | | Frame Dime | n sions (co | ontinued) | |
| 5 | Specify Frame Width & Frame Dept | h Settings | | Specify Frame Width | & Frame Dep | oth Settings | |
| Note: PRD-0 from fr | CC has 4" of depth adjustment for grow ont of back post to front edge of the sea n add seating/hardware thickness (typic | th. Depth is me It frame. For ba | ick post | 18" Base Frame Width adjusts 16" to 18" wide in 1" in | - Seat frame | PRO-30260 | |
| | le: seat depth of 12" + back/hardware th | ickness of | | 16" | | PRO-16W | n/c |
| | ick post location set at 14" | | | 17" | | PRO-17W | n/c |
| | የ <i>ጋ-CG</i> has 6" of center of gravity (CG) . The default CG setting is 1 position for | | | 18" | | PRO-18W | n/c |
| | seat depth or the manufacturer's seat de | epth setting. | | 16" To 24" Seat Frame | Length | PRO-30520 | |
| | · | | | | at Depth Setti | ng | |
| Speci | fy Client's Actual Seat Depth: | " | | 16" | | PRO-30522 | n/c |
| | | _ | | 17" | | PRO-30523 | n/c |
| | | | | 18" | | PRO-30524 | n/c |
| | | | | 19" | | PRO-30527 | n/c |
| | | | | 20" | (E2203) | PRO-30528 | \$ 500 |
| | | ć | : | * 21" - Must select 2" extensi | on (E2203) | PRO-30529 | \$ 500 |
| | | | | * 22" - Must select 2" extensi | on (E2204) | PRO-30535 | \$ 900 |
| | • • • • • • | • • • • | • • • | ** 23" - Must select 4" extensi | on (E2204) | PRO-30536 | \$ 900 |
| | | | • • • | ** 24" - Must select 4" extensi | on (E2204) | PRO-30537 | \$ 900 |
| * | | | | 2" Extension - Pair | (K0108) | PRO-30525 | \$ 26 |
| | | -3-2-10 | +1 +2 +3 | 4" Extension - Pair | (K0108) | PRO-30531 | \$ 26 |
| | | | | * Note: Must choose 2" extension for 21 | and 22" frame leng | gths. | |
| PRD-CG | | · · · · | | ** Note: Must choose 4" extension for 23 | and 24" frame leng | gths. | |
| Base Frame Width | 12" 13" 14" 15" 16" 17" 18" 19" 20" Manufacturing CG location Se | | 4" 25" 26" | Specify Back Post Location (if o | ther than speci | fied above) | |
| 16" Base | -3 -2 -1 0 1 2 3 | 3 3 | | | | | |
| Frame Width 18" Base | | | | 20" Base Frame Width | | PRO-30261 | |
| Frame Width | -3 -2 -1 0 1 | 2 3 3 3 | 3 | adjusts 18" to 20" wide in 1" ir | | | |
| 20" Base | -3 -2 -1 | 0 1 2 3 | 3 3 3 | | at Width Settir | • | |
| Frame Width | -3 -2 -1 | | | 18" | | PRO-18W | n/c |
| | t rail extensions required for manufacturing seat d | epth settings with | | 19" | | PRO-19W | n/c |
| CG | setting in gray area. | | | 20" | (E2201) | PRO-20W | \$ 400 |

16" Base Frame Width - Seat PRO-30240 frame adjusts 14" to 16" wide in 1" incre-

ments.

| menus. | | | |
|--|-----------|-----------|-----------|
| Specify Seat Wid | lth Setti | ng | |
| 14" | | PRO-14W | n/c |
| 15" | | PRO-15W | n/c |
| 16" | | PRO-16W | n/c |
| 14" To 22" Seat Frame Len | gth | PRO-30512 | |
| Specify Seat Dep | oth Setti | ng | |
| 14" | | PRO-30506 | n/c |
| 15" | | PRO-30521 | n/c |
| 16" | | PRO-30522 | n/c |
| 17" | | PRO-30523 | n/c |
| 18" | | PRO-30524 | n/c |
| 19" - Must select 2" extension | | PRO-30527 | n/c |
| 20" - Must select 2" extension | (E2203) | PRO-30528 | \$ 500 |
| 21" - Must select 4" extension | (E2203) | PRO-30529 | \$ 500 |
| 22" - Must select 4" extension | (E2204) | PRO-30535 | \$ 900 |
| 2" Extension - Pair | (K0108) | PRO-30525 | \$ 26 |
| 4" Extension - Pair | (K0108) | PRO-30531 | \$ 26 |
| Note: Must choose 2" extension for 19" and 20 | | 0 | |

** Note: Must choose 4" extension for 21" and 22" frame lengths.

Specify Back Post Location (if other than specified above)____

PRO-CG Rider Weight Capacity is 250 lbs. All Prices subject to change without notice.

Page 2 of 8

18" To 26" Seat Frame Length

23" - Must select 2" extension

24" - Must select 2" extension

25" - Must select 4" extension

26" - Must select 4" extension

Note: Must choose 2" extension for 23" and 24" frame lengths.

Note: Must choose 4" extension for 25" and 26" frame lengths.

Specify Back Post Location (if other than specified above)_

Note: Extensions may limit tilt range and may affect stability when in tilted positions. Adjusting seat rail location will compensate for tilt range limitations and possible instability.

2" Extension - Pair

4" Extension - Pair

18"

19"

20"

21"

22"

*

**

**

*

**

Specify Seat Depth Setting

PRO-30540

PRO-30524

PRO-30527

(E2203) PRO-30528

(E2203) PRO-30529

(E2204) PRO-30535

(E2204) PRO-30536

(E2204) PRO-30537

(E2204) PRO-30538

(E2204) PRO-30539

(K0108) PRO-30525

(K0108) PRO-30531

n/c

n/c

\$ 500

\$ 500

\$ 900

\$ 900

\$ 900

\$ 900

\$ 900

26 \$

\$ 26

,,

**

| 4 I N Madera Ru Sirni Valley, C | A 93065 Phone: (800 |) 331-855 | T Fax: (888) 582 | 2-1509 | | www | .ireedomd | esigns.con |
|---|------------------------------------|-----------|--------------------------------------|----------------|---|-----------------|----------------|------------|
| ate: PO# | | | Marked For: | | | | | |
| Description | Part No. | Retail | Description | | | | Part No. | Retai |
| Back Post | Options | | Stroller H | landle l | Extensi | on Opti | ions - c | ontinued |
| Specify Push Handle, Bac | • | one | Note: All stroller ha | | | - | | |
| Standard 90° Bend Push Handle | | n/c | Note: All stroller/po around pad. | ush handle ex | tensions excep | t Individual in | nclude a black | neoprene w |
| Post Tubes | | | • | on Angle-A | Adjustable | Push F | PRO-30581 | \$1 |
| Ergo Bend Push Handle Back P Tubes | ost PRO-30519 | n/c | Handle Ext | tension - M | ounts direct | | 110 00001 | ψ. |
| Note: All push/stroller handle extensions no | ot recommended with Ergo Bend. | | | le on wheelcha | 5 air frames 15W ae Heavy Duty b | | For frames wid | ler |
| Seating Dynamics Rocker Back | (K0108) PRO-30542 | \$1985 | Note: Not rer | novable. | | | | |
| Note: Angle adjustable from 72° to 108° in | | | Push Butto | on, Angle-/ | Adjustable | Push F | PRO-30586 | \$ 1 |
| Note: Supplied with a complete set of 4 ela allow spring adjustment in the field. | stomers in different durometers to | | | | eavy Duty - N | lounts | | |
| Note: Locks into a non-dynamic position wi | nen necessarv. | | direct to stra Note: Not rer | • · | ost tubes | | | |
| Note: Does not allow the back post tubes to | | | | | ndle Exten | alana r | PRO-30517 | \$ 1 |
| Super Reclining Reduced Shear Back | (K0108) PRO-30562 | \$1138 | Removable | | | 510115 Г | -RO-30317 | φI |
| Super Reclining Reduced Shear | | | | | | | | |
| Back with Push Button, Angle- | | | | | | | | |
| Adjustable Stroller Handle | (K0108) PRO-30564 | \$1335 | | Eastra | ot / Evi | oncion | Longt | h.a. |
| Extension | | | | | est / Ext | | Lengu | |
| Note: Pivot point is 2.5" above the seat rail. | | | Extension/Hanger | 75° Pop | 75° Lch | 90° Pop | 90 °Lch | ELR (90 |
| Note: Recline range is 65° from 97° to 162° | | | Hanger Only | 6"-8" | 5.5"-8.5" | 4"-8" | 4"-8" | 6"-10" |
| Note: Includes height adjustable back post | ubes for 21" - 27" heights. | | High Mount | N/A | N/A | 1.5"-3" | N/A | N/A |
| Note: Available with standard 90° push han | • | | 4.5" H D Ext. | 9"-12" | 9.5"-12.5" | 9"-12" | 9"-12" | 13"-15 |
| Note: Only compatible with Push Button, An Handle Extension. | gle-Adjustable Folding Stroller | | 6.5" H D Ext. | 9"-15" | 9.5"-15.5" | 9"-15" | 9"-15" | N/A |
| Note: Does not allow the back post tubes to | fold forward. | | 4" Adjustable | 10"-13" | 9.5"-12.5" | 11"-13" | 10"-13" | N/A |
| Note: Solid Back Insert installation requires | | | 6" Adjustable | 12"-15" | 10.5"-14.5" | 13"-15" | 12"-15" | N/A |
| Seat-to-Back hinges are not compatib | | | 8" Adjustable | 14"-17" | 12.5"-16.5" | N/A | N/A | N/A |
| Reduced Shear Back. | | | 10" Adjustable | 16"-19" | 14.5"-18.5" | N/A | N/A | N/A |
| Back Post Hei | ght Setting | | | APS Fo | otrest / | Extensi | ion Len | aths |
| te: Back Posts are measured from top of se | | | Extension/Hanger | 75° Pop | 75° Lch | 90° Pop | 90 °Lch | ELR (90 |
| Short Push Handle - 20" high | PRO-30515 | n/c | Extension/manger | 10 100 | | | 00 LOI | LLIX (90 |

| Note: Back Posts are measured from top of seat rail to top of handle bend. | | | | | |
|--|------------------------|--|--|--|--|
| PRO-30515 | n/c | | | | |
| PRO-30514 | n/c | | | | |
| PRO-30516 | n/c | | | | |
| | PRO-30515 PRO-30514 | | | | |

Stroller Handle Extension Options

Note: All stroller handle ext. add approximately 6.5" to push handle height. Note: All stroller/push handle extensions except Individual include a black neoprene wrap around pad.

| al calla pac | | - West | | |
|-----------------------|--|----------------------|----------------------|--------|
| | | \mathcal{N} | 7 | 5 |
| -30560 | -30571/6 | -30590 - | 30581/6 | -30517 |
| Adju | Handle Extension stable - Mounts dire oush handle | | PRO-30561 | n/c |
| Strol Adju back | ler Handle Extens stable, Removable post push handle Not available with Super | e - Mounts direct to | PRO-30590 | \$ 95 |
| Push Hand | Button, Angle-Ad lle Extension - Mou push handle | ljustable Stroller | PRO-30571 | \$ 112 |
| Note: | Available on wheelchair than 15W must choose I Not removable. | | nly. For frames wide | r |
| | | | | |
| Hand direct | Button, Angle-Ad Ile Extension - Hea t to back post tubes Not removable. | - | PRO-30576 | \$ 179 |

| Hand | n Button, Angle-Adjustable Push dle Extension - Mounts direct to ght back post tubes | PRO-30581 | \$ 112 |
|---------------|---|------------------------|--------|
| Note: | Available on wheelchair frames 15W & smaller than 15W must choose Heavy Duty below. | only. For frames wider | |
| Note: | Not removable. | | |
| Hano direc | n Button, Angle-Adjustable Push dle Extension - Heavy Duty - Mounts t to straight back post tubes Not removable. | PRO-30586 | \$ 179 |
| | vidual Stroller Handle Extensions ovable - Pair | PRO-30517 | \$ 102 |

| PRO Footrest / Extension Lengths | | | | | | | | |
|--|-------------|-------------|-------------|------------|-----------------------|--|--|--|
| Extension/Hanger | 75° Pop | 75° Lch | 90° Pop | 90 °Lch | ELR (90°) | | | |
| Hanger Only | 6"-8" | 5.5"-8.5" | 4"-8" | 4"-8" | 6"-10" | | | |
| High Mount | N/A | N/A | 1.5"-3" | N/A | N/A | | | |
| 4.5" H D Ext. | 9"-12" | 9.5"-12.5" | 9"-12" | 9"-12" | 13"-15" | | | |
| 6.5" H D Ext. | 9"-15" | 9.5"-15.5" | 9"-15" | 9"-15" | N/A | | | |
| 4" Adjustable | 10"-13" | 9.5"-12.5" | 11"-13" | 10"-13" | N/A | | | |
| 6" Adjustable | 12"-15" | 10.5"-14.5" | 13"-15" | 12"-15" | N/A | | | |
| 8" Adjustable | 14"-17" | 12.5"-16.5" | N/A | N/A | N/A | | | |
| 10" Adjustable | 16"-19" | 14.5"-18.5" | N/A | N/A | N/A | | | |
| PRO N | IAPS Fo | otrest / | Extensi | on Len | gths | | | |
| Extension/Hanger | 75° Pop | 75° Lch | 90° Pop | 90 °Lch | ELR (90°) | | | |
| Hanger Only | 5.5"-7.5" | 5"-8" | 5.5"-7.5" | 4.5"-7.5" | 4.5"- 8.5" & 11.5" | | | |
| High Mount | N/A | N/A | N/A | N/A | N/A | | | |
| 4.5" H D Ext. | 8.5"-11.5" | 9"-12" | 8.5"-11.5" | 8.5"-11.5" | 12.5"-15.5" | | | |
| 6.5" H D Ext. | 8.5"-13.5" | 9"-14" | 8.5"-13.5" | 8.5"-13.5" | N/A | | | |
| 4" Adjustable | 8.5"-11.5" | 9"-12" | 9.5"-11.5" | 8.5"-11.5" | N/A | | | |
| 6" Adjustable | 10.5"-13.5" | 10"-14" | 11.5"-13.5" | 8.5"-13.5" | N/A | | | |
| 8" Adjustable | 12.5"-15.5" | 12"-16" | N/A | N/A | N/A | | | |
| 10" Adjustable | 14.5"-17.5" | 14"-18" | N/A | N/A | N/A | | | |
| Note: Length from top of footrest plate to top of seat rail. | | | | | | | | |

Note: Without extensions bottom hanger hole not accessible for hardware. **Note:** Heavy duty extensions do not telescope adjust. Footrests adjust vertically in length on heavy duty extension tubes.

Legrests, Footrests and Extension Options

| Legres | ts | | |
|--|------------|-----------|--------|
| Omit Legrest Hangers & Footrest | s | PRO-33000 | |
| 75° Pop-Up Swing Away Hang- | | PRO-30280 | n/c |
| ers | | | |
| 90° Pop-Up Swing Away Hang- | | PRO-30281 | n/c |
| ers | | | |
| Note: Not available with 8" adjustable extension | ons. | | |
| 90° Pop-Up Swing Away | (E0990) | PRO-30279 | \$ 255 |
| Elevating Legrests (ELRs) | | | |
| Note: Not available with all length adjustable | extensions | | |
| Note: Not available with 6.5" heavy duty exter | nsions. | | |
| 75° Latch Style Swing Away | | PRO-30282 | n/c |
| Hangers | | | |
| 90° Latch Style Swing Away | | PRO-30283 | n/c |
| Hangers | | | |
| Note: Not available with 8" adjustable extension | ons. | | |

Date:____

Description

Part No. Retail

I Description

Marked For:

Part No. Retail

Legrests, Footrests and Extension Options

PO#

| Omit Footrest Plates | | PRO-36404 | |
|---|-------------------|-----------|--------|
| Composite Flip-Up | | PRO-17070 | n/c |
| Kids Aluminum Angle Adjust- able, Flip-Up | (K0040) | PRO-36020 | \$ 160 |
| Note: For frames 14" wide and narrower. | | | |
| Heel Loops | (E0951) | PRO-36022 | \$41 |
| Calf Strap - Webbing | (K0038) | PRO-36024 | \$41 |
| Adult Aluminum Angle Adj. Flip- up w/ Heel Loops | (K0040/ E0951) | PRO-36021 | \$ 180 |
| Note: For frames 15" wide and greater. | | | |
| Omit Heel Loops | | PRO-36023 | n/c |
| Aluminum Angle Adjustable Footboard Removable | (K0040) | PRO-36029 | \$ 160 |

MAPS Footplate Mounting Hardware

| MAP | S (Multi Axis Positioning | PRO-36040 | \$ 30 |)6 |
|------------------------------|---|------------------------|-------|----|
| Syste | em) - Pair | | | |
| MAPS (Multi Axis Positioning | | PRO-36040-L | \$ 15 | 53 |
| Syste | em) - Left | | | |
| MAP | S (Multi Axis Positioning | PRO-36040-R | \$ 15 | 53 |
| Syste | em) - Right | | | |
| Note: | MAPS connects footrest hangers to aluminum foo adjust for fixed foot and ankle positioning. MAPS i and adjust for plantar and dorsiflexion and inversi- positioning. | footrest plates rotate | | |
| Note: | Must choose aluminum footplates. | | | |
| Note: | MAPS not available with composite footplates or a | aluminum footboard. | | |
| Note: | MAPS not available on 10" & 11" wide frames. | | | |

Legrest Extensions

| | 209.001 2.001010 | | |
|-------|---|-------------------------|-----------|
| 4" Le | ength Adjustable Extensions | PRO-30285 | n/c |
| 6" Le | ength Adjustable Extensions | PRO-30286 | n/c |
| 8" Le | ength Adjustable Extensions | PRO-30287 | n/c |
| 10" L | ength Adjustable Extensions | PRO-30288 | n/c |
| Note: | 8" & 10" Not available with all 90° hangers. | | |
| 4.5" | Heavy Duty ELR Extensions | PRO-36401 | \$ 56 |
| 6.5" | Heavy Duty ELR Extensions | PRO-36405 | \$ 56 |
| 4.5" | Heavy Duty Extensions | PRO-36402 | \$ 56 |
| 6.5" | Heavy Duty Extensions | PRO-36403 | \$ 66 |
| Note: | Heavy duty extensions do not telescope adjust. cally in length on heavy duty extension tubes. | Footrests adjust verti- | |
| High | Mount Brackets | PRO-36407 | \$ 102 |
| Note: | Includes flip-up mounting hardware for future gr | rowth adjustment. | |
| Note: | 75° hangers use a tube & clamp style hardware | 2. | |
| | | | |

Specify Knee to Heel Measurement _____" (see matrix)

Notes:

| | opecialized i concor | | | | | | | | |
|---|-------------------------------------|--------------------|----------------|--------------|--|--|--|--|--|
| Sea | Seat Rail to Footplate Measurements | | | | | | | | |
| Part Number Extension Super 3D Dynamic 3D Dynam Contracture Hi Pivot STD | | | | | | | | | |
| 6402-01 | Short | 10.5" - 13.5" | | | | | | | |
| 6402-02 | Long | 13.5" - 18.5" | | | | | | | |
| 6405-01 | 0"-2" Extension | | 6.25" - 10.75" | 12.75-15.25" | | | | | |
| 6409-01 | 1"-3" Extension | | 7.25-11.75" | 13.75-16.25" | | | | | |
| 6406-01 | 2"-4" Extension | | 8.25-12.75" | 14.75-17.25" | | | | | |
| 6410-01 | 3"-5" Extension | | 9.25-13.75" | 15.75-18.25" | | | | | |
| 6407-01 | 4"-6" Extension | | 10.25-14.75" | 16.75-19.25" | | | | | |
| 6411-01 | 5"-7" Extension | | 11.25-15.75" | 17.75-20.25" | | | | | |
| 6508-01 | 6"-8" Extension | | 12.25-16.75" | 18.75-21.25" | | | | | |
| Note: Ler | ngth from top of foo | trest plate to top | of seat rail. | | | | | | |

Specialized Footrest

Note: 3D HiPivot includes 4.5" of length adjustment, 3D includes 2.5" of length adjustment.

Specialized Footrest Systems

Note: ALL legrest measurements are from the seat rail to footplate. Note: Not available with LEAF or SRO seat rail options.

Super Contracture Footrest Hanger (K0108)

| Note: Super | Contracture for frames 14" wide and gre | U (| , |
|-------------|--|-------------------------------|--------|
| Con | tracture Short - 11" to 15" | PRO-30291-2 | \$3570 |
| Note: | See Matrix for seat to rail footplate measu | rements. | |
| | Includes: | | |
| | Adj Contracture Upper | PRO-6302-03 | Incl. |
| | Footrest Adapter HD | PRO-6220-01 | Incl. |
| | Adj Plantar/Dorsi Ext. Short | PRO-6401-02 | Incl. |
| | Footplate Op | tions | |
| | 4" x 6" HD Alu Footplates | PRO-6503 | n/c |
| | 5" x 7" HD Alu Footplates | PRO-6504 | n/c |
| Note: | for frames 16" wide and greater only. | | |
| 0 | | | ¢0570 |
| | tracture Long - 15" to 19" | PRO-30292-2 | \$3570 |
| Note: | | | |
| | Includes: | | |
| | Adj Contracture Upper | PRO-6302-03 | Incl. |
| | Footrest Adapter HD | PRO-6220-01 | Incl. |
| | Adj Plantar/Dorsi Ext. | PRO-6402-02 | Incl. |
| | Long Easthlate On | tiona | |
| | Footplate Op | | |
| | 4" x 6" HD Alu Footplates | PRO-6503 | n/c |
| | 5" x 7" HD Alu Footplates | PRO-6504 | n/c |
| Note: | Super Contracture is both swing-away and | | |
| Note: | Super Contracture has adjustable knee jo that adjust in 7.5° increments. | ints that have 48 positions | |
| Note: | Frame and/or front caster choice may limit ment range and/or cause footplate/front ca | | |
| Note: | Super Contracture position may limit ankle range. | e joint/ footplate adjustment | |

| Desci | iption | Part No. | Retail | Description | | | Part No. | Reta |
|-------|---|-------------------------|-----------|--|------------------|-------------|--------------------|----------------------|
| Spec | ialized Footrest Syste | ms - Contin | ued | Freedom Des | signs A | rmre | st Height | ts |
| | 3D Dynamic Footrest Han | ger (K0108) | | Armrest and Pad | Foam | Des | sk | Full |
| - | amic for frames 14" wide and greater. | | ¢6045 | Flip Back | 6.5" - 11.5" | 7.5" - 1 | | ' - 12.5" |
| 3D D | ynamic Footrest - Hi Pivot | PRO-30297-2 | \$6215 | Flip Back Locking | 6.5" - 11.5" | 7.5" - 1 | | ' - 12.5" |
| | Includes: HiPivot Dyn Adj Knee & | PRO-6304-02 | Incl. | Telescoping Flip Back | 6.5" - 11.5" | 7.5" - 1 | | ' - 12.5" |
| | Dyn Tel Upr | FKO-0304-02 | inci. | Flip Back Locking Telescoping Single Post Height Adj. Short | 6.5" - 11.5" | 7.5" - * | | ' - 12.5" ' - 14" |
| | Footrest Adapter HD | PRO-6220-01 | Incl. | Single Post Height Adj. Tall | | 10" - | | - 14 " - 16" |
| | Extension Option | ns | | Single Post Fxd Hgt Short | | 8" - 1 | | - 10.5" |
| Note: | See Matrix for seat to rail footplate measureme | nts. | | Single Post Fxd Hgt Short | | 9" - 1 | | - 11.5" |
| | Dynamic Adj Plantar/Dorsi | PRO-6405-01 | n/c | Dual Post Fixed Height | | 9.5 | 5" | 9.5" |
| | Ext, 0-2" | | | Dual Post Flip Back Height Adj. | | 9" - " | 13" 9' | ' - 13" |
| | Dynamic Adj Plantar/Dorsi Ext, 1-3" | PRO-6409-01 | n/c | Note: All heights from top of seat | frame to top | of armre | est pad. | |
| | Dynamic Adj Plantar/Dorsi Ext. 2-4" | PRO-6406-01 | n/c | Armrests and | l Armre | st Pa | ad Optior | าร |
| | Dynamic Adj Plantar/Dorsi | PRO-6410-01 | n/c | Omit Armrests | | | PRO-38209 | |
| | Ext, 3-5" | | | Back Pos | | - | | |
| | Dynamic Adj Plantar/Dorsi Ext, 4-6" | PRO-6407-01 | n/c | Note: Flip-Back armrests length is m of the armrest with foam wrap pad in | | he front of | of the backpost tu | be to the e |
| | Dynamic Adj Plantar/Dorsi | PRO-6411-01 | n/c | 10.5" Long Flip-Back | | | PRO-38204 | r |
| | Ext, 5-7" | | | Note: Not available with full len | gth arm pads | | | |
| | Dynamic Adj Plantar/Dorsi Ext, 6-8" | PRO-6408-01 | n/c | 13.5" Long Flip-Back | | | PRO-38202 | r |
| | Footplate Option | าร | | 10.5" Long Flip-Back L | ocking | (E0973) | PRO-38201 | \$2 |
| | 4" x 6" HD Alu Footplates | PRO-6503 | n/c | Note: Not available with full len | • | | | |
| | 5" x 7" HD Alu Footplates | PRO-6504 | n/c | 13.5" Long Flip-Back L | ocking | (E0973) | PRO-38200 | \$ 2 |
| Note: | for frames 16" wide and greater only. | | | | | | | |
| | 6" x 10" HD Alu Footplates | PRO-6505 | n/c | 10.5" to 13.5" Long Flip | o-Back, | (E0973) | PRO-38208 | \$ 2 |
| Note: | for frames 18" wide and greater only. | | | Telescoping Note: Full length pad on 13.5" | or longer armres | sts only. | | |
| 20 0 | unemia Feetrest STD | | ¢ = 7 7 5 | 10.5" to 13.5" Long Flip | - | | PRO-38210 | \$2 |
| 30 0 | ynamic Footrest - STD | PRO-30298-2 | \$5775 | Locking, Telescoping | | | | |
| | <i>Includes:</i> Dynamic Adj Knee & Dyn Tel Upr | PRO-6304-01 | Incl. | Note: Full length pad on 13.5" armrests only. | or longer | | | |
| | Footrest Adapter HD | PRO-6220-01 | Incl. | 17" to 20" Long Flip-Ba | ck Lock- | (E0973) | PRO-38215 | \$ 2 |
| | Extension Option | | mon | ing, Telescoping | | | | |
| Note: | See Matrix for seat to rail footplate measureme | | | Foam Wraps - Sta | | | PRO-30216 | I |
| | Dynamic Adj Plantar/Dorsi | PRO-6405-01 | n/c | Desk Length Pad | S | | PRO-38213 | I |
| | Ext, 0-2" | | | Full Length Pads | | | PRO-38214 | I |
| | Dynamic Adj Plantar/Dorsi Ext, 1-3" | PRO-6409-01 | n/c | Note: Full length pad on 13.5" | or longer armres | sts only. | | |
| | Dynamic Adj Plantar/Dorsi | PRO-6406-01 | n/c | Frame | Mounted | Δrmr | ests | |
| | Ext, 2-4" | | | Single Post Fixed Heig | | | PRO-38222 | \$ 2 |
| | Dynamic Adj Plantar/Dorsi | PRO-6410-01 | n/c | movable - Short | | | | |
| | Ext, 3-5" | | | Single Post Fixed Heig | ht, Re- | (K0015) | PRO-38224 | \$ 2 |
| | Dynamic Adj Plantar/Dorsi Ext, 4-6" | PRO-6407-01 | n/c | movable - Tall Note: Single Post Fixed Height | ormo includo o | romovabl | lo sido quard | |
| | Dynamic Adj Plantar/Dorsi | PRO-6411-01 | n/c | Note: Adjustable in height with | | | | |
| | Ext, 5-7" | | | . | | | | |
| | Footplate Option | | | Single Post Height Adj | ustable, | (E0973) | PRO-38217 | \$ 2 |
| | 4" x 6" HD Alu Footplates | PRO-6503 | n/c | Removable - Short Single Post Height Adj | Istable | (E0973) | PRO-38203 | \$ 2 |
| N-4 | 5" x 7" HD Alu Footplates | PRO-6504 | n/c | Removable - Tall | | ,/ | 110 00200 | ΨΖ |
| NOTE: | for frames 16" wide and greater only. 6" x 10" HD Alu Footplates | PRO-6505 | n/c | | | | | |
| Note: | for frames 18" wide and greater only. | 110-0000 | 170 | Dual Post Fixed Height | | | PRO-38205 | I |
| | 3D Dynamic is both swing-away and removable | | | Removable | | (E0070) | | <u> </u> |
| | 3D Dynamic has adjustable dynamic knee joints | | | Dual Post Flip-Back He | - | (E0973) | PRO-38206 | \$ 2 |
| | 50°, 70°, or 90° with 36° of dynamic elevation tr | avel. | | Adjustable, Removable Note: All dual post armrests no | | short fram | ne. | |
| Note: | 3D Dynamic has ankle joints with 18° of dynam dorsiflexion ankle/foot positioning. | ic tiexion for plantar/ | | Note: All dual post armrests no | | | | |
| Note: | Angle adjustable footplate included. | | | Desk Length Pad | S | | PRO-38213 | I |
| Note: | Frame and/or front caster choice may limit 3D I range and/or cause footplate/front caster interfe | | | Full Length Pads | | | PRO-38214 | I |
| | | | | | | | | |

PRO-CG Rider Weight Capacity is 250 lbs. All Prices subject to change without notice.

Page 5 of 8

Retail

Date:

Description

Part No.

Marked For: Retail Description

Part No.

| Whe | el/Caster Seat Rail to Floor Heights |
|-----|--------------------------------------|
| | Costor Wheel |

PO#

| Rear | r Caster Wheel | | | | | |
|-------|--|---|---|--|--|--|
| Wheel | 4" | 5" | 6" | 7" | | |
| 12" | 15" 15.5" 16" 18.5" 19" | 15" 15.5" 16" 18.5" 19" | 18.5" 19" | 18.5" 19" | | |
| 16" | 15" 15.5" 16" 16.5" 17" 17.5" | 15" 15.5" 16" 16.5" 17" 17.5" | 16" 16.5" 17" 17.5" 20" | 17" 17.5" 20" 20.5" | | |
| 18" | 15.5" 16" 16.5" 17" 17.5" | 15.5" 16" 16.5" 17" 17.5" 18" 18.5" | 16" 16.5" 17" 17.5" 18" 18.5" | 17" 17.5" 18" 18.5" | | |
| 20" | 17" 17.5" 18" 18.5" 19" | 17" 17.5" 18" 18.5" 19" 19.5" | 17" 17.5" 18" 18.5" 19" 19.5" 20" | 17" 17.5" 18" 18.5" 19" 20" | | |
| 22" | 18" 18.5" 19" | 18" 18.5" 19" 19.5" | 18" 18.5" 19" 19.5" 20" | 18" 18.5" 19" 20" | | |
| 24" | 18.5" 19" | 19" 19.5" | 19" 19.5" 20" | 19" 20" 20.5" | | |

Note: Use chart to determine seat rail to floor height. Seat rail to floor height determined by frame type, rear wheels, and front caster size. **Note:** Caster sizes vary slightly in height by type.

Note: Seat rail to floor heights are approximate, and are impacted by wheel type, caster size and braking choice. Heights can vary +/- 1/4". Note: Seat pan choice increases seat rail to floor height 3/8" to 3/4".

| Front Wheels - C | aster Options | |
|------------------------------|---------------|--------|
| Omit Caster Wheels | PRO-34333 | |
| 3" Polyurethane | PRO-34888 | n/c |
| 3" Polyurethane Light-Up | PRO-34111 | \$ 101 |
| 4" Polyurethane | PRO-40000 | n/c |
| 4" Polyurethane Light-Up | PRO-41000 | \$ 101 |
| 4" x 1.4" Poly, Aluminum Mag | PRO-43000 | \$ 175 |
| 5" x 1" Poly, Plastic Mag | PRO-34555 | n/c |
| 5" Polyurethane Light-Up | PRO-35050 | \$ 101 |
| 5" x 1.5" Poly, Plastic Mag | PRO-34222 | \$87 |
| 5" x 1.4" Poly, Aluminum Mag | PRO-42000 | \$ 175 |

| Front Wheels - Caste | r Options - Continued |
|----------------------|-----------------------|
|----------------------|-----------------------|

| 6" x 1" Poly, Plastic Mag | | PRO-34666 | n/c |
|-------------------------------|-------------------|-----------|--------|
| 6" x 1.5" Poly, Plastic Mag | | PRO-34999 | \$87 |
| 6" x 1.4" Poly, Aluminum Mag | | PRO-44000 | \$ 175 |
| 6" x 2" Poly with Tread | | PRO-34444 | \$92 |
| 6" x 1" Pneumatic Plastic Mag | (E2214/ E2215) | PRO-34667 | \$77 |
| 7" x 1" Poly, Plastic Mag | | PRO-34777 | n/c |
| 7" x 2" Polyurethane | | PRO-34200 | \$ 118 |

Rear Wheels - Tires - Accessories

Note: All wheel selections include Freedom Designs' Patented Double Locking Safety Axles. **Omit Rear Wheels and Axles** PRO-31524

| Mag Wh | eels | | |
|--|-------------|--------------------|--------|
| 12" Low Profile Poly Mag | (E2218) | PRO-31526 | \$ 36 |
| Note: Not available with any foot/hand activa | ted brake/v | wheel lock system. | |
| 12" Semi Pneumatic Plastic | | PRO-31523 | \$ 168 |
| Мад | | | |
| Note: Not available with airless inserts. | | | |
| 12" Pneumatic Plastic Mag | | PRO-31525 | n/c |
| 12" Airless Inserts | (E2213) | PRO-31019 | \$77 |
| | | | • • • |
| 16" Pneumatic Plastic Mag | | PRO-31530 | \$41 |
| 16" Airless Inserts | (E2213) | PRO-31020 | \$77 |
| 16" Aluminum Handrims | | PRO-31014 | \$ 169 |
| 18" Pneumatic Plastic Mag | | PRO-31533 | \$41 |
| • | (50010) | | ¥ |
| 18" Airless Inserts | (E2213) | 1100 01021 | \$77 |
| 18" Aluminum Handrims | | PRO-31015 | \$ 169 |
| 20" Pneumatic Plastic Mag with Aluminum Handrim | | PRO-31527 | n/c |
| 20" Airless Inserts | (E2213) | PRO-31022 | \$77 |
| 20" Plastic Coated | | PRO-31016 | \$ 119 |
| Handrims Note: Plastic Coated Handrims NOT availabl | e with Drur | m Braking Systems. | |

| 22" F | Pneumatic Plastic Mag with | | PRO-31528 | n/c |
|-------|---------------------------------------|-------------|--------------------|-----------|
| Alun | ninum Handrim | | | |
| | 22" Airless Inserts | (E2213) | PRO-31023 | \$ 77 |
| | 22" Plastic Coated | | PRO-31017 | \$ 119 |
| | Handrims | | | |
| Note: | Plastic Coated Handrims NOT available | e with Drur | n Braking Systems. | |

| | Pneumatic Plastic Mag with ninum Handrim | | PRO-31529 | n/c |
|-------|---|-------------|----------------------|-----------|
| | 24" Airless Inserts | (E2213) | PRO-31024 | \$ 77 |
| | 24" Plastic Coated | | PRO-31018 | \$ 119 |
| | Handrims | | | |
| Note: | Plastic Coated Handrims NOT availabl | e with Drur | n Braking Systems. | |
| Note. | | | in braking bysterns. | |

Omit Handrims from 20", 22" or PRO-31006 24" Wheels

PRO-CG Rider Weight Capacity is 250 lbs. All Prices subject to change without notice.

Page 6 of 8

| | | | | | Marked For: |
|--|------------------|-------------|---------|-------|--|
| Description | | Part No. | Re | etail | Description Part No. Reta |
| Rear Wheels - Tires | - Acce | ssories - d | Cont. | | Rear Anti-Tipper Options |
| Spoke | | | | | Curb Assist Anti-Tip Assembly (E0971) PRO-31600 \$ |
| Note: All spoke wheels not available plas | | | | | Flip-Up, Adjustable Note: Pair includes one anti-tip tube with curb assist feature. |
| 16" Grey Pneumatic Tire & Sil Spoke Aluminum Wheel | ver | PRO-31534 | | n/c | Spring Loaded Swing-Away (E0971) PRO-31605 \$ 1 |
| Note: Rim, hub & spokes are anodized si | ilver. | | | | Anti-Tip Assy - Foot Activated |
| 16" Airless Inserts | | PRO-31020 | \$ | 77 | |
| 16" Silver Aluminum | | PRO-31030 | \$ | 77 | |
| Handrim | | | · | | Seat Pan Options |
| Note: 16" & 18" spoke wheels do not inclu | ude handrims. | | | | Note: ALL seat pans include 2" x 2" notches for growth adjustment. |
| 16" Black Pneumatic Tire & | | PRO-31535 | | n/c | Fixed Solid Seat Pan - Bolteron (E2231) PRO-39010 \$ 1 |
| Black Spoke Aluminum Wheel | | | | | Note: Not available with folding frame. |
| Note: Rim, hub & spokes are anodized bi 16" Airless Inserts | | PRO-31020 | \$ | 77 | Note: For folding frame must select Removable Pan Hardware Kit below. |
| 16" Black Aluminum | () | PRO-31031 | Ψ \$ | 77 | Note: ALL Bolteron seat pans are made to fit frame dimensions unless |
| Handrim | | 110-51051 | Ψ | | specified below. |
| Note: 16" & 18" spoke wheels do not inclu | ude handrims. | | | | Seat Width" X Seat Depth" |
| 18" Grey Pneumatic Tire & Sil | ver | PRO-31537 | | n/c | Fixed Solid Seat Pan - Alumi- (E2231) PRO-39030 \$ 2 |
| Spoke Aluminum Wheel | | | | | num |
| Note: Rim, hub & spokes are anodized si | | | | | Note: Fixed Seat Pan raises the effective seat to floor height by 1/2". |
| 18" Airless Inserts | (E2213) | PRO-31021 | \$ | 77 | Note: Not available with folding frame. Note: For folding frame must select Removable Pan Hardware Kit below. |
| 18" Silver Aluminum | | PRO-31034 | \$ | 77 | Available in the following sizes ONLY: |
| Handrim Note: 16" & 18" spoke wheels do not inclu | ude bandrime | | | | 14" wide x 16" deep 18" wide x 18" deep |
| 18" Black Pneumatic Tire & | uue nanunins. | PRO-31538 | | n/c | 16" wide x 18" deep |
| Black Spoke Aluminum Wheel | 1 | | | | |
| Note: Rim, hub & spokes are anodized bl | | | | | Fixed, Width Adjustable Solid (E2231) PRO-39040 \$ 2 |
| 18" Airless Inserts | (E2213) | PRO-31021 | \$ | 77 | Seat Pan - Aluminum |
| 18" Black Aluminum | | PRO-31035 | \$ | 77 | Note: Fixed Seat Pan raises the effective seat to floor height by 1/2". |
| Handrim | | | | | Note: Width Adjustable Solid Seat Pan adjusts 2" in width (in 1" increments) by assembly hardware to grow with PRO frame. |
| Note: 16" & 18" spoke wheels do not inclu | ude handrims. | | | | Note: Not available with folding frame. |
| 20" Pneumatic Spoke Wheel | | PRO-31540 | \$ | 204 | Note: For folding frame must select Removable Pan Hardware Kit below. |
| with Aluminum Handrim | | 1100 01040 | Ψ | 204 | Available in the following sizes ONLY: |
| 20" Airless Inserts | (E2213) | PRO-31022 | \$ | 77 | 14"-16" wide x 16" deep |
| | | | | | 16"-18" wide x 18" deep |
| 22" Pneumatic Spoke Wheel | | PRO-31541 | \$ | 204 | Mounting Hardware Ontions |
| with Aluminum Handrim | (PAR 17) | | - | | Mounting Hardware Options |
| 22" Airless Inserts | (E2213) | PRO-31023 | \$ | 77 | Note: Use to convert fixed seat pan to removable. Removable Pan Hardware Kit (K0108) PRO-EZLITE \$ 1 |
| 047 Desumatio Oralia Mikes | | | * | 204 | Note: Removable Seat Pan Hardware raises the effective seat to floor height |
| 24" Pneumatic Spoke Wheel with Aluminum Handrim | | PRO-31542 | Þ | 204 | by 5/8". |
| 24" Airless Inserts | (E2213) | PRO-31024 | \$ | 77 | Note: Includes 4-points of EZ-Lite mounting hardware, 2 each frame stopper clamps. |
| | (| 110 01024 | Ψ | ., | 1" Drop Pan Hardware Kit (K0108) PRO-DROP1 \$ 1 |
| Omit Handrims from 20", 22" | or | PRO-31006 | | | Note: Includes 4 each 1" drop hooks, 4 each 408 |
| 24" Wheels | | | | | clamps, & 2 each Glide Lock clamps. |
| | | | | | Note: Not available with ANY Aluminum Solid Seat Pan. |
| | | | | | 2" Drop Pan Hardware Kit (K0108) PRO-DROP2 \$ 1 |
| Wheel Loo | ck Opti | ons | | | Note: Includes 4 each 2" drop hooks, 4 each 408 clamps, & 2 each Glide Lock clamps. |
| | | | | | Note: Not available with ANV Aluminum Solid Soct Day |

Note: Not available with ANY Aluminum Solid Seat Pan.

| | WILEEI LUCK | Optio | 115 | | |
|--------|---|-------------|----------------|-------|----|
| Push | to Lock - Standard | | PRO-31501 | n | /c |
| Pull t | o Lock | | PRO-31506 | n | /c |
| | Extension Handles | (E0961) | PRO-31801 | \$ E | 61 |
| Foot | Activated Wheel Lock | (E2228) | PRO-31508 | n | /c |
| Note: | Includes manual wheel locks to be used | with public | transportation | | |
| Note: | Not available with 12" mag wheels with I | ow pro pol | y tires. | | |
| Note: | Not available with ALL vent and battery t | trays. | | | |
| Hand | Activated Brake and Wheel | (E2228) | PRO-30275 | \$ 90 |)0 |
| Lock | System | | | | |
| Note: | Includes manual wheel locks to be used | with public | transportation | | |
| Note: | Not available with 12" mag wheels with I | ow pro pol | y tires. | | |
| | | | | | |

Note: Used to control direction, speed, brake and lock wheels from strolling position.

PRO-CG Rider Weight Capacity is 250 lbs. All Prices subject to change without notice.

Page 7 of 8

PRD-CG SE

(K0108) 10911-2

(K0108) PRO-23210

(K0108) PRO-10900

(K0108) PRO-10905

(E0950) 08-2000

(E0950) 08-6000

(E0950) 08-13000

(E0950) 08-16000

Frame Pads - Pair

Freedom Backpack

Flip-Down Rigidizing Bar

Note: Wrap-around pads made from black neoprene. Note: Typically used to pad exposed back post tubes.

Note:Mounts to back post tubes to add rigidity to frame.Note:Does NOT adjust in width to grow with frame.

 Note:
 Canopy assembly includes removable mounting hardware.

 Note:
 Canopy is available in black only with Freedom Designs logo.

 Note:
 Canopy includes rear flap with zippered storage pocket.

Anterior Support Surfaces – (Trays)

 Note:
 Black Nylon only with Freedom Designs logo.

 Note:
 Monogramming is not available on Freedom Backpack.

Freedom Canopy - Flip-Back

Note: Canopy includes clear-view window.

3/8" Lexan Tray - Channel

3/8" Lexan Tray - Adjustable

1/4" Lexan Tray - EZ Lite Chan-

1/4" Lexan Tray - Hook & Loop

Knob Hardware & Ribs

nel Hardware & Ribs

Straps

Bracket Hardware

| Date: PO# | | | | | Marked For: | | |
|---|----------------------|-----------|----|--------|--|----------|------------|
| Description | | Part No. | R | letail | Description | Part No. | Retail |
| Acces | sories | | | | HCPCS CODES are provided based on ve | 5 | |
| Tilt Range Limit Kit | (K0108) | PRO-10920 | \$ | 35 | of the code definitions. The use of HCPCS For coverage information, verify the appro- | | r payment. |
| Note: Pins install into outside of tilt chann | el to limit tilt tra | avel. | | | | | |
| Medical Necessities Pouch | (K0108) | PRO-23207 | \$ | 68 | | | |
| Note: Black nylon. | | | | | Notes: | | |
| Footrest Hanger Pads - Pair | (K0108) | SFDI-9HP | \$ | 92 | | | |
| Note: Wrap-around pads made from blac | k neoprene. | | | | | | |

\$ 82

\$ 194

\$ 128

\$ 271

\$ 219

\$ 183

\$ 106

\$ 56